ASTM Volume 15.01, March 2018

Refractories, Activated Carbon; Advanced Ceramics

C16-03(2012)e2 Standard Test Method for Load Testing Refractory Shapes at High Temperatures

C20-00(2015) Standard Test Methods for Apparent Porosity, Water Absorption, Apparent Specific Gravity, and Bulk Density of Burned Refractory Brick and Shapes by Boiling Water

C24-09(2013) Standard Test Method for Pyrometric Cone Equivalent (PCE) of Fireclay and High Alumina Refractory Materials

C27-98(2013) Standard Classification of Fireclay and High-Alumina Refractory Brick

C71-12 Standard Terminology Relating to Refractories

C92-95(2015) Standard Test Methods for Sieve Analysis and Water Content of Refractory Materials

C108-46(2013) Standard Symbols for Heat Transmission

C113-14 Standard Test Method for Reheat Change of Refractory Brick

C133-97(2015) Standard Test Methods for Cold Crushing Strength and Modulus of Rupture of Refractories

C134-95(2016) Standard Test Methods for Size, Dimensional Measurements, and Bulk Density of Refractory Brick and Insulating Firebrick

C135-96(2015) Standard Test Method for True Specific Gravity of Refractory Materials by Water Immersion

C155-97(2013) Standard Classification of Insulating Firebrick

C179-14 Standard Test Method for Drying and Firing Linear Change of Refractory Plastic and Ramming Mix Specimens

C181-11 Standard Test Method for Workability Index of Fireclay and High-Alumina Refractory Plastics

C182-88(2013) Standard Test Method for Thermal Conductivity of Insulating Firebrick

C198-09(2013) Standard Test Method for Cold Bonding Strength of Refractory Mortar

C199-84(2016) Standard Test Method for Pier Test for Refractory Mortars

C201-93(2013) Standard Test Method for Thermal Conductivity of Refractories

C202-93(2013) Standard Test Method for Thermal Conductivity of Refractory Brick

C210-95(2014) Standard Test Method for Reheat Change of Insulating Firebrick

C288-87(2014) Standard Test Method for Disintegration of Refractories in an Atmosphere of Carbon Monoxide

C357-07(2015) Standard Test Method for Bulk Density of Granular Refractory Materials C401-12 Standard Classification of Alumina and Alumina-Silicate Castable Refractories C416-97(2013) Standard Classification of Silica Refractory Brick C417-05(2015) Standard Test Method for Thermal Conductivity of Unfired Monolithic Refractories C454-10(2017) Standard Test Method for Disintegration of Carbon Refractories by Alkali C455-07(2013) Standard Classification of Chrome, Chrome-Magnesia, Magnesia-Chrome, and Magnesia Brick C456-13 Standard Test Method for Hydration Resistance of Basic Bricks and Shapes C467-14 Standard Classification of Mullite Refractories C492-92(2017)e1 Standard Test Method for Hydration of Granular Dead-Burned Refractory Dolomite C544-03(2017) Standard Test Method for Hydration of Dead-Burned Magnesite or Periclase Grain C545-97(2013) Standard Classification of Zircon Refractories C577-07(2014) Standard Test Method for Permeability of Refractories C583-15 Standard Test Method for Modulus of Rupture of Refractory Materials at Elevated Temperatures C604-02(2012) Standard Test Method for True Specific Gravity of Refractory Materials by Gas-Comparison Pycnometer C607-88(2016) Standard Practice for Coking Large Shapes of Carbon-Bearing Materials C621-09(2014) Standard Test Method for Isothermal Corrosion Resistance of Refractories to Molten Glass C673-97(2013) Standard Classification of Fireclay and High-Alumina Plastic Refractories and Ramming Mixes C704/C704M-15 Standard Test Method for Abrasion Resistance of Refractory Materials at Room Temperature C767-93(2013) Standard Test Method for Thermal Conductivity of Carbon Refractories C830-00(2016) Standard Test Methods for Apparent Porosity, Liquid Absorption, Apparent Specific Gravity, and Bulk Density of Refractory Shapes by Vacuum Pressure C831-98(2017)e1 Standard Test Methods for Residual Carbon, Apparent Residual Carbon, and Apparent Carbon Yield in Coked Carbon-Containing Brick and Shapes C832-00(2015) Standard Test Method of Measuring Thermal Expansion and Creep of Refractories Under Load

C860-15 Standard Test Method for Determining the Consistency of Refractory Castable Using the Ball-In-Hand Test

C861-93(2014) Standard Practice for Determining Metric Dimensions of Standard Series Refractory Brick and Shapes

C862-16 Standard Practice for Preparing Refractory Concrete Specimens by Casting

C863-00(2016) Standard Test Method for Evaluating Oxidation Resistance of Silicon Carbide Refractories at Elevated Temperatures

C865-17 Standard Practice for Firing Refractory Concrete Specimens

C874-11a Standard Test Method for Rotary Slag Testing of Refractory Materials

C885-87(2012) Standard Test Method for Young's Modulus of Refractory Shapes by Sonic Resonance

C899-79(2013) Standard Practice for Use of Metric Units of Measure for Reporting Properties of Refractory Materials

C903-15e1 Standard Practice for Preparing Refractory Specimens by Cold Gunning

C909-93(2010) Standard Practice for Dimensions of a Modular Series of Refractory Brick and Shapes

C914-09(2015) Standard Test Method for Bulk Density and Volume of Solid Refractories by Wax Immersion

C973-87(2015) Standard Practice for Preparing Test Specimens From Basic Refractory Gunning Products by Pressing

C974-87(2015) Standard Practice for Preparing Test Specimens from Basic Refractory Castable Products by Casting

C975-87(2015) Standard Practice for Preparing Test Specimens from Basic Refractory Ramming Products by Pressing

C987-10(2015) Standard Test Method for Vapor Attack on Refractories for Furnace Superstructures

C1054-13 Standard Practice for Pressing and Drying Refractory Plastic and Ramming Mix Specimens

C1070-01(2014) Standard Test Method for Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering

C1099-07(2012) Standard Test Method for Modulus of Rupture of Carbon-Containing Refractory Materials at Elevated Temperatures

C1113/C1113M-09(2013) Standard Test Method for Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique)

C1145-06(2013) Standard Terminology of Advanced Ceramics

C1161-13 Standard Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature

C1171-16 Standard Test Method for Quantitatively Measuring the Effect of Thermal Shock and Thermal Cycling on Refractories

C1175-99a(2010) Standard Guide to Test Methods and Standards for Nondestructive Testing of Advanced Ceramics

C1190-95(2010) Standard Practice for Location of Test Specimens from Magnesia-Carbon and Impregnated Burned Basic Brick

C1198-09(2013) Standard Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Sonic Resonance

C1211-18 Standard Test Method for Flexural Strength of Advanced Ceramics at Elevated Temperatures

C1212-98(2015) Standard Practice for Fabricating Ceramic Reference Specimens Containing Seeded Voids

C1223-09(2014) Standard Test Method for Testing of Glass Exudation from AZS Fusion-Cast Refractories

C1239-13 Standard Practice for Reporting Uniaxial Strength Data and Estimating Weibull Distribution Parameters for Advanced Ceramics

C1259-15 Standard Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio for Advanced Ceramics by Impulse Excitation of Vibration

C1273-15 Standard Test Method for Tensile Strength of Monolithic Advanced Ceramics at Ambient Temperatures

C1274-12 Standard Test Method for Advanced Ceramic Specific Surface Area by Physical Adsorption

C1275-16 Standard Test Method for Monotonic Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperature

C1291-16 Standard Test Method for Elevated Temperature Tensile Creep Strain, Creep Strain Rate, and Creep Time-to-Failure for Monolithic Advanced Ceramics

C1292-16 Standard Test Method for Shear Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures

C1322-15 Standard Practice for Fractography and Characterization of Fracture Origins in Advanced Ceramics

C1323-16 Standard Test Method for Ultimate Strength of Advanced Ceramics with Diametrally Compressed C-Ring Specimens at Ambient Temperature

C1326-13(2018) Standard Test Method for Knoop Indentation Hardness of Advanced Ceramics

C1327-15 Standard Test Method for Vickers Indentation Hardness of Advanced Ceramics

C1336-96(2014) Standard Practice for Fabricating Non-Oxide Ceramic Reference Specimens Containing Seeded Inclusions

C1337-17 Standard Test Method for Creep and Creep Rupture of Continuous Fiber-Reinforced Advanced Ceramics Under Tensile Loading at Elevated Temperatures

C1341-13 Standard Test Method for Flexural Properties of Continuous Fiber-Reinforced Advanced Ceramic Composites

C1358-13 Standard Test Method for Monotonic Compressive Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics with Solid Rectangular Cross-Section Test Specimens at Ambient Temperatures

C1359-13 Standard Test Method for Monotonic Tensile Strength Testing of Continuous Fiber-Reinforced Advanced Ceramics With Solid Rectangular Cross-Section Test Specimens at Elevated Temperatures

C1360-17 Standard Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperatures

C1361-10(2015) Standard Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures

C1366-04(2013) Standard Test Method for Tensile Strength of Monolithic Advanced Ceramics at Elevated Temperatures

C1368-10(2017) Standard Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate
Strength Testing at Ambient Temperature

C1407-98(2016) Standard Practice for Calculating Areas, Volume, and Linear Change of Refractory Shapes

C1419-14 Standard Test Method for Sonic Velocity in Refractory Materials at Room Temperature and Its Use in Obtaining an Approximate Young's Modulus

C1421-16 Standard Test Methods for Determination of Fracture Toughness of Advanced Ceramics at Ambient Temperature

C1424-15 Standard Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature

C1425-13 Standard Test Method for Interlaminar Shear Strength of 1–D and 2–D Continuous Fiber-Reinforced Advanced Ceramics at Elevated Temperatures

C1445-13 Standard Test Method for Measuring Consistency of Castable Refractory Using a Flow Table

C1446-11 Standard Test Method for Measuring Consistency of Self-Flowing Castable Refractories

C1465-08(2013)e1 Standard Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures

C1468-13 Standard Test Method for Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature

C1469-10(2015) Standard Test Method for Shear Strength of Joints of Advanced Ceramics at Ambient Temperature

C1470-06(2013) Standard Guide for Testing the Thermal Properties of Advanced Ceramics

C1494-13 Standard Test Methods for Determination of Mass Fraction of Carbon, Nitrogen, and Oxygen in Silicon Nitride Powder

 ${\tt C1495-16\ Standard\ Test\ Method\ for\ Effect\ of\ Surface\ Grinding\ on\ Flexure\ Strength\ of\ Advanced\ Ceramics}$

C1499-15 Standard Test Method for Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature

C1525-04(2013) Standard Test Method for Determination of Thermal Shock Resistance for Advanced Ceramics by Water Quenching

C1547-02(2013) Standard Classification for Fusion-Cast Refractory Blocks and Shapes

C1548-02(2012) Standard Test Method for Dynamic Young's Modulus, Shear Modulus, and Poisson's Ratio of Refractory Materials by Impulse Excitation of Vibration

C1557-14 Standard Test Method for Tensile Strength and Young's Modulus of Fibers

C1576-05(2017) Standard Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Ambient Temperature

C1624-05(2015) Standard Test Method for Adhesion Strength and Mechanical Failure Modes of Ceramic Coatings by Quantitative Single Point Scratch Testing

C1655-06(2016) Standard Classification of Fireclay and High-Alumina Mortars

C1656-13 Standard Guide for Measuring the Reactivity of Hydraulic Refractory Castables using Exothermic Profile

C1674-16 Standard Test Method for Flexural Strength of Advanced Ceramics with Engineered Porosity (Honeycomb Cellular Channels) at Ambient Temperatures

C1678-10(2015) Standard Practice for Fractographic Analysis of Fracture Mirror Sizes in Ceramics and Glasses

C1683-10(2015) Standard Practice for Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics

C1684-18 Standard Test Method for Flexural Strength of Advanced Ceramics at Ambient Temperature—Cylindrical Rod Strength

 ${\tt C1730-17\,Standard\,Test\,Method\,for\,Particle\,Size\,Distribution\,of\,Advanced\,Ceramics\,by\,X-Ray\,Monitoring\,of\,Gravity\,Sedimentation}$

C1773-17 Standard Test Method for Monotonic Axial Tensile Behavior of Continuous Fiber-Reinforced Advanced Ceramic Tubular Test
Specimens at Ambient Temperature

C1783-15 Standard Guide for Development of Specifications for Fiber Reinforced Carbon-Carbon Composite Structures for Nuclear Applications

C1793-15 Standard Guide for Development of Specifications for Fiber Reinforced Silicon Carbide-Silicon Carbide Composite Structures for Nuclear Applications

C1819-15 Standard Test Method for Hoop Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramic Composite Tubular Test Specimens at Ambient Temperature Using Elastomeric Inserts

C1834-16 Standard Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress Flexural Testing (Stress Rupture) at Elevated Temperatures

C1836-16 Standard Classification for Fiber Reinforced Carbon-Carbon Composite Structures

C1862-17 Standard Test Method for the Nominal Joint Strength of End-Plug Joints in Advanced Ceramic Tubes at Ambient and Elevated Temperatures

D2652-11 Standard Terminology Relating to Activated Carbon

D2854-09(2014) Standard Test Method for Apparent Density of Activated Carbon

D2862-16 Standard Test Method for Particle Size Distribution of Granular Activated Carbon

D2866-11 Standard Test Method for Total Ash Content of Activated Carbon

C1835-16 Standard Classification for Fiber Reinforced Silicon Carbide-Silicon Carbide (SiC-SiC) Composite Structures

D3466-06(2011) Standard Test Method for Ignition Temperature of Granular Activated Carbon

D3467-04(2014) Standard Test Method for Carbon Tetrachloride Activity of Activated Carbon

D3802-16 Standard Test Method for Ball-Pan Hardness of Activated Carbon

D3803-91(2014) Standard Test Method for Nuclear-Grade Activated Carbon

D3838-05(2017) Standard Test Method for pH of Activated Carbon

D2867-17 Standard Test Methods for Moisture in Activated Carbon

D3860-98(2014) Standard Practice for Determination of Adsorptive Capacity of Activated Carbon by Aqueous Phase Isotherm Technique
D4069-95(2014) Standard Specification for Impregnated Activated Carbon Used to Remove Gaseous Radio-Iodines from Gas Streams
D4607-14 Standard Test Method for Determination of Iodine Number of Activated Carbon

D5029-98(2014) Standard Test Method for Water Solubles in Activated Carbon

D5158-98(2013) Standard Test Method for Determination of Particle Size of Powdered Activated Carbon by Air Jet Sieving

D5159-04(2014) Standard Guide for Dusting Attrition of Granular Activated Carbon

D5160-95(2014) Standard Guide for Gas-Phase Adsorption Testing of Activated Carbon

D5228-16 Standard Test Method for Determination of Butane Working Capacity of Activated Carbon

D5742-16 Standard Test Method for Determination of Butane Activity of Activated Carbon

D5832-98(2014) Standard Test Method for Volatile Matter Content of Activated Carbon Samples

D5919-96(2017) Standard Practice for Determination of Adsorptive Capacity of Activated Carbon by a Micro-Isotherm Technique for Adsorbates at ppb Concentrations

D6385-99(2017) Standard Test Method for Determining Acid-Extractable Content in Activated Carbon by Ashing

D6586-03(2014) Standard Practice for the Prediction of Contaminant Adsorption On GAC In Aqueous Systems Using Rapid Small-Scale Column Tests

D6646-03(2014) Standard Test Method for Determination of the Accelerated Hydrogen Sulfide Breakthrough Capacity of Granular and Pelletized Activated Carbon

D6647-01(2011) Standard Test Method for Determination of Acid Soluble Iron Via Atomic Absorption

D6781-02(2014) Standard Guide for Carbon Reactivation

D6851-02(2011) Standard Test Method for Determination of Contact pH with Activated Carbon

 ${\tt D7385\text{-}13}\ {\tt Standard}\ {\tt Guide}\ {\tt for}\ {\tt Estimating}\ {\tt Carbon}\ {\tt Saturation}\ {\tt by}\ {\tt Temperature}\ {\tt Rise}\ {\tt upon}\ {\tt Immersion}$