

Water quality – Risk assessments for *Legionella* control – Code of practice

Version comparison

This version comparison compares where new and revised clauses are located between BS 8580-1:2019 and BS 8580:2010.

BS 8580-1:2019 to BS 8580:2010

BS 8580-1:2019		BS 8580:2010	
	Foreword		Foreword
	Introduction		Introduction
1	Scope	1	Scope
2	Normative references	2	Normative references
3	Terms and definitions	3	Terms and definitions
4	Factors to be considered in the risk assessment	4	Factors to be considered in the risk assessment
5	Preparations for risk assessment	5	Preparations for risk assessment
5.1	Competence of the risk assessor	5.1	Competence of the risk assessor
5.2	Agreeing the terms of reference	5.2	Agreeing the terms of reference
5.3	Independence	5.3	Independence
6	Desktop appraisal of documentation	6	Desktop appraisal of documentation
6.1	Preparation	6.1	Preparation
6.2	Appraisal of the current scheme of control	6.2	Appraisal of the current scheme of control
7	Site survey	7	Site visit/survey
7.1	General	7.1	General
		7.2	Site inspection
7.2	Visual inspection of utilities/location for possible sources of contamination	7.3	Visual inspection of utilities/location for possible sources of contamination
7.3	Measurements	7.4	Measurements
7.4	Testing for Legionella	7.5	Testing for Legionella