
**Information technology — MPEG video
technologies —**

**Part 2:
Fixed-point 8×8 inverse discrete cosine
transform and discrete cosine transform**

Technologies de l'information — Technologies vidéo MPEG —

*Partie 2: Transformation de cosinus discret inverse 8×8 point fixe et
transformation de cosinus discret*

Reference number
ISO/IEC 23002-2:2008(E)



© ISO/IEC 2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction	v
1 Scope	1
2 Terms and definitions.....	1
3 Abbreviated terms	2
4 Conventions	2
4.1 Arithmetic operators.....	2
4.2 Logical operators.....	3
4.3 Relational operators	3
4.4 Bit-wise operators.....	3
4.5 Assignment operators.....	3
4.6 Range notation.....	3
4.7 Index notation for arrays.....	3
5 Specification of fixed point 8×8 IDCT	4
5.1 General.....	4
5.2 Scaling	4
5.3 Computation of one-dimensional transforms.....	5
5.4 Right-shifting.....	6
Annex A (informative) Fixed point 8×8 forward DCT	7
Annex B (normative) Reference software.....	9
Bibliography	10

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 23002-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 23002 consists of the following parts, under the general title *Information technology — MPEG video technologies*:

- *Part 1: Accuracy requirements for implementation of integer-output 8×8 inverse discrete cosine transform*
- *Part 2: Fixed-point 8×8 inverse discrete cosine transform and discrete cosine transform*
- *Part 3: Representation of auxiliary video and supplemental information*

Introduction

A number of visual-coding-related specifications (see Ref. [1] to [6] in the Bibliography) include a requirement for decoders to implement an integer-output 8×8 inverse discrete cosine transform (IDCT) for the generation of inverse-transformed samples with a nominal range from 0 to $(2^B)-1$, or sample differences with a nominal range from -2^B to $(2^B)-1$, for some integer number of bits B , where B is greater than or equal to 8.

This part of ISO/IEC 23002 provides the following benefits.

- It provides an example IDCT (and also an example forward DCT) approximation method to ease the implementation community in their design of decoders and encoders.
- It can help to ensure that decoders are implemented in full conformance with relevant video and image coding specifications (such as those listed in Refs. [2] to [6] in the Bibliography). Decoders that are designed to use the specified method will be assured to conform to the IDCT conformance requirements of the relevant image and video coding standards.
- It specifies a single deterministic result as the output of an image or video decoding process, such that video analysis tools can operate on decoded video with precisely predictable results. This provides the assurance to source material providers, for example, of exactly what results will be obtained from a video target detector, segmentation mask operator, or other classification, analysis, or post-processing process that operates on the decoded video. Such certainty is not achievable without a deterministically-specified decoding result.
- It can improve the quality of delivered video and image representations, as encoders designed to target their encoding process for the IDCT approximation specified herein can be assured that the decoding process will be free of encoder-decoder drift error on all decoders that conform to this part of ISO/IEC 23002.

Information technology — MPEG video technologies —

Part 2:

Fixed-point 8×8 inverse discrete cosine transform and discrete cosine transform

1 Scope

This part of ISO/IEC 23002 specifies a particular implementation of an integer-output 8×8 IDCT that fully conforms to the accuracy requirements specified in ISO/IEC 23002-1 (see Ref. [7] in the Bibliography) and additionally meets or exceeds all accuracy requirements specified for IDCT precision in a number of international video coding standards (see Ref. [2] to [6] in the Bibliography). It additionally provides a (non-normative) specification of an integer-output 8×8 forward DCT based on the same factorization structure.