



IEC 60068-3-6

Edition 2.0 2018-01
REDLINE VERSION

INTERNATIONAL STANDARD



**Environmental testing –
Part 3-6: Supporting documentation and guidance – Confirmation of the
performance of temperature/humidity chambers**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 19.040

ISBN 978-2-8322-5325-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions.....	6
4 Measuring of performances	9
4.1 Test area environment	9
4.2 Measurement system.....	9
4.3 Temperature measurement system	9
4.4 Humidity measurement system	10
4.5 Temperature/humidity chamber test specimens.....	10
4.6 Specified location of temperature sensors and humidity sensor in working space.....	10
4.6.1 General	10
Installation of sensors.....	
4.6.2 Temperature sensors.....	11
4.6.3 Humidity sensor.....	12
4.7 Measurement method	12
4.7.1 General	12
4.7.2 Achieved humidity	12
4.7.3 Temperature/humidity stabilization	13
4.7.4 Humidity fluctuation	13
4.7.5 Humidity gradient.....	14
4.7.6 Humidity variation in space.....	15
4.8 Standard humidity sequence.....	16
5 Information to be given in the performance test report.....	18
Determination of humidity performance.....	
Evaluation criteria.....	
Bibliography.....	19
Figure 1 – Example of humidity differences.....	8
Figure 2 – Working space	9
Figure 3 – Location sensors for temperature/humidity chambers up to 2 000 l.....	11
Figure 4 – Location of minimal additional sensors for temperature/humidity chambers over 2 000 l.....	11
Figure 5 – Example of achieved humidity.....	12
Figure 6 – Example of temperature/humidity stabilization.....	13
Figure 7 – Example of humidity fluctuation.....	14
Figure 8 – Example of humidity gradient for chambers up to 2 000 l.....	15
Figure 9 – Example of humidity variation in space for chambers up to 2000 l.....	16
Figure 10 – Example of climatogram	17
Table 1 – Practical dimensions	9
Table 2 – Example of test sequence	17

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –**Part 3-6: Supporting documentation and guidance –
Confirmation of the performance of temperature/humidity chambers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60068-3-6 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Confirmation procedures are clarified.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
104/760/FDIS	104/779/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 60068-3-6 is to be read in conjunction with IEC 60068-3-5:2001 and IEC 60068-3-7:2001.

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

IEC 60068 (all parts) contains fundamental information on environmental testing procedures and severities.

The expression "environmental conditioning" or "environmental testing" covers the natural and artificial environments to which components or equipment may be exposed so that an assessment can be made of their performance under conditions of use, transport and storage to which they may be exposed in practice.

Temperature and humidity chambers used for "environmental conditioning" or "environmental testing" are not described in any publication, although the method of maintaining and measuring temperature and/or humidity has a great influence on test results. The physical characteristics of temperature and humidity chambers can also influence test results.

ENVIRONMENTAL TESTING –

Part 3-6: Supporting documentation and guidance – Confirmation of the performance of temperature/humidity chambers

1 Scope

This part of IEC 60068 provides a uniform and reproducible method of confirming that temperature and humidity test chambers, without ~~load~~ specimens, conform to the requirements specified in climatic test procedures ~~contained in~~ of IEC 60068-2 (all parts). This document is ~~destined~~ intended for users when conducting regular chamber performance monitoring.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60068-3-4, Environmental testing – Part 3-4: Supporting documentation and guidance – Damp heat tests~~

IEC 60068-3-5:2001, *Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers*

IEC 60068-3-7:2001, *Environmental testing – Part 3-7: Supporting documentation and guidance – Measurements in temperature chambers for tests A and B (with load)*

IEC 60068-3-11, *Environmental testing – Part 3-11: Supporting documentation and guidance – Calculation of uncertainty of conditions in climatic test chambers*

~~IEC 60584-1, Thermocouples – Part 1: Reference tables~~

IEC 60751, *Industrial platinum resistance, thermometer sensors*

~~ISO 10012-1, Quality assurance requirements for measuring equipment – Part 1: Metrological confirmation system for measuring equipment~~

~~ISO 10012-2, Quality assurance for measuring equipment – Part 2: Guidelines for control of measurement processes~~

~~ISO 4677-1, Atmospheres for conditioning and testing – Determination of relative humidity – Part 1: Aspirated psychrometer method~~

ISO (unnumbered), *Guide to the Expression of Uncertainty in Measurement*

INTERNATIONAL STANDARD

**Environmental testing –
Part 3-6: Supporting documentation and guidance – Confirmation of the
performance of temperature/humidity chambers**



CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Measuring of performances	9
4.1 Test area environment	9
4.2 Measurement system	9
4.3 Temperature measurement system	9
4.4 Humidity measurement system	9
4.5 Temperature/humidity chamber test specimens.....	10
4.6 Specified location of temperature sensors and humidity sensor in working space.....	10
4.6.1 General	10
4.6.2 Temperature sensors.....	11
4.6.3 Humidity sensor.....	11
4.7 Measurement method	11
4.7.1 General	11
4.7.2 Achieved humidity	11
4.7.3 Temperature/humidity stabilization	12
4.7.4 Humidity fluctuation	12
4.7.5 Humidity gradient.....	13
4.7.6 Humidity variation in space.....	14
4.8 Standard humidity sequence	15
5 Information to be given in the performance test report	16
Bibliography.....	17
Figure 1 – Example of humidity differences.....	8
Figure 2 – Working space	8
Figure 3 – Location sensors for temperature/humidity chambers up to 2 000 l.....	10
Figure 4 – Location of minimal additional sensors for temperature/humidity chambers over 2 000 l.....	11
Figure 5 – Example of achieved humidity	12
Figure 6 – Example of temperature/humidity stabilization.....	12
Figure 7 – Example of humidity fluctuation.....	13
Figure 8 – Example of humidity gradient for chambers up to 2 000 l.....	14
Figure 9 – Example of humidity variation in space for chambers up to 2000 l.....	15
Figure 10 – Example of climatogram	16
Table 1 – Practical dimensions	9
Table 2 – Example of test sequence	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –**Part 3-6: Supporting documentation and guidance –
Confirmation of the performance of temperature/humidity chambers**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-3-6 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Confirmation procedures are clarified.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
104/760/FDIS	104/779/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 60068-3-6 is to be read in conjunction with IEC 60068-3-5:2001 and IEC 60068-3-7:2001.

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC 60068 (all parts) contains fundamental information on environmental testing procedures and severities.

The expression "environmental conditioning" or "environmental testing" covers the natural and artificial environments to which components or equipment may be exposed so that an assessment can be made of their performance under conditions of use, transport and storage to which they may be exposed in practice.

Temperature and humidity chambers used for "environmental conditioning" or "environmental testing" are not described in any publication, although the method of maintaining and measuring temperature and/or humidity has a great influence on test results. The physical characteristics of temperature and humidity chambers can also influence test results.

ENVIRONMENTAL TESTING –

Part 3-6: Supporting documentation and guidance – Confirmation of the performance of temperature/humidity chambers

1 Scope

This part of IEC 60068 provides a uniform and reproducible method of confirming that temperature and humidity test chambers, without specimens, conform to the requirements specified in climatic test procedures of IEC 60068-2 (all parts). This document is intended for users when conducting regular chamber performance monitoring.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-3-5:2001, *Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers*

IEC 60068-3-7:2001, *Environmental testing – Part 3-7: Supporting documentation and guidance – Measurements in temperature chambers for tests A and B (with load)*

IEC 60068-3-11, *Environmental testing – Part 3-11: Supporting documentation and guidance – Calculation of uncertainty of conditions in climatic test chambers*