



IEC 62561-2

Edition 3.0 2025-09

# INTERNATIONAL STANDARD

---

**Lightning protection system components (LPSC) -  
Part 2: Requirements for conductors and earth electrodes**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Requirements .....	10
4.1 General .....	10
4.2 Documentation and installation instructions .....	10
4.3 Air-termination conductors, air-termination rods, catenary wires and down conductors .....	10
4.4 Earth electrodes .....	13
4.4.1 General .....	13
4.4.2 Earth conductors .....	15
4.4.3 Earth rods .....	15
4.4.4 Earth plates and equipotential earth grids .....	15
4.4.5 Couplers for earth rods .....	15
4.5 Earth lead-in conductors .....	16
4.6 Marking .....	16
4.6.1 Content of marking .....	16
4.6.2 Durability and legibility .....	17
5 Tests .....	17
5.1 General test conditions .....	17
5.2 Air-termination conductors, air-termination rods, catenary wires, down conductors, earth lead-in conductors, earth conductors, earth plates and equipotential earth grids .....	17
5.2.1 General .....	17
5.2.2 Test for thickness of coating .....	18
5.2.3 Resistance test for coated conductors .....	20
5.2.4 Bending test for coated conductors .....	20
5.2.5 Environmental test for coated conductors .....	20
5.2.6 Electrical resistivity test .....	21
5.2.7 Tensile strength test .....	22
5.2.8 Material, configuration and cross-sectional area test .....	22
5.3 Earth rods .....	22
5.3.1 General .....	22
5.3.2 Test for thickness of coating on earth rods .....	22
5.3.3 Adhesion test for copper coated earth rods .....	22
5.3.4 Electrical resistance test for coated earth rods .....	23
5.3.5 Bending test for copper coated steel earth rods .....	24
5.3.6 Environmental test for coated earth rods .....	24
5.3.7 Electrical resistivity test for earth rods .....	24
5.3.8 Tensile strength test for earth rods .....	25
5.3.9 Test for yield/tensile ratio for copper coated steel earth rods .....	25
5.3.10 Material, configuration and cross-sectional area test for earth rods .....	26
5.4 Couplers for earth rods .....	26
5.4.1 General .....	26

5.4.2	Compression test by mechanical means .....	26
5.4.3	Environmental test.....	28
5.4.4	Lightning current test.....	28
5.4.5	Tensile strength test for couplers of earth rods .....	28
5.5	Marking test.....	29
5.5.1	General test conditions .....	29
5.5.2	Acceptance criteria .....	29
5.6	Documentation and installation instructions .....	29
5.6.1	General test conditions .....	29
5.6.2	Acceptance criteria .....	29
6	Electromagnetic compatibility (EMC) .....	29
7	Structure and content of the test report.....	29
7.1	General.....	29
7.2	Report identification .....	30
7.3	Specimen description.....	30
7.4	Conductor .....	30
7.5	Standards and references .....	30
7.6	Test procedure.....	30
7.7	Testing equipment description .....	30
7.8	Measuring instruments description .....	31
7.9	Results and parameters recorded .....	31
7.10	Statement of pass or fail .....	31
Annex A (normative)	Environmental test .....	32
A.1	General.....	32
A.2	Salt mist treatment.....	32
A.3	Humid sulphurous atmosphere treatment .....	32
A.4	Ammonia atmosphere treatment .....	32
Annex B (normative)	Lightning current test .....	33
B.1	General.....	33
B.2	Acceptance criteria .....	33
Annex C (normative)	Requirements and tests for air-termination conductors, air-termination rods, catenary wires and down conductors .....	34
Annex D (normative)	Requirements and tests for earth lead-in conductors, earth electrodes, equipotential earth grids and couplers for earth rods .....	35
Annex E (normative)	Sequence of tests for air-termination conductors, air-termination rods, catenary wires, earth lead-in conductors, down-conductors, earth conductors, earth plates and equipotential earth grids .....	36
Annex F (normative)	Sequence of tests for earth rods.....	38
Annex G (normative)	Sequence of tests of couplers for earth rods .....	39
Annex H (normative)	Material, configuration and cross-sectional area test.....	40
H.1	General.....	40
H.2	Acceptance criteria for air-termination conductors, air-termination rods, catenary wires and down conductors .....	40
H.3	Acceptance criteria for earth lead-in conductors, earth electrodes, equipotential earth grids .....	40
Annex I (normative)	Applicability of previous tests .....	41
Bibliography.....		42

Figure 1 – Coating measurements around the circumference of a round conductor .....	18
Figure 2 – Coating measurements of a plate conductor .....	18
Figure 3 – Typical test arrangement for adhesion test .....	23
Figure 4 – Definitions of upper yield strength $R_{eH}$ and tensile strength $R_m$ .....	25
Figure 5 – Typical test arrangement for the compression test by mechanical means .....	27
Figure E.1 – Flow chart of tests for air-termination conductors, air-termination rods, catenary wires, earth lead-in conductors, down-conductors, earth electrodes and equipotential earth grids .....	37
Figure F.1 – Flow chart of tests for earth rods .....	38
Figure G.1 – Flow chart of tests of couplers for earth rods .....	39
Table 1 – Material, configuration and cross-sectional area of air-termination conductors, air-termination rods, catenary wires and down-conductors .....	11
Table 2 – Material properties .....	12
Table 3 – Material, configuration and cross-sectional area of earth lead-in conductors, earth electrodes and equipotential earth grids .....	13
Table B.1 – Lightning impulse current ( $I_{imp}$ ) parameters .....	33
Table C.1 – Summary of requirements and tests for various elements tested according to Table 1 and Table 2 .....	34
Table D.1 – Summary of requirements and tests for various elements tested according to Table 2 and Table 3 .....	35
Table I.1 – Differences in the requirements for conductors and earth electrodes complying with IEC 62561-2:2012 or IEC 62561-2:2018 .....	41

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### **Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes**

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62561-2 has been prepared by IEC technical committee 81: Lightning protection. It is an International Standard.

This third edition cancels and replaces the second edition published in 2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) definitions of new conductor types mentioned in this document have been added;
- b) the document has been updated in line with IEC 60068-2-52:2017 on salt mist treatment;
- c) the document has been updated in line with ISO 22479:2019 on humid sulphurous atmosphere treatment;
- d) a new normative Annex H for material, configuration and cross-sectional area test has been introduced;

- e) a new normative Annex I for applicability of previous tests has been introduced.
- f) equipotential earth grid has been introduced.

The text of this International Standard is based on the following documents:

Draft	Report on voting
81/794/FDIS	81/800/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 62561 series, published under the general title *Lightning protection system components (LPSC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

This part of IEC 62561 deals with the requirements and tests for lightning protection system components (LPSC), specifically conductors and earth electrodes, used for the installation of a lightning protection system (LPS) designed and implemented according to the IEC 62305 series.