



IEC 60079-28

Edition 3.0 2025-11

# INTERNATIONAL STANDARD

---

**Explosive atmospheres -  
Part 28: Protection of equipment and transmission systems using optical  
radiation**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search -**  
[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published -** [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre -** [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal -** [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia -** [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	8
3 Terms and definitions .....	8
4 Types of Protection .....	11
4.1 General .....	11
4.2 Requirements for inherently safe optical radiation "op is" .....	12
4.2.1 Continuous wave radiation .....	12
4.2.2 Pulsed radiation .....	14
4.2.3 Over-power/energy fault protection .....	15
4.3 Requirements for protected optical radiation "op pr" .....	16
4.3.1 General .....	16
4.3.2 Radiation inside optical fibre or cable .....	16
4.3.3 Radiation entering or leaving enclosures .....	16
4.4 Optical system with interlock "op sh" .....	17
5 Type verifications and tests .....	18
5.1 Optical detector .....	18
5.2 Optical power .....	18
5.3 Optical irradiance .....	19
6 Marking .....	20
Annex A (informative) Ignition mechanisms .....	21
Annex B (informative) Typical optical fibre cable design .....	27
Annex C (informative) Overview for the assessment of pulsed radiation .....	28
Bibliography .....	29
Figure 1 – Optical ignition delay times and safe boundary curve with safety factor of 2 .....	17
Figure A.1 – Minimum radiant igniting power with inert absorber target ( $\alpha_{1\,064\text{ nm}} = 83\%$ , $\alpha_{805\text{ nm}} = 93\%$ ) and continuous wave-radiation of 1 064 nm .....	25
Figure A.2 – Minimum radiant igniting power with inert absorber target ( $\alpha_{1\,064\text{ nm}} = 83\%$ , ( $\alpha_{805\text{ nm}} = 93\%$ ) and continuous wave-radiation (PTB: 1 064 nm, HSL: 805 nm, [19]: 803 nm) for some n-alkanes .....	26
Figure B.1 – Example Multi-Fibre Optical Cable Design For Heavy Duty Applications .....	27
Figure B.2 – Typical Single Optical Fibre Cable Design .....	27
Figure C.1 – Flow diagram for the assessment of pulses according to 4.2.2 .....	28
Table 1 – EPLs achieved by application of Types of Protection for optical systems .....	12
Table 2 – Safe optical power and irradiance for Group I and II equipment, categorized by Equipment Group and temperature class .....	13
Table 3 – Safe optical power for Group II equipment for temperature classes T1 to T4 .....	13
Table 4 – Safe optical power and irradiance for Group III equipment .....	13
Table A.1 – AIT (auto ignition temperature), MESG (maximum experimental safe gap) and measured ignition powers of the chosen combustibles for inert absorbers as the target material ( $\alpha_{1\,064\text{ nm}} = 83\%$ , $\alpha_{805\text{ nm}} = 93\%$ ) .....	23

Table A.2 – Comparison of measured minimum igniting optical pulse energy ( $Q_{e,p}^{i,min}$ ) at 90  $\mu\text{m}$  beam diameter with auto ignition temperatures (AIT) and minimum ignition energies (MIE) from literature [20] at concentrations in percent by volume ( $\phi$ ) ..... 26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**Explosive atmospheres -  
Part 28: Protection of equipment and transmission  
systems using optical radiation**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60079-28 has been prepared by IEC technical committee 31 Equipment for explosive atmospheres. It is an International Standard.

This International Standard is to be used in conjunction with IEC 60079-0.

Users of this document are advised that interpretation sheets clarifying the interpretation of this document can be published. Interpretation sheets are available from the IEC webstore and can be found in the "history" tab of the page for each document.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

The significance of the changes between the current edition of IEC 60079-28 (Edition 3) and IEC 60079-28 (Edition 2) is as listed below:

### Significance of changes with respect to IEC 60079-28:2015

Significant Changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Ignition test is removed	Clause 6; Annex A (of Ed.2)			C1
Clarification of the applicability of IEC 60079-28 for laser equipment, optical fibre equipment and any optical system that converts light into convergent beams with focal points within the hazardous area only.	1	X		
Change title from "Radiation inside enclosures" to "Radiation entering or leaving enclosures" and text reworded	4.3.3	X		
The structure of this document was modified; new clause "Type verifications and tests" added	5	X		
New subclause "Optical detector"	5.1		X	
The possibility to do calculations for the assessment of optical power is clarified	5.2		X	
Additional examples for the marking are added.	6		X	
Annex C removed	Annex C (of Ed.2)	X		

NOTE 1 The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance can be found by referring to the Redline Version of the standard.

#### Explanation of the types of significant changes:

##### a) Definitions

- 1) Minor and editorial changes:** clarification  
decrease of technical requirements  
minor technical change  
editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

- 2) Extension:** addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

- 3) Major technical changes:** addition of technical requirements  
increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition. For these changes additional information is provided in clause B) below.

NOTE 2 These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

**b) Information about the background of changes**

- C1 The alternative option of an ignition test is removed because questions have been raised regarding the repeatability of the verification test across test labs. Additionally, it was identified that an application of a safety factor is not sufficiently defined and not possible to apply for real test samples.

The text of this International Standard is based on the following documents:

Draft	Report on voting
31/1887/FDIS	31/1933/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

Optical systems in the form of light sources utilizing optical components such as filters or lenses, optical fibres etc. include but are not limited to communications, surveying, sensing and measurement. In material processing, optical radiation of high irradiance is used. Where the installation is inside or close to explosive atmospheres, the radiation from such systems can pass through these atmospheres. Depending on the characteristics of the radiation it might then be able to ignite a surrounding explosive atmosphere. The presence or absence of an additional absorber, such as particles, significantly influences the ignition.

There are four possible ignition mechanisms:

- a) Optical radiation is absorbed by surfaces or particles, causing them to heat up, and under certain circumstances this might allow them to attain a temperature which will ignite a surrounding explosive atmosphere.
- b) Thermal ignition of a gas volume, where the optical wavelength matches an absorption band of the gas or vapour.
- c) Photochemical ignition due to photo dissociation of oxygen molecules by radiation in the ultraviolet wavelength range.
- d) Direct laser induced breakdown of the gas or vapour at the focus of a strong beam, producing plasma and a shock wave both eventually acting as ignition source. These processes can be supported by a solid material close to the breakdown point.

The most likely case of ignition occurring in practice with lowest radiation power of ignition capability is case a). Under some conditions for pulsed radiation, case d) also will become relevant. These two cases are addressed in this document. Although it is important that users be aware of ignition mechanisms b) and c) explained above, they are not addressed in this document due to the very special situation with ultraviolet radiation and with the absorption properties of most gases (see Annex A).

This document describes precautions and requirements to be taken when using optical radiation in explosive gas or dust atmospheres.

There are optical systems outside the scope of this document because the optical radiation associated with these systems is considered not to be a risk of ignition for the following reasons:

- due to low radiated power or divergent light; and
- as hot surfaces created due to a too small distance from the radiation source to an absorber which is already considered by general requirements for lighting equipment.

When optical systems are associated with electrical Ex Equipment and where the electrical Ex Equipment is located in a hazardous area then other parts of the IEC 60079 series will also apply. This document provides guidance for:

- Ignition hazards associated with optical systems in explosive atmospheres as defined in IEC 60079-10-1 and IEC 60079-10-2; and
- Control of ignition hazards from Ex Equipment using optical radiation in explosive atmospheres.

## 1 Scope

This part of IEC 60079 specifies additional requirements for Ex Equipment, Ex associated equipment or Ex Components containing optical systems emitting optical radiation, which is exposed to explosive atmospheres. These additional requirements are applicable for all equipment groups and all Equipment Protection Levels (EPL).

This document contains requirements for optical radiation in the wavelength range from 380 nm to 10 µm. It covers the following ignition mechanisms:

- Optical radiation is absorbed by surfaces or particles, causing them to heat up, and under certain circumstances this might allow them to attain a temperature which will ignite a surrounding explosive atmosphere.
- In rare special cases, direct laser induced breakdown of the gas at the focus of a strong beam, producing plasma and a shock wave both eventually acting as ignition source. These processes can be supported by a solid material close to the breakdown point.
- Annex A provides guidance when considering ignition mechanisms that influence the hazard of optics in explosive atmospheres.

NOTE 1 See a) and d) of the Introduction.

This document applies to

- a) laser equipment; and
- b) optical fibre equipment; and
- c) any optical system that converts light into convergent beams with focal points within the hazardous area only.

This document does not apply to:

- d) laser equipment for EPL Mb, Gb, Gc, Db or Dc applications which complies with Class 1 limits in accordance with IEC 60825-1; or

NOTE 2 The Class 1 limits are below 15 mW measured at a distance from the optical radiation source in accordance with IEC 60825-1, with this measured distance reflected in the Ex application. The Class 1 limit values are not considered capable of igniting an explosive atmosphere.

NOTE 3 Compliance with Class 1 limits is typically documented in the form of a datasheet or user manual provided by the manufacturer of the laser equipment.

- e) Single or multiple optical fibre cables not part of optical fibre equipment if the cables:
  - 1) comply with the relevant industrial standards for optical fibre cables, along with additional protective means, for example robust cabling, conduit or raceway (for EPL Gb, Db, Mb, Gc or Dc); or
  - 2) comply with the relevant industrial standards for optical fibre cables (for EPL Gc or Dc); or
- f) Optical radiation sources as defined in a) to c) above where the optical radiation is fully contained in an enclosure complying with one of the following Types of Protection suitable for the EPL, or the minimum ingress protection rating specified:

NOTE 4 Fully contained means that no optical radiation can escape.

- 1) flameproof "d" enclosures (IEC 60079-1); or

NOTE 5 A flameproof "d" enclosure is suitable because an ignition due to optical radiation in combination with absorbers inside the enclosure is contained.

- 2) pressurized "p" enclosures (IEC 60079-2); or

NOTE 6 A pressurized "p" enclosure is suitable because there is protection against ingress of an explosive atmosphere.

- 3) restricted breathing "nR" enclosure (IEC 60079-15); or

NOTE 7 A restricted breathing "nR" enclosure is suitable because there is protection against ingress of an explosive atmosphere.

- 4) dust protection "t" enclosures" (IEC 60079-31); or

NOTE 8 A dust protection "t" enclosure is suitable because there is protection against ingress of an explosive dust atmosphere.

- 5) an enclosure that provides a minimum ingress protection of IP 6X and where no internal absorbers are to be expected and complying with "Tests of enclosures" in IEC 60079-0.

NOTE 9 An enclosure of a minimum ingress protection of IP 6X and complying with "Tests of enclosures" in IEC 60079-0 is suitable because there is protection against the ingress of absorbers. It is anticipated that when the enclosures are opened, entrance of any absorbers is avoided.

This document does not cover ignition by ultraviolet radiation and by absorption of the radiation in the explosive mixture itself. Explosive absorbers or absorbers that contain their own oxidizer as well as catalytic absorbers are also outside the scope of this document.

This document supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this document conflicts with a requirement of IEC 60079-0, the requirement of this document takes precedence.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres - Part 0: Equipment - General requirements*

IEC 60079-1, *Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-7, *Explosive atmospheres - Part 7: Equipment protection by increased safety "e"*

IEC 60079-11, *Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-15, *Explosive atmospheres - Part 15: Equipment protection by type of protection "n"*

IEC 60825-2, *Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCS)*