



ISO/IEC 11801-1

Edition 1.1 2025-11

# INTERNATIONAL STANDARD

Corrected version  
2025-12

CONSOLIDATED VERSION

---

**Information technology - Generic cabling for customer premises –  
Part 1: General requirements**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2025 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search -**

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	13
INTRODUCTION .....	15
INTRODUCTION to Amendment 1 .....	17
1 Scope .....	18
2 Normative references .....	18
3 Terms, definitions, abbreviations and symbols .....	24
3.1 Terms and definitions .....	24
3.2 Abbreviations .....	31
3.3 Symbols .....	33
3.3.1 Variables .....	33
3.3.2 Indices .....	34
4 Conformance .....	34
5 Structure of generic cabling .....	34
5.1 Functional elements .....	34
5.2 Interfaces .....	35
5.3 Cabling subsystems .....	36
5.3.1 Cabling subsystem 1 .....	36
5.3.2 Cabling subsystems $n \geq 2$ .....	36
5.3.3 Common subsystems .....	37
5.3.4 Tie cabling .....	37
5.3.5 Channel and permanent link .....	37
6 Channel performance requirements .....	38
6.1 General .....	38
6.2 Environmental performance .....	38
6.2.1 General .....	38
6.2.2 Environmental classification .....	38
6.3 Balanced cabling transmission performance .....	41
6.3.1 General .....	41
6.3.2 Component choice .....	42
6.3.3 Channel parameters .....	42
6.4 Coaxial cabling transmission performance .....	70
6.4.1 General .....	70
6.4.2 Component choice .....	71
6.4.3 Channel parameters .....	71
6.5 Optical fibre cabling transmission performance .....	73
6.5.1 Component choice .....	73
6.5.2 Channel parameters .....	73
6.6 Single pair cabling transmission performance .....	73
6.6.1 General .....	73
6.6.2 Component choice .....	74
6.6.3 Channel parameters .....	74
6.6.4 Cable sharing .....	84
7 Link performance requirements .....	84
7.1 General .....	84
7.2 Balanced cabling .....	86
7.2.1 General .....	86

7.2.2	Return loss .....	87
7.2.3	Insertion loss/attenuation .....	88
7.2.4	NEXT .....	90
7.2.5	Attenuation to crosstalk ratio at the near-end .....	94
7.2.6	Attenuation to crosstalk ratio at the far-end .....	96
7.2.7	Direct current loop resistance .....	100
7.2.8	Direct current resistance unbalance .....	102
7.2.9	Propagation delay .....	102
7.2.10	Delay skew .....	103
7.2.11	Unbalance attenuation and coupling attenuation .....	105
7.2.12	Alien crosstalk .....	109
7.3	Coaxial cabling .....	114
7.3.1	General .....	114
7.3.2	Return loss .....	114
7.3.3	Insertion loss .....	114
7.3.4	Direct current loop resistance .....	115
7.3.5	DC current carrying capacity .....	115
7.3.6	Screening attenuation .....	115
7.4	Optical fibre cabling .....	115
7.5	Single pair balanced cabling .....	116
7.5.1	General .....	116
7.5.2	Return loss .....	116
7.5.3	Insertion loss/attenuation .....	117
7.5.4	Direct current (DC) loop resistance .....	118
7.5.5	Direct current (DC) resistance unbalance .....	120
7.5.6	Propagation delay .....	120
7.5.7	Unbalance attenuation and coupling attenuation .....	121
7.5.8	Alien crosstalk .....	124
8	Reference implementation for backbone cabling subsystems .....	127
8.1	General .....	127
8.2	Balanced cabling .....	127
8.2.1	Component choice .....	127
8.2.2	Dimensions .....	128
8.3	Optical fibre cabling .....	129
8.3.1	General .....	129
8.3.2	Component selection .....	129
8.3.3	Dimensions .....	130
8.4	Single pair balanced cabling .....	130
8.4.1	Component choice .....	130
8.4.2	Dimensions .....	130
9	Cable requirements .....	132
9.1	General .....	132
9.2	Operating environment .....	132
9.3	Balanced cables .....	133
9.3.1	Basic requirements .....	133
9.3.2	Balanced cables of Category 5 through 7A, 8.1 and 8.2 .....	133
9.3.3	Balanced cables of Category BCT-B .....	135
9.4	Coaxial cables .....	137

9.4.1	General .....	137
9.4.2	Environmental characteristics .....	137
9.4.3	Mechanical characteristics .....	137
9.4.4	Electrical characteristics .....	138
9.5	Optical fibre cable (cabled optical fibres) .....	138
9.5.1	Mechanical and environmental characteristics .....	138
9.5.2	Cabled optical fibre Categories .....	139
9.6	Single pair balanced cables .....	140
9.6.1	Basic requirements .....	140
9.6.2	Electrical characteristics .....	140
10	Connecting hardware requirements .....	140
10.1	General requirements .....	140
10.1.1	Overview .....	140
10.1.2	Location .....	140
10.1.3	Design .....	141
10.1.4	Operating environment .....	141
10.1.5	Mounting .....	144
10.1.6	Installation practices .....	144
10.1.7	Marking and colour coding .....	145
10.2	Category 5 through 7A, 8.1, and 8.2 connecting hardware for balanced cabling .....	145
10.2.1	General .....	145
10.2.2	Performance marking .....	145
10.2.3	Mechanical characteristics .....	145
10.2.4	Electrical characteristics .....	147
10.2.5	Additional requirements .....	159
10.3	BCT-B connecting hardware .....	160
10.4	Connecting hardware for use with coaxial cabling for BCT applications .....	160
10.4.1	General requirements .....	160
10.4.2	Performance marking .....	160
10.4.3	Electrical characteristics .....	160
10.5	Optical fibre connecting hardware .....	161
10.5.1	General requirements .....	161
10.5.2	Marking and colour coding .....	162
10.5.3	Mechanical and optical characteristics .....	162
10.6	Connecting hardware in accordance with IEC 60603-7 series .....	163
10.7	Connecting hardware in accordance with IEC 61076-3-104 .....	164
10.8	Connecting hardware in accordance with IEC 61076-2-101 (Type D, 4 poles) .....	165
10.9	Connecting hardware in accordance with IEC 61076-2-109 (Type X, 8 poles) .....	165
10.10	Connecting hardware in accordance with IEC 61169-2 and IEC 61169-24 (Type F) .....	165
10.11	Connecting hardware for two optical fibres .....	165
10.12	Connecting hardware for twelve and twenty-four optical fibres .....	166
10.13	Connecting hardware for sixteen optical fibres in accordance with IEC 61754-7-4 .....	166
10.14	Connecting hardware in accordance with IEC 63171-1 .....	167
10.15	Connecting hardware in accordance with IEC 63171-6 .....	167
10.16	Single pair connecting hardware requirements .....	168
10.16.1	General requirements .....	168

10.16.2	Mechanical characteristics .....	168
10.16.3	Electrical characteristics .....	168
11	Cord requirements .....	175
11.1	General .....	175
11.2	Operating environment .....	175
11.3	Balanced cords of Category 5 through 7A, 8.1, 8.2 and BCT-B .....	175
11.3.1	General .....	175
11.3.2	Identification .....	175
11.3.3	Operating environment .....	176
11.3.4	Return loss .....	176
11.3.5	NEXT .....	177
11.4	Coaxial cords .....	179
11.5	Optical fibre cords .....	179
11.5.1	General .....	179
11.5.2	Identification .....	180
11.5.3	Performance requirements for patch cords .....	180
11.6	Single pair cord requirements .....	180
11.6.1	General .....	180
11.6.2	Identification .....	180
11.6.3	Return loss .....	180
Annex A (normative)	Conformance testing procedures for balanced cabling of Classes A to F <sub>A</sub> , I and II and optical fibre cabling .....	182
A.1	General .....	182
A.2	Channel and link performance testing .....	182
A.2.1	General .....	182
A.2.2	Conformance testing of balanced cabling channels, and links .....	182
A.2.3	Installation conformance testing of optical fibre cabling channels .....	183
A.3	Overview of test schedules .....	183
Annex B (normative)	Mechanical and environmental performance testing of connecting hardware for balanced cabling .....	186
B.1	Overview .....	186
B.2	Solderless connections .....	186
B.3	Free and fixed connectors (modular plugs and jacks) .....	187
B.4	Other connecting hardware .....	188
Annex C (informative)	Electromagnetic characteristics .....	190
Annex D (informative)	Acronyms for balanced cables .....	191
Annex E (informative)	Supported applications .....	193
E.1	Supported applications for balanced cabling .....	193
E.2	Supported applications for optical fibre cabling .....	197
E.3	Supported applications for coaxial cabling .....	202
E.4	Supported industrial applications for optical fibre cabling .....	203
E.5	Supported applications for single pair balanced cabling .....	205
Annex F (informative)	Optical fibre cable OM1, OM2 and OS1 .....	207
Annex G (informative)	Remote powering on single pair balanced cabling .....	209
G.1	General .....	209
G.2	Remote powering Class .....	209
G.3	Remote powering channel length .....	209
Annex H (informative)	Cable sharing for single pair channels .....	211

H.1	General.....	211
H.2	Cable sharing engineered approach.....	211
Annex I (informative)	Length scaling of single pair channel PSAACR-F for application support .....	212
I.1	General.....	212
I.2	PS AACR-F length scaling .....	212
I.2.1	General .....	212
I.2.2	Example PS AACR-F calculation using T1-B at 15 m length .....	212
I.2.3	Example PS AACR-F calculation using T1-C at 40 m length .....	212
Bibliography.....		213

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25 .....	17
Figure 2 – General functional elements.....	34
Figure 3 – Interconnect models.....	35
Figure 4 – Cross-connect models.....	35
Figure 5 – Equipment and test interfaces .....	36
Figure 6 – Link options .....	85
Figure 7 – Link designations .....	86
Figure 17 – Single pair link examples at maximum implementation .....	116
Figure 8 – Backbone cabling model .....	128
Figure 18 – Single pair cabling model .....	131
Figure 9 – Pin grouping and pair assignments for IEC 60603-7 series interface for Categories 5, 6, 6 <sub>A</sub> and 8.1 (front view of fixed connector (jack), not to scale).....	163
Figure 10 – Pin grouping and pair assignment for the IEC 60603-7 series interface for Categories 7, 7 <sub>A</sub> , 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....	164
Figure 11 – Pin grouping and pair assignments for the IEC 61076-3-104 interface for Categories 7, 7 <sub>A</sub> , 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....	164
Figure 12 – Four position connector pin and pair assignments for IEC 61076-2-101 connecting hardware (front view of male connector).....	165
Figure 13 – Eight position connector pin and pair grouping assignments for IEC 61076-2-109 connecting hardware (front view of male connector r) .....	165
Figure 14 – Conductor assignment of IEC 61169-2 and IEC 61169-24 (Type F) connector.....	165
Figure 15 – Optical fibre assignments for connecting hardware for two optical fibres .....	166
Figure 16 – Optical fibre assignments for connecting hardware for 12 and 24 optical fibres (front view of fixed or free connector) .....	166
Figure 19 – Optical fibre assignments for connecting hardware for 16 optical fibres (front view of fixed or free connector).....	167
Figure 20 – Pin grouping and pair assignment for the IEC 63171-1 interface for single pair balanced cabling (front view of fixed connector (jack), not to scale) .....	167
Figure 21 – Pin grouping and pair assignment for the IEC 63171-6 interface for industrial single pair balanced cabling (front view of fixed connector (jack), not to scale) .....	167
Figure D.1 – Cable naming schema .....	191
Figure D.2 – Cable types .....	192

Table 1 – Channel environments.....	38
Table 2 – Details of environmental classification .....	40
Table 3 – Return loss for a channel .....	43
Table 4 – Informative return loss values for a channel at key frequencies .....	44
Table 5 – Insertion loss for a channel .....	45
Table 6 – Informative insertion loss values for a channel at key frequencies .....	46
Table 7 – NEXT for a channel.....	47
Table 8 – Informative NEXT values for a channel at key frequencies .....	48
Table 9 – PS NEXT for a channel .....	49
Table 10 – Informative PS NEXT values for a channel at key frequencies .....	50
Table 11 – Informative ACR-N values for a channel at key frequencies.....	51
Table 12 – Informative PS ACR-N values for a channel at key frequencies .....	52
Table 13 – ACR-F for a channel.....	53
Table 14 – Informative ACR-F values for a channel at key frequencies .....	54
Table 15 – PS ACR-F for a channel .....	55
Table 16 – Informative PS ACR-F values for a channel at key frequencies .....	56
Table 17 – DC loop resistance for a channel.....	56
Table 18 – Propagation delay for a channel .....	58
Table 19 – Informative propagation delay values for a channel at key frequencies.....	59
Table 20 – Delay skew for a channel .....	60
Table 21 – TCL for channel for unscreened channels.....	61
Table 22 – Informative TCL values for unscreened channels at key frequencies .....	61
Table 23 – TCL for Class I and II screened channels .....	62
Table 24 – Informative TCL values for Class I and II screened channels at key frequencies.....	62
Table 25 – ELTCTL for channel for unscreened channels .....	63
Table 26 – Informative ELTCTL values for unscreened channels at key frequencies .....	63
Table 27 – ELTCTL for Class I and II channels .....	63
Table 28 – Informative ELTCTL values for Class I and II channels at key frequencies .....	64
Table 29 – Coupling attenuation for a channel for screened channels .....	64
Table 145 – Informative coupling attenuation values for a screened channel at key frequencies.....	65
Table 30 – PS ANEXT for a channel .....	66
Table 31 – Informative PS ANEXT values for a channel at key frequencies .....	66
Table 32 – PS ANEXT <sub>avg</sub> for a channel.....	67
Table 33 – Informative PS ANEXT <sub>avg</sub> values for a channel at key frequencies .....	67
Table 34 – PS AACR-F for a channel.....	68
Table 35 – Informative PS AACR-F values for a channel at key frequencies .....	69
Table 36 – PS AACR-F <sub>avg</sub> for a channel .....	69
Table 37 – Informative PS AACR-F <sub>avg</sub> values for a channel at key frequencies.....	70
Table 38 – Alien crosstalk and coupling attenuation for screened channels .....	70
Table 39 – Return loss for a channel.....	71
Table 40 – Insertion loss for a channel .....	71

Table 41 – Informative insertion loss values for a channel at key frequencies .....	72
Table 42 – DC loop resistance for a channel.....	72
Table 43 – DC current carrying capacity for a channel .....	72
Table 44 – Operating voltage for a channel.....	72
Table 45 – Screening attenuation for a channel .....	73
Table 146 – Return loss for a single pair channel.....	74
Table 147 – Informative return loss values for a single pair channel at key frequencies .....	75
Table 148 – Insertion loss for a single pair channel .....	75
Table 149 – Informative insertion loss values for a single pair channel at key frequencies.....	76
Table 150 – Direct current (DC) loop resistance for a single pair channel at 20 °C.....	76
Table 151 – Propagation delay for a single pair channel .....	77
Table 152 – Informative propagation delay values for a single pair channel at key frequencies.....	78
Table 153 – TCL for a single pair channel for unscreened systems .....	78
Table 154 – Informative TCL values for a single pair unscreened channel at key frequencies.....	79
Table 155 – ELTCTL for a single pair channel for unscreened systems.....	79
Table 156 – Informative ELTCTL values for a single pair unscreened channel at key frequencies.....	80
Table 157 – Coupling attenuation for a single pair channel for screened systems .....	80
Table 158 – Informative coupling attenuation values for a single pair screened channel at key frequencies .....	81
Table 159 – PS ANEXT for a single pair channel .....	82
Table 160 – Informative PS ANEXT values for a single pair channel at key frequencies.....	82
Table 161 – PS AACR-F for a single pair channel .....	83
Table 162 – Informative PS AACR-F values for a single pair channel at key frequencies.....	83
Table 163 – Alien crosstalk and coupling attenuation for single pair screened channels.....	84
Table 164 – Informative coupling attenuation to meet alien crosstalk values for a single pair screened channel at key frequencies .....	84
Table 46 – Return loss for 2-connection or 3-connection link .....	87
Table 47 – Informative return loss values for links at key frequencies .....	88
Table 48 – Insertion loss for 2-connection or 3-connection link .....	89
Table 49 – Informative insertion loss values for links with maximum implementation at key frequencies .....	90
Table 50 – NEXT for 2-connection or 3-connection link .....	90
Table 51 – Informative NEXT values for links with maximum implementation at key frequencies .....	92
Table 52 – PS NEXT for 2-connection or 3-connection link .....	93
Table 53 – Informative PS NEXT values for links with maximum implementation at key frequencies .....	94
Table 54 – Informative ACR-N values for links with maximum implementation at key frequencies.....	95
Table 55 – Informative PS ACR-N values for links with maximum implementation at key frequencies .....	96
Table 56 – ACR-F for 2-connection or 3-connection link .....	97

Table 57 – Informative ACR-F values for links with maximum implementation at key frequencies .....	98
Table 58 – PS ACR-F for 2-connection or 3-connection link .....	99
Table 59 – Informative PS ACR-F values for links with maximum implementation at key frequencies .....	100
Table 60 – DC loop resistance for a 2-connection or 3-connection link.....	101
Table 61 – Informative DC loop resistance for links with maximum implementation .....	102
Table 62 – Propagation delay for 2-connection or 3-connection link .....	103
Table 63 – Informative propagation delay values for links with maximum implementation at key frequencies .....	103
Table 64 – Delay skew for 2-connection or 3-connection link .....	104
Table 65 – Informative delay skew for links with maximum implementation .....	105
Table 66 – TCL for Class I and II screened permanent links .....	106
Table 67 – Informative TCL values for Class I and II screened permanent links at key frequencies.....	106
Table 68 – ELTCTL for Class I and II permanent links .....	107
Table 69 – Informative ELTCTL values for Class I and II permanent links at key frequencies.....	107
Table 70 – Coupling attenuation for a screened permanent link .....	108
Table 71 – Informative coupling attenuation values for a screened permanent link <del>s</del> at key frequencies .....	109
Table 72 – PS ANEXT for 2-connection or 3-connection link .....	110
Table 73 – Informative PS ANEXT values for links at key frequencies.....	111
Table 74 – PS ANEXT <sub>avg</sub> for 2-connection or 3-connection link .....	111
Table 75 – Informative PS ANEXT <sub>avg</sub> values for links at key frequencies .....	112
Table 76 – PS AACR-F for 2-connection or 3-connection link.....	112
Table 77 – Informative PS AACR-F values for links at key frequencies .....	113
Table 78 – PS AACR-F <sub>avg</sub> for a 2-connection or 3-connection link .....	113
Table 79 – Informative PS AACR-F <sub>avg</sub> values for links at key frequencies.....	114
Table 80 – Alien crosstalk and coupling attenuation for screened links .....	114
Table 81 – Insertion loss for link .....	115
Table 82 – Informative insertion loss values for link at key frequencies.....	115
Table 83 – DC loop resistance for link .....	115
Table 165 – Return loss for a single pair link .....	117
Table 166 – Informative return loss values for a single pair link at key frequencies .....	117
Table 167 – Insertion loss for a single pair link .....	118
Table 168 – Informative insertion loss values for single pair links with maximum implementation at key frequencies .....	118
Table 169 – Direct current (DC) loop resistance for a single pair link at 20 °C .....	119
Table 170 – Informative DC loop resistance for single pair links with maximum implementation .....	119
Table 171 – Propagation delay for a single pair link .....	120
Table 172 – Informative propagation delay values for a single pair link at key frequencies.....	121
Table 173 – TCL for a single pair link for unscreened systems.....	121

Table 174 – Informative TCL values for a single pair unscreened link at key frequencies .....	122
Table 175 – ELTCTL for a single pair link for unscreened systems .....	122
Table 176 – Informative ELTCTL values for a single pair unscreened link at key frequencies .....	123
Table 177 – Coupling attenuation for a single pair link for screened systems .....	123
Table 178 – Informative coupling attenuation values for a single pair screened link at key frequencies .....	124
Table 179 – PS ANEXT for a single pair link .....	125
Table 180 – Informative PS ANEXT values for a single pair link at key frequencies .....	125
Table 181 – PS AACR-F for a single pair link .....	126
Table 182 – Informative PS AACR-F values for a single pair link at key frequencies .....	126
Table 183 – Alien crosstalk and coupling attenuation for a single pair screened link .....	127
Table 184 – Informative coupling attenuation to meet alien crosstalk values for a single pair screened link at key frequencies .....	127
Table 84 – Backbone link length equations .....	129
Table 185 – Single pair link length equations .....	132
Table 85 – Basic requirements of balanced cables.....	133
Table 86 – Mechanical characteristics of balanced cables of Category 5, 6, 6 <sub>A</sub> , 7 and 7 <sub>A</sub> .....	134
Table 87 – Mechanical characteristics of balanced cables of Category BCT-B .....	136
Table 88 – Minimum transmission performance requirements BCT-B balanced pairs .....	136
Table 89 – Basic requirements of coaxial cables.....	137
Table 90 – Mechanical performance requirements for coaxial BCT cables .....	137
Table 91 – Minimum electrical performance requirements for cables of Category BCT-C .....	138
Table 92 – Cabled optical fibre attenuation (maximum), dB/km .....	139
Table 93 – Multimode optical fibre modal bandwidth .....	139
Table 186 – Basic requirements of single pair balanced cables.....	140
Table 94 – Environmental performance specifications for balanced cabling connecting hardware .....	142
Table 95 – Environmental performance specifications for coaxial cabling connecting hardware .....	143
Table 96 – Environmental performance specifications for optical fibre cabling connecting hardware .....	144
Table 97 – Mechanical characteristics of connecting hardware for use with balanced cabling .....	146
Table 98 – Matrix of backward compatible mated free and fixed connector (plug and jack) performance .....	148
Table 99 – Return loss .....	148
Table 100 – Informative return loss values for connector at key frequencies .....	149
Table 101 – Insertion loss .....	149
Table 102 – Informative insertion loss values for connector at key frequencies .....	150
Table 103 – Near-end crosstalk (NEXT) .....	150
Table 104 – Informative NEXT values for connector at key frequencies .....	151
Table 105 – Power sum near-end crosstalk (PS NEXT) (for information only) .....	151

Table 106 – Informative PS NEXT values for connector at key frequencies .....	152
Table 107 – Far-end crosstalk (FEXT) .....	152
Table 108 – Informative FEXT values for connector at key frequencies.....	153
Table 109 – Power sum far-end crosstalk (PS FEXT) (for information only) .....	153
Table 110 – Informative PS FEXT values for connector at key frequencies .....	154
Table 111 – Input to output resistance .....	154
Table 112 – Input to output resistance unbalance .....	154
Table 113 – DC current carrying capacity .....	154
Table 114 – Propagation delay .....	155
Table 115 – Delay skew .....	155
Table 116 – Transverse conversion loss (TCL) .....	155
Table 117 – Informative TCL values for connector at key frequencies .....	156
Table 118 – Transverse conversion transfer loss (TCTL) .....	156
Table 119 – Informative TCTL values for connector at key frequencies.....	156
Table 120 – Transfer impedance (screened connectors only).....	157
Table 121 – Informative transfer impedance values (screened connectors only) at key frequencies .....	157
Table 122 – Coupling attenuation (screened connectors only) .....	157
Table 123 – Informative coupling attenuation values (screened connectors only) at key frequencies.....	157
Table 124 – Insulation resistance.....	158
Table 125 – Voltage proof.....	158
Table 126 – Power sum alien near-end crosstalk (PS ANEXT).....	158
Table 127 – Informative PS ANEXT values at key frequencies .....	158
Table 128 – Power sum alien far-end crosstalk (PS AFEXT) .....	159
Table 129 – Informative PS AFEXT values at key frequencies .....	159
Table 130 – Coupling attenuation for BCT-B connecting hardware .....	160
Table 131 – Formulae for return loss limits for BCT-C connecting hardware .....	160
Table 132 – Return loss limits for BCT-C connecting hardware at key frequencies.....	161
Table 133 – Formulae for insertion loss limits for BCT-C connecting hardware .....	161
Table 134 – Insertion loss limits for BCT-C connecting hardware at key frequencies.....	161
Table 135 – Screening attenuation limits for BCT-C connecting hardware.....	161
Table 136 – Attenuation of connecting hardware for optical fibre .....	162
Table 137 – Return loss of optical fibre connecting hardware.....	162
Table 138 – Electrical characteristics of terminal equipment outlets intended for use with balanced cabling .....	163
Table 187 – Mechanical characteristics of connecting hardware for use with single pair balanced cabling.....	168
Table 188 – Return loss for single pair connecting hardware .....	168
Table 189 – Informative return loss values for single pair connecting hardware at key frequencies .....	169
Table 190 – Insertion loss for single pair connecting hardware .....	169
Table 191 – Informative insertion loss values for single pair connecting hardware at key frequencies .....	169
Table 192 – Input to output resistance .....	170

Table 193 – Input to output resistance unbalance .....	170
Table 194 – DC current carrying capacity .....	170
Table 195 – Propagation delay for single pair connecting hardware .....	170
Table 196 – TCL for single pair connecting hardware.....	170
Table 197 – Informative TCL values for single pair connecting hardware at key frequencies.....	171
Table 198 – TCTL for single pair connecting hardware .....	171
Table 199 – Informative TCTL values for single pair connecting hardware at key frequencies.....	172
Table 200 – Transfer impedance (screened connectors only).....	172
Table 201 – Informative transfer impedance values (screened connectors only) at key frequencies.....	172
Table 202 – Coupling attenuation for single pair connecting hardware (screened connectors only) .....	173
Table 203 – Informative coupling attenuation values (screened connectors only) at key frequencies.....	173
Table 204 – Insulation resistance.....	173
Table 205 – Voltage proof.....	174
Table 206 – PS ANEXT for single pair connecting hardware .....	174
Table 207 – Informative PS ANEXT values for a connecting hardware at key frequencies .....	174
Table 208 – PS AFEXT for single pair connecting hardware.....	174
Table 209 – Informative PS AFEXT values for single pair connecting hardware at key frequencies .....	175
Table 139 – Minimum return loss for balanced cords .....	176
Table 140 – Informative values of return loss for balanced cords at key frequencies .....	176
Table 141 – Assumptions for cabling components used in the calculation of NEXT informative values.....	178
Table 142 – Informative values of NEXT for 2 m balanced cords at key frequencies .....	178
Table 143 – Informative values of NEXT for 5 m balanced cords at key frequencies .....	179
Table 144 – Informative values of NEXT for 10 m balanced cords at key frequencies .....	179
Table 210 – Minimum return loss for single pair balanced cords .....	181
Table 211 – Informative values of return loss for single pair balanced cords at key frequencies .....	181
Table A.1 – Test regime for reference conformance and installation conformance – Balanced cabling of Classes A through F <sub>A</sub> , BCT-B, I and II .....	184
Table A.2 – Test regime for reference conformance and installation conformance – Optical fibre cabling .....	185
Table A.3 – Test regime for reference conformance and installation conformance – Balanced single pair cabling of Classes T1-A, T1-B and T1-C.....	185
Table B.1 – Standards for solderless connections .....	186
Table B.2 – Standards for free and fixed connectors (modular plugs and jacks).....	187
Table B.3 – Standards for M12 style connectors .....	187
Table B.4 – Free and fixed connectors (modular plugs and jacks) operations matrix .....	188
Table B.5 – Reference for reliability testing of other connecting hardware .....	188
Table B.6 – Other connecting hardware operations matrix .....	189
Table E.1 – Applications using balanced cabling .....	194

Table E.2 – Industrial applications using balanced cabling .....	196
Table E.3 – Modular connector pin assignment for applications .....	197
<del>Table E.4 – Maximum channel attenuation for supported applications using optical fibre cabling .....</del>	
<del>Table E.5 – Maximum channel lengths supported by optical fibre applications for multimode optical fibre .....</del>	
<del>Table E.6 – Maximum channel length supported by optical fibre applications for single-mode optical fibre .....</del>	
Table E.4 – Optical fibre maximum channel length and maximum channel attenuation for supported network applications .....	200
Table E.7 – Supported BCT applications using balanced cabling .....	203
Table E.8 – Supported BCT applications using coaxial cabling .....	203
Table E.9 – Supported applications and maximum channel lengths with cabled multimode optical fibres .....	204
Table E.10 – Supported applications and maximum channel lengths with cabled all-silica single-mode optical fibres .....	204
Table E.11 – Applications using passive optical networks .....	204
Table E.12 – Applications using single pair balanced cabling .....	206
Table F.1 – Grandfathered OM1, OM2 and OS1 specifications .....	207
Table F.2 – Supported applications and maximum channel lengths with cabled all-silica multimode optical fibres .....	207
Table F.3 – Supported applications and maximum channel lengths with cabled all-silica singlemode optical fibres .....	208
Table G.1 – Remote powering information for single pair balanced cabling .....	209
Table G.2 – Maximum channel length information for single pair balanced cabling .....	210

**Information technology -  
Generic cabling for customer premises -  
Part 1: General requirements**

**FOREWORD**

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and [www.iso.org/patents](http://www.iso.org/patents). IEC and ISO shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

ISO/IEC 11801-1 edition 1.1 contains:

- the first edition (2017-11)
- the corrigendum 1 (2018-04)
- the amendment 1 (2025-11) [documents JTC1-SC25/3285/CDV and JTC1-SC25/3337A/RVC]
- the corrigendum 1 (2025-12) to the amendment 1

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard ISO/IEC 11801-1 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition, together with ISO/IEC 11801-2, cancels and replaces ISO/IEC 11801:2002, Amendment 1:2008 and Amendment 2:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain those elements and requirements, that are common to generic cabling systems (in application fields such as offices and industrial premises), namely requirements for common elements of topology and transmission performance of channels, links and related components;
- b) addition of balanced cabling channel and link Classes BCT-B, I and II;
- c) addition of coaxial cabling channel and link Class BCT-C;
- d) addition of balanced cabling component requirements for Categories BCT-B, 8.1 and 8.2;
- e) addition of coaxial cabling component requirements for Category BCT-C;
- f) addition of cabled optical fibre Categories OS1a and OM5;
- g) removal of optical fibre classes;
- h) cabled optical fibre Categories OM1, OM2 and OS1 have been moved to an informative annex.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

## INTRODUCTION

This document contains general requirements in support of the other premises-specific referenced cabling design documents developed by ISO/IEC JTC 1/SC 25 including ISO/IEC 11801-2, ISO/IEC 11801-3, ISO/IEC 11801-4, ISO/IEC 11801-5, ISO/IEC 11801-6, related Technical Specifications and Technical Reports (including the ISO/IEC TR 11801-99xx series, ISO/IEC TR 24704, ISO/IEC TR 24750 and ISO/IEC TS 29125).

This document specifies a multi-vendor cabling system which may be implemented with material from single or multiple sources, and is related to:


- a) International Standards for cabling components developed by technical committees of the IEC, for example copper cables and connectors as well as optical fibre cables and connectors (see Clause 2 and bibliography);
- b) standards for the testing of installed cabling (see Clause 2 and bibliography);
- c) applications developed by technical committees of the IEC, by subcommittees of ISO/IEC JTC 1, by study groups of ITU-T, for example for LANs and ISDN, and by IEEE 802;
- d) planning and installation guides and other standards which take into account the needs of specific applications for the configuration and the use of cabling systems on customer premises (e.g. ISO/IEC 14709 series, ISO/IEC 14763 series, ISO/IEC 30129, and ISO/IEC 18598).


Physical layer requirements for the applications listed in Annex E have been analysed to determine their compatibility with cabling classes specified in this document. These application requirements, together with statistics concerning premises-specific topologies and cabling models of the supported standards, have been used to develop the requirements for balanced, coaxial and optical fibre cabling.

As a result, generic cabling defined within this document:

- 1) specifies balanced cabling channel and link Classes A, B, C, D, E,  $E_A$ , F,  $F_A$ , I and II meeting both the requirements of standardized applications and to support the development and implementation of future applications;
- 2) specifies balanced cabling channel and link Class BCT-B to support the delivery of BCT applications;
- 3) specifies coaxial cabling channel and link Class BCT-C to support the delivery of BCT applications;
- 4) specifies optical fibre cabling meeting the requirements of standardized applications and exploiting component capabilities to ease the implementation of applications developed in the future;
- 5) invokes component requirements and specifies cabling implementations that ensure performance of links and of channels that meet or exceed the requirements for cabling classes.

Figure 1 shows the schematic and contextual relationships between the standards relating to information technology cabling produced by ISO/IEC JTC 1/SC 25, namely the ISO/IEC 11801 series of standards for generic cabling design, standards for the installation, operation and administration of generic cabling and for testing of installed generic cabling.





IEC

**Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25**

This document refers to International Standards for components and test methods wherever appropriate International Standards are available.

## INTRODUCTION to Amendment 1

This document specifies single pair component Categories T1-A, T1-B, and T1-C, as well as cabling channels and link Classes T1-A, T1-B, and T1-C to support single pair applications. Balanced single pair channels and links specified in this document are not a replacement for the generic 4-pair channels in ISO/IEC 11801-1:2017. They are an additional media type intended for use in intelligent building and industrial automation devices (e.g. in network sensors, actuators, and controllers). Because of the different types and locations of these devices, single pair cabling will have distinct structures and distribution architectures that are detailed in other parts of the ISO/IEC 11801 series.

This document also provides modifications and corrections to ISO/IEC 11801-1:2017.

## 1 Scope

This part of ISO/IEC 11801 specifies requirements that are common to the other parts of the ISO/IEC 11801 series. Cabling specified by this document supports a wide range of services including voice, data, and video that may also incorporate the supply of power.

This document specifies:

- a) the fundamental structure and configuration of generic cabling requirements within the types of premises defined by the other parts of the ISO/IEC 11801 series,
- b) channel transmission-and, environmental and power delivery performance requirements,
- c) link performance requirements,
- d) backbone cabling reference implementations in support of the parts of the ISO/IEC 11801 series,
- e) component performance requirements, referring to available International Standards for components and test methods where appropriate,
- f) test procedures to verify conformance to the cabling transmission performance requirements of the ISO/IEC 11801 series.

NOTE This document does not contain specific conformance requirements. The cabling design documents supported by ISO/IEC 11801-1 incorporate the requirements of this document as part of their individual conformance requirements.

In addition, this document provides information regarding the applications supported by the cabling channels.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60352-2, *Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance*

IEC 60352-3, *Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-4, *Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-5, *Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance*

IEC 60352-6, *Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance*

IEC 60352-7, *Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance*

IEC 60352-8, *Solderless connections – Part 8: Compression mount connections – General requirements, test methods and practical guidance*

IEC 60512-4-1, *Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof*

IEC 60512-4-2, *Connectors for electronic equipment – Tests and measurements – Part 4-2: Voltage stress tests – Test 4b: Partial discharge*

IEC 60512-6-2, *Connectors for electronic equipment – Tests and measurements – Part 6-2: Dynamic stress tests – Test 6b: Bump*

IEC 60512-6-3, *Connectors for electronic equipment – Tests and measurements – Part 6-3: Dynamic stress tests – Test 6c: Shock*

IEC 60512-6-4, *Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)*

IEC 60512-11-4, *Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature*

IEC 60512-11-7, *Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test*

IEC 60512-11-9, *Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat*

IEC 60512-11-10, *Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold*

IEC 60512-11-12, *Connectors for electronic equipment – Tests and measurements – Part 11-12: Climatic tests – Test 11m: Damp heat, cyclic*

IEC 60512-16-4, *Connectors for electronic equipment – Tests and measurements – Part 16-4: Mechanical tests on contacts and terminations – Test 16d: Tensile strength (crimped connections)*

IEC 60512-17-4, *Connectors for electronic equipment – Tests and measurements – Part 17-4: Cable clamping tests – Test 17d: Cable clamp resistance to cable torsion*

IEC 60512-19-3, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 19: Chemical resistance tests – Section 3: Test 19c – Fluid resistance*

IEC 60512-23-3, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 23-3: Test 23c: Shielding effectiveness of connectors and accessories*

IEC 60512-99-001, *Connectors for electronic equipment – Tests and measurements – Part 99-001: Test schedule for engaging and separating connectors under electrical load – Test 99a: Connectors used in twisted pair communication cabling with remote power*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60603-7, *Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors*

IEC 60603-7-1, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors*

IEC 60603-7-2, *Connectors for electronic equipment – Part 7-2: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 100 MHz*

IEC 60603-7-3, *Connectors for electronic equipment – Part 7-3: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 100 MHz*

IEC 60603-7-4, *Connectors for electronic equipment – Part 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-5, *Connectors for electronic equipment – Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-7, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors for data transmission with frequencies up to 600 MHz*

IEC 60603-7-41, *Connectors for electronic equipment – Part 7-41: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-51, *Connectors for electronic equipment – Part 7-51: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-71, *Connectors for electronic equipment – Part 7-71: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 1 000 MHz*

IEC 60603-7-81, *Connectors for electronic equipment – Part 7-81: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 2 000 MHz*

IEC 60603-7-82, *Connectors for electronic equipment – Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed connectors, for data transmission with frequencies up to 2 000 MHz*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-2-10, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods*

IEC 60794-2, *Optical fibre cables – Part 2: Indoor cables – Sectional specification*

IEC 60794-2-51, *Optical fibre cables – Part 2-51: Indoor cables – Detail specification for simplex and duplex cables for use in cords for controlled environment*

IEC 60794-3, *Optical fibre cables – Part 3: Outdoor cables – Sectional specification*

IEC 60794-5, *Optical fibre cables – Part 5: Sectional specification – Microduct cabling for installation by blowing*

IEC 60966-2-4, *Radio frequency and coaxial cable assemblies – Part 2-4: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 3000 MHz, IEC 61169-2 connectors*

IEC 60966-2-5, *Radio frequency and coaxial cable assemblies – Part 2-5: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 1000 MHz, IEC 61169-2 connectors*

IEC 60966-2-6, *Radio frequency and coaxial cable assemblies – Part 2-6: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 3000 MHz, IEC 61169-24 connectors*

IEC 61076-2-101, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking*

IEC 61076-2-109, *Connectors for electronic equipment – Product requirements – Part 2-109: Circular connectors – Detail specification for connectors with M 12 × 1 screw-locking, for data transmission frequencies up to 500 MHz*

IEC 61076-3-104, *Connectors for electrical and electronic equipment – Product requirements – Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2000 MHz*

IEC 61076-3-106, *Connectors for electronic equipment – Product requirements – Part 3-106: Rectangular connectors – Detail specification for protective housings for use with 8-way shielded and unshielded connectors for industrial environments incorporating the IEC 60603-7 series interface*

IEC 61076-3-110, *Connectors for electronic equipment – Product requirements – Part 3-110: Detail specification for shielded, free and fixed connectors for data transmission with frequencies up to 3000 MHz*

IEC 61156 (all parts), *Multicore and symmetrical pair/quad cables for digital communications*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC 61156-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 2: Symmetrical pair/quad cables with transmission characteristics up to 100 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-3, *Multicore and symmetrical pair/quad cables for digital communications – Part 3: Work area cable – Sectional specification*

IEC 61156-4, *Multicore and symmetrical pair/quad cables for digital communications – Part 4: Riser cables – Sectional specification*

IEC 61156-5:2009, *Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-5:2009/AMD1:2012

IEC 61156-5-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 5-1: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Horizontal floor wiring – Blank detail specification*

IEC 61156-6, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Work area wiring – Sectional specification*

IEC 61156-6-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 6-1: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Work area wiring – Blank detail specification*

IEC 61156-7, *Multicore and symmetrical pair/quad cables for digital communications – Part 7: Symmetrical pair cables with transmission characteristics up to 1200 MHz – Sectional specification for digital and analog communication cables*

IEC 61156-9:2016, *Multicore and symmetrical pair/quad cables for digital communications – Part 9: Cables for channels with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61156-10, *Multicore and symmetrical pair/quad cables for digital communications – Part 10: Cables for cords with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61169-2, *Radio-frequency connectors – Part 2: Sectional specification – Radio frequency coaxial connectors of type 9,52*

IEC 61169-24, *Radio-frequency connectors – Part 24: Sectional specification – Radio frequency coaxial connectors with screw coupling, typically for use in 75 Ω cable networks (type F)*

IEC 61196-1, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-6, *Coaxial communication cables – Part 6: Sectional specification for CATV drop cables*

IEC 61196-7, *Coaxial communication cables – Part 7: Sectional specification for cables for BCT cabling in accordance with ISO/IEC 15018 – Indoor drop cables for systems operating at 5 MHz – 3000 MHz*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-5, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-5: Tests – Torsion*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-18, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-18: Tests – Dry heat – High temperature endurance*

IEC 61300-2-22, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-22: Tests – Change of temperature*

IEC 61300-2-34, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-34: Tests – Resistance to solvents and contaminating fluids of interconnecting components and closures*

IEC 61300-2-44, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-44: Tests – Flexing of the strain relief of fibre optic devices*

IEC 61300-2-46, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-46: Tests – Damp heat, cyclic*

IEC 61753-1, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1: General and guidance for performance standards*

IEC 61753-021-2, *Fibre optic interconnecting devices and passive components – Performance standard – Part 021-2: Grade C/3 single-mode fibre optic connectors for category C – Controlled environment*

IEC 61753-022-2, *Fibre optic interconnecting devices and passive components – Performance standard – Part 022-2: Fibre optic connectors terminated on multimode fibre for category C – Controlled environment*

IEC 61754 (all parts), *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*

IEC 61754-20-100, *Fibre optic interconnecting devices and passive components – Part 20-100: Interface standard for LC connectors with protective housings related to IEC 61076-3-106*

IEC 61935-1, *Specification for the testing of balanced and coaxial information technology cabling – Part 1: Installed balanced cabling as specified in ISO/IEC 11801 and related standards*

IEC 61935-2, *Specification for the testing of balanced and coaxial information technology cabling – Part 2: Cords as specified in ISO/IEC 11801 and related standards*

IEC 62012-1, *Multicore and symmetrical pair/quad cables for digital communications to be used in harsh environments – Part 1: Generic specification*

IEC 62664-1-1, *Fibre optic interconnecting devices and passive components – Fibre optic connector product specifications – Part 1-1: LC-PC duplex multimode connectors terminated on IEC 60793-2-10 category A1a fibre*

ISO 4892-1, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-3, *Information technology – Implementation and operation of customer premises cabling – Part 3: Testing of optical fibre cabling*

IEC 60512-99-002, *Connectors for electrical and electronic equipment - Tests and measurements - Part 99-002: Endurance test schedules - Test 99b: Test schedule for unmating under electrical load*

IEC 61156-11, *Multicore and symmetrical pair/quad cables for digital communications - Part 11: Symmetrical single pair cables with transmission characteristics up to 1,25 GHz - Horizontal floor wiring - Sectional specification*

IEC 61156-12, *Multicore and symmetrical pair/quad cables for digital communications - Part 12: Symmetrical single pair cables with transmission characteristics up to 1,25 GHz - Work area wiring - Sectional specification*

IEC 61156-13, *Multicore and symmetrical pair/quad cables for digital communications - Part 13: Symmetrical single pair cables with transmission characteristics up to 20 MHz - Horizontal floor wiring - Sectional specification*

IEC 61156-14, *Multicore and symmetrical pair/quad cables for digital communications - Part 14: Symmetrical single pair cables with transmission characteristics up to 20 MHz - Work area wiring - Sectional specification*

IEC 61196-1-105, *Coaxial communication cables - Part 1-105: Electrical test methods - Test for withstand voltage of cable dielectric*

IEC 61935-4, *Specification for the testing of balanced and coaxial information technology cabling - Part 4: Installed balanced single-pair cabling as specified in ISO/IEC 11801-1 and related standards<sup>1</sup>*

IEC 63171, *Connectors for electrical and electronic equipment - Shielded or unshielded free and fixed connectors for balanced single-pair data transmission with current-carrying capacity - General requirements and tests*

IEC 63171-1, *Connectors for electronic equipment - Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors - Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style*

IEC 63171-6, *Connectors for electrical and electronic equipment - Part 6: Detail specification for 2-way and 4-way (data/power), shielded, free and fixed connectors for power and data transmission with frequencies up to 600 MHz*

ISO/IEC TS 29125, *Telecommunications cabling requirements for remote powering of terminal equipment*

---

<sup>1</sup> First edition under preparation. Stage at the time of publication: IEC CDV 61935-4:2025.

## Bibliography

CISPR 32, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

CISPR 35, *Electromagnetic compatibility of multimedia equipment – Immunity requirements*

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-38, *Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60227-2, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 2: Test methods*

IEC 60332-3 (all parts), *Tests on electric cables under fire conditions – Part 3: Test for vertical flame spread of vertically-mounted bunched wires or cables*

IEC 60364-1, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60512-1, *Connectors for electronic equipment – Tests and measurements – Part 1: General*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-2-5, *Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance*

IEC 60512-13-1, *Connectors for electronic equipment – Tests and measurements – Part 13-1: Mechanical operation tests – Test 13a: Engaging and separating forces*

IEC 60512-15-6, *Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices*

IEC 60512-15-8, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 15: Mechanical tests on contacts and terminations – Section 8: Test 15h – Contact retention system resistance to tool application*

IEC 60512-25-3, *Connectors for electronic equipment – Tests and measurements – Part 25-3: Test 25c – Rise time degradation*

IEC 60793-1-4X (all parts), *Optical fibres – Part 1-4X: Measurement methods and test procedures*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60794-1 (all parts), *Optical fibre cables – Part 1: Generic specification*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance*

IEC 60807-8, *Rectangular connectors for frequencies below 3 MHz – Part 8: Detail specification for connectors, four-signal contacts and earthing contacts for cable screen*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60874-1, *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables – Part 1: Generic specification*

IEC 60950 (all parts), *Information technology equipment – Safety*

IEC 61000-2-2, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC TR 61000-5-2, *Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines – Section 2: Earthing and cabling*

IEC 61073-1, *Fibre optic interconnecting devices and passive components – Mechanical splices and fusion splice protectors for optical fibres and cables – Part 1: Generic specification*

IEC 61280 (all parts), *Fibre optic communication subsystem test procedures*

IEC 61280-4-1, *Fibre optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*

IEC 61280-4-2, *Fibre optic communication subsystem test procedures – Part 4-2: Installed cable plant – Single-mode attenuation and optical return loss measurement*

IEC 61300 (all parts), *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-2-2, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-2: Tests – Mating durability*

IEC 61300-2-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-6: Tests – Tensile strength of coupling mechanism*

IEC 61300-2-12, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-12: Tests – Impact*

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*

IEC 61300-2-42, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-42: Tests – Static side load for strain relief*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

IEC 61300-3-34, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-34: Examinations and measurements – Attenuation of random mated connectors*

IEC 61753-1-3, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1-3: General and guidance for single-mode fibre optic connector and cable assembly for industrial environment, Category I*

IEC 61754-7-1, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7-1: Type MPO connector family – One fibre row*

IEC 61754-7-2<sup>2</sup>, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7-2: Type MPO connector family – Two fibre rows*

IEC 61935-3, *Testing of balanced and coaxial information technology cabling – Part 3: Installed cabling as specified in ISO/IEC 15018 and related standards*

IEC TR 62000:2010, *Guidance for combining different single-mode fibres types*

ISO/IEC 8877, *Information technology – Telecommunications and information exchange between systems – Interface connector and contact assignments for ISDN Basic Access Interface located at reference points S and T*

ISO/IEC 11801-2, *Information technology – Generic cabling for customer premises – Part 2: Office premises*

ISO/IEC 11801-3, *Information technology – Generic cabling for customer premises – Part 3: Industrial premises*

ISO/IEC 11801-4, *Information technology – Generic cabling for customer premises – Part 4: Single-tenant homes*

ISO/IEC 11801-5, *Information technology – Generic cabling for customer premises – Part 5: Data centres*

ISO/IEC 11801-6, *Information technology – Generic cabling for customer premises – Part 6: Distributed building services*

ISO/IEC 14165-114, *Information technology – Fibre channel – Part 114: 100 MB/s balanced copper physical interface (FC-100-DF-EL-S)*

ISO/IEC 14709-1, *Information technology – Configuration of Customer Premises Cabling (CPC) for applications – Part 1: Integrated Services Digital Network (ISDN) basic access*

ISO/IEC 14709-2, *Information technology – Configuration of Customer Premises Cabling (CPC) for applications – Part 2: Integrated Services Digital Network (ISDN) primary rate*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-3, *Information technology – Implementation and operation of customer premises cabling – Part 3: Testing of optical fibre cabling*

ISO/IEC 18598, *Information technology – Automated infrastructure management (AIM) systems – Requirements, data exchange and applications*

ISO/IEC TR 24704, *Information technology – Customer premises cabling for wireless access points*

ISO/IEC TR 24750, *Information technology – Assessment and mitigation of installed balanced cabling channels in order to support 10GBASE-T*

ISO/IEC TR 29106, *Information technology – Generic cabling – Introduction to the MICE environmental classification*

ISO/IEC TS 29125, *Information technology – Telecommunications cabling requirements for remote powering of terminal equipment*

---

<sup>2</sup> Under preparation. Stage at time of publication: IEC CDV 61754-7-2:2016.

ISO/IEC/IEEE 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Standard for Ethernet*

ITU-T Rec. I.430, *Basic user-network interface – Layer 1 specification*

ITU-T Rec. I.431, *Primary rate user-network interface – Layer 1 specification*

ITU-T Rec. X.21, *Interface between data terminal equipment (DTE) and data circuit-terminating equipment (DCE) for synchronous operation on public data networks*

IEEE 802.3, *IEEE Standard for Ethernet*

IEEE 802.3bt, *IEEE Standard for Ethernet Amendment: Physical Layer and Management Parameters for DTE Power via MDI over 4-Pair*

IEEE 802.3bz, *IEEE Standard for Ethernet Amendment 3: Physical Layer and Management Parameters for 25 Gb/s and 40 Gb/s Operation, Types 25GBASE-T and 40GBASE-T*

IEEE 802.3bz, *IEEE Standard for Ethernet Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation, Types 2.5GBASE-T and 5GBASE-T*

IEEE 1394b, *IEEE Standard for Higher-Performance Serial Bus*

IEC 61753-031-6, *Fibre optic interconnecting devices and passive components - Performance standard - Part 031-6: Non-connectorized single-mode 1×N and 2×N non-wavelength-selective branching devices for Category O - Uncontrolled environment*

IEC 62153-4-7, *Metallic cables and other passive components test methods - Part 4-7: Electromagnetic compatibility (EMC) - Test method for measuring of transfer impedance  $Z_T$  and screening attenuation  $a_S$  or coupling attenuation  $a_C$  of connectors and assemblies - Triaxial tube in tube method*

IEC 62153-4-9, *Metallic communication cable test methods - Part 4-9: Electromagnetic compatibility (EMC) - Coupling attenuation of screened balanced cables, triaxial method*

IEC 62153-4-13, *Metallic communication cable test methods - Part 4-13: Electromagnetic compatibility (EMC) - Coupling attenuation of links and channels (laboratory conditions) - Absorbing clamp method*

ISO/IEC TR 11801-9911, *Information technology - Generic cabling for customer premises - Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system*

## CONTENTS

FOREWORD .....	13
INTRODUCTION .....	15
INTRODUCTION to Amendment 1 .....	16
1 Scope .....	17
2 Normative references .....	17
3 Terms, definitions, abbreviations and symbols .....	23
3.1 Terms and definitions .....	23
3.2 Abbreviations .....	30
3.3 Symbols .....	32
3.3.1 Variables .....	32
3.3.2 Indices .....	33
4 Conformance .....	33
5 Structure of generic cabling .....	33
5.1 Functional elements .....	33
5.2 Interfaces .....	34
5.3 Cabling subsystems .....	35
5.3.1 Cabling subsystem 1 .....	35
5.3.2 Cabling subsystems $n \geq 2$ .....	35
5.3.3 Common subsystems .....	36
5.3.4 Tie cabling .....	36
5.3.5 Channel and permanent link .....	36
6 Channel performance requirements .....	37
6.1 General .....	37
6.2 Environmental performance .....	37
6.2.1 General .....	37
6.2.2 Environmental classification .....	37
6.3 Balanced cabling transmission performance .....	40
6.3.1 General .....	40
6.3.2 Component choice .....	41
6.3.3 Channel parameters .....	41
6.4 Coaxial cabling transmission performance .....	69
6.4.1 General .....	69
6.4.2 Component choice .....	70
6.4.3 Channel parameters .....	70
6.5 Optical fibre cabling transmission performance .....	72
6.5.1 Component choice .....	72
6.5.2 Channel parameters .....	72
6.6 Single pair cabling transmission performance .....	72
6.6.1 General .....	72
6.6.2 Component choice .....	73
6.6.3 Channel parameters .....	73
6.6.4 Cable sharing .....	83
7 Link performance requirements .....	83
7.1 General .....	83
7.2 Balanced cabling .....	84
7.2.1 General .....	84

7.2.2	Return loss .....	85
7.2.3	Insertion loss/attenuation .....	86
7.2.4	NEXT .....	88
7.2.5	Attenuation to crosstalk ratio at the near-end .....	92
7.2.6	Attenuation to crosstalk ratio at the far-end .....	94
7.2.7	Direct current loop resistance .....	98
7.2.8	Direct current resistance unbalance .....	99
7.2.9	Propagation delay .....	100
7.2.10	Delay skew .....	101
7.2.11	Unbalance attenuation and coupling attenuation .....	103
7.2.12	Alien crosstalk .....	106
7.3	Coaxial cabling .....	111
7.3.1	General .....	111
7.3.2	Return loss .....	111
7.3.3	Insertion loss .....	111
7.3.4	Direct current loop resistance .....	112
7.3.5	DC current carrying capacity .....	112
7.3.6	Screening attenuation .....	112
7.4	Optical fibre cabling .....	112
7.5	Single pair balanced cabling .....	113
7.5.1	General .....	113
7.5.2	Return loss .....	113
7.5.3	Insertion loss/attenuation .....	114
7.5.4	Direct current (DC) loop resistance .....	115
7.5.5	Direct current (DC) resistance unbalance .....	117
7.5.6	Propagation delay .....	117
7.5.7	Unbalance attenuation and coupling attenuation .....	118
7.5.8	Alien crosstalk .....	121
8	Reference implementation for backbone cabling subsystems .....	124
8.1	General .....	124
8.2	Balanced cabling .....	124
8.2.1	Component choice .....	124
8.2.2	Dimensions .....	125
8.3	Optical fibre cabling .....	126
8.3.1	General .....	126
8.3.2	Component selection .....	126
8.3.3	Dimensions .....	127
8.4	Single pair balanced cabling .....	127
8.4.1	Component choice .....	127
8.4.2	Dimensions .....	127
9	Cable requirements .....	129
9.1	General .....	129
9.2	Operating environment .....	129
9.3	Balanced cables .....	130
9.3.1	Basic requirements .....	130
9.3.2	Balanced cables of Category 5 through 7A, 8.1 and 8.2 .....	130
9.3.3	Balanced cables of Category BCT-B .....	132
9.4	Coaxial cables .....	134

9.4.1	General .....	134
9.4.2	Environmental characteristics .....	134
9.4.3	Mechanical characteristics .....	134
9.4.4	Electrical characteristics .....	135
9.5	Optical fibre cable (cabled optical fibres) .....	135
9.5.1	Mechanical and environmental characteristics .....	135
9.5.2	Cabled optical fibre Categories .....	136
9.6	Single pair balanced cables .....	137
9.6.1	Basic requirements .....	137
9.6.2	Electrical characteristics .....	137
10	Connecting hardware requirements .....	137
10.1	General requirements .....	137
10.1.1	Overview .....	137
10.1.2	Location .....	137
10.1.3	Design .....	137
10.1.4	Operating environment .....	138
10.1.5	Mounting .....	141
10.1.6	Installation practices .....	141
10.1.7	Marking and colour coding .....	142
10.2	Category 5 through 7A, 8.1, and 8.2 connecting hardware for balanced cabling .....	142
10.2.1	General .....	142
10.2.2	Performance marking .....	142
10.2.3	Mechanical characteristics .....	142
10.2.4	Electrical characteristics .....	144
10.2.5	Additional requirements .....	156
10.3	BCT-B connecting hardware .....	157
10.4	Connecting hardware for use with coaxial cabling for BCT applications .....	157
10.4.1	General requirements .....	157
10.4.2	Performance marking .....	157
10.4.3	Electrical characteristics .....	157
10.5	Optical fibre connecting hardware .....	158
10.5.1	General requirements .....	158
10.5.2	Marking and colour coding .....	159
10.5.3	Mechanical and optical characteristics .....	159
10.6	Connecting hardware in accordance with IEC 60603-7 series .....	160
10.7	Connecting hardware in accordance with IEC 61076-3-104 .....	161
10.8	Connecting hardware in accordance with IEC 61076-2-101 (Type D, 4 poles) .....	161
10.9	Connecting hardware in accordance with IEC 61076-2-109 (Type X, 8 poles) .....	161
10.10	Connecting hardware in accordance with IEC 61169-2 and IEC 61169-24 (Type F) .....	162
10.11	Connecting hardware for two optical fibres .....	162
10.12	Connecting hardware for twelve and twenty-four optical fibres .....	162
10.13	Connecting hardware for sixteen optical fibres in accordance with IEC 61754-7-4 .....	163
10.14	Connecting hardware in accordance with IEC 63171-1 .....	163
10.15	Connecting hardware in accordance with IEC 63171-6 .....	164
10.16	Single pair connecting hardware requirements .....	164
10.16.1	General requirements .....	164

10.16.2	Mechanical characteristics .....	164
10.16.3	Electrical characteristics .....	164
11	Cord requirements .....	171
11.1	General .....	171
11.2	Operating environment .....	171
11.3	Balanced cords of Category 5 through 7A, 8.1, 8.2 and BCT-B .....	171
11.3.1	General .....	171
11.3.2	Identification .....	172
11.3.3	Operating environment .....	172
11.3.4	Return loss .....	172
11.3.5	NEXT .....	173
11.4	Coaxial cords .....	175
11.5	Optical fibre cords .....	176
11.5.1	General .....	176
11.5.2	Identification .....	176
11.5.3	Performance requirements for patch cords .....	176
11.6	Single pair cord requirements .....	176
11.6.1	General .....	176
11.6.2	Identification .....	177
11.6.3	Return loss .....	177
Annex A (normative)	Conformance testing procedures for balanced cabling of Classes A to F <sub>A</sub> , I and II and optical fibre cabling .....	178
A.1	General .....	178
A.2	Channel and link performance testing .....	178
A.2.1	General .....	178
A.2.2	Conformance testing of balanced cabling channels, and links .....	178
A.2.3	Installation conformance testing of optical fibre cabling channels .....	179
A.3	Overview of test schedules .....	179
Annex B (normative)	Mechanical and environmental performance testing of connecting hardware for balanced cabling .....	182
B.1	Overview .....	182
B.2	Solderless connections .....	182
B.3	Free and fixed connectors (modular plugs and jacks) .....	183
B.4	Other connecting hardware .....	184
Annex C (informative)	Electromagnetic characteristics .....	186
Annex D (informative)	Acronyms for balanced cables .....	187
Annex E (informative)	Supported applications .....	189
E.1	Supported applications for balanced cabling .....	189
E.2	Supported applications for optical fibre cabling .....	192
E.3	Supported applications for coaxial cabling .....	195
E.4	Supported industrial applications for optical fibre cabling .....	196
E.5	Supported applications for single pair balanced cabling .....	198
Annex F (informative)	Optical fibre cable OM1, OM2 and OS1 .....	199
Annex G (informative)	Remote powering on single pair balanced cabling .....	201
G.1	General .....	201
G.2	Remote powering Class .....	201
G.3	Remote powering channel length .....	201
Annex H (informative)	Cable sharing for single pair channels .....	203

H.1	General.....	203
H.2	Cable sharing engineered approach.....	203
Annex I (informative)	Length scaling of single pair channel PSAACR-F for application support .....	204
I.1	General.....	204
I.2	PS AACR-F length scaling .....	204
I.2.1	General .....	204
I.2.2	Example PS AACR-F calculation using T1-B at 15 m length .....	204
I.2.3	Example PS AACR-F calculation using T1-C at 40 m length .....	204
Bibliography.....		205

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25 .....	16
Figure 2 – General functional elements.....	33
Figure 3 – Interconnect models.....	34
Figure 4 – Cross-connect models.....	34
Figure 5 – Equipment and test interfaces .....	35
Figure 6 – Link options .....	84
Figure 7 – Link designations .....	84
Figure 17 – Single pair link examples at maximum implementation .....	113
Figure 8 – Backbone cabling model .....	125
Figure 18 – Single pair cabling model .....	128
Figure 9 – Pin grouping and pair assignments for IEC 60603-7 series interface for Categories 5, 6, 6 <sub>A</sub> and 8.1 (front view of fixed connector (jack), not to scale).....	160
Figure 10 – Pin grouping and pair assignment for the IEC 60603-7 series interface for Categories 7, 7 <sub>A</sub> , 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....	161
Figure 11 – Pin grouping and pair assignments for the IEC 61076-3-104 interface for Categories 7, 7 <sub>A</sub> , 8.2 and BCT-B (front view of fixed connector (jack), not to scale) .....	161
Figure 12 – Four position connector pin and pair assignments for IEC 61076-2-101 connecting hardware (front view of male connector).....	161
Figure 13 – Eight position connector pin and pair grouping assignments for IEC 61076-2-109 connecting hardware (front view of male connector r) .....	162
Figure 14 – Conductor assignment of IEC 61169-2 and IEC 61169-24 (Type F) connector.....	162
Figure 15 – Optical fibre assignments for connecting hardware for two optical fibres .....	162
Figure 16 – Optical fibre assignments for connecting hardware for 12 and 24 optical fibres (front view of fixed or free connector) .....	163
Figure 19 – Optical fibre assignments for connecting hardware for 16 optical fibres (front view of fixed or free connector).....	163
Figure 20 – Pin grouping and pair assignment for the IEC 63171-1 interface for single pair balanced cabling (front view of fixed connector (jack), not to scale) .....	163
Figure 21 – Pin grouping and pair assignment for the IEC 63171-6 interface for industrial single pair balanced cabling (front view of fixed connector (jack), not to scale) .....	164
Figure D.1 – Cable naming schema .....	187
Figure D.2 – Cable types .....	188

Table 1 – Channel environments.....	37
Table 2 – Details of environmental classification .....	39
Table 3 – Return loss for a channel .....	42
Table 4 – Informative return loss values for a channel at key frequencies .....	43
Table 5 – Insertion loss for a channel .....	44
Table 6 – Informative insertion loss values for a channel at key frequencies .....	45
Table 7 – NEXT for a channel.....	46
Table 8 – Informative NEXT values for a channel at key frequencies .....	47
Table 9 – PS NEXT for a channel .....	48
Table 10 – Informative PS NEXT values for a channel at key frequencies .....	49
Table 11 – Informative ACR-N values for a channel at key frequencies.....	50
Table 12 – Informative PS ACR-N values for a channel at key frequencies .....	51
Table 13 – ACR-F for a channel.....	52
Table 14 – Informative ACR-F values for a channel at key frequencies .....	53
Table 15 – PS ACR-F for a channel .....	54
Table 16 – Informative PS ACR-F values for a channel at key frequencies .....	55
Table 17 – DC loop resistance for a channel.....	55
Table 18 – Propagation delay for a channel .....	57
Table 19 – Informative propagation delay values for a channel at key frequencies.....	58
Table 20 – Delay skew for a channel .....	59
Table 21 – TCL for channel for unscreened channels.....	60
Table 22 – Informative TCL values for unscreened channels at key frequencies .....	60
Table 23 – TCL for Class I and II screened channels .....	61
Table 24 – Informative TCL values for Class I and II screened channels at key frequencies.....	61
Table 25 – ELTCTL for channel for unscreened channels .....	62
Table 26 – Informative ELTCTL values for unscreened channels at key frequencies .....	62
Table 27 – ELTCTL for Class I and II channels .....	62
Table 28 – Informative ELTCTL values for Class I and II channels at key frequencies .....	63
Table 29 – Coupling attenuation for a channel for screened channels .....	63
Table 145 – Informative coupling attenuation values for a screened channel at key frequencies.....	64
Table 30 – PS ANEXT for a channel .....	65
Table 31 – Informative PS ANEXT values for a channel at key frequencies .....	65
Table 32 – PS ANEXT <sub>avg</sub> for a channel.....	66
Table 33 – Informative PS ANEXT <sub>avg</sub> values for a channel at key frequencies .....	66
Table 34 – PS AACR-F for a channel.....	67
Table 35 – Informative PS AACR-F values for a channel at key frequencies .....	68
Table 36 – PS AACR-F <sub>avg</sub> for a channel .....	68
Table 37 – Informative PS AACR-F <sub>avg</sub> values for a channel at key frequencies.....	69
Table 38 – Alien crosstalk and coupling attenuation for screened channels .....	69
Table 39 – Return loss for a channel.....	70
Table 40 – Insertion loss for a channel .....	70

Table 41 – Informative insertion loss values for a channel at key frequencies .....	71
Table 42 – DC loop resistance for a channel.....	71
Table 43 – DC current carrying capacity for a channel .....	71
Table 44 – Operating voltage for a channel.....	71
Table 45 – Screening attenuation for a channel .....	72
Table 146 – Return loss for a single pair channel.....	73
Table 147 – Informative return loss values for a single pair channel at key frequencies .....	74
Table 148 – Insertion loss for a single pair channel .....	74
Table 149 – Informative insertion loss values for a single pair channel at key frequencies.....	75
Table 150 – Direct current (DC) loop resistance for a single pair channel at 20 °C.....	75
Table 151 – Propagation delay for a single pair channel .....	76
Table 152 – Informative propagation delay values for a single pair channel at key frequencies.....	77
Table 153 – TCL for a single pair channel for unscreened systems .....	77
Table 154 – Informative TCL values for a single pair unscreened channel at key frequencies.....	78
Table 155 – ELTCTL for a single pair channel for unscreened systems.....	78
Table 156 – Informative ELTCTL values for a single pair unscreened channel at key frequencies.....	79
Table 157 – Coupling attenuation for a single pair channel for screened systems .....	79
Table 158 – Informative coupling attenuation values for a single pair screened channel at key frequencies .....	80
Table 159 – PS ANEXT for a single pair channel .....	81
Table 160 – Informative PS ANEXT values for a single pair channel at key frequencies.....	81
Table 161 – PS AACR-F for a single pair channel .....	82
Table 162 – Informative PS AACR-F values for a single pair channel at key frequencies.....	82
Table 163 – Alien crosstalk and coupling attenuation for single pair screened channels.....	83
Table 164 – Informative coupling attenuation to meet alien crosstalk values for a single pair screened channel at key frequencies .....	83
Table 46 – Return loss for 2-connection or 3-connection link .....	85
Table 47 – Informative return loss values for links at key frequencies .....	86
Table 48 – Insertion loss for 2-connection or 3-connection link .....	87
Table 49 – Informative insertion loss values for links with maximum implementation at key frequencies .....	88
Table 50 – NEXT for 2-connection or 3-connection link .....	88
Table 51 – Informative NEXT values for links with maximum implementation at key frequencies .....	90
Table 52 – PS NEXT for 2-connection or 3-connection link .....	91
Table 53 – Informative PS NEXT values for links with maximum implementation at key frequencies .....	92
Table 54 – Informative ACR-N values for links with maximum implementation at key frequencies.....	93
Table 55 – Informative PS ACR-N values for links with maximum implementation at key frequencies .....	94
Table 56 – ACR-F for 2-connection or 3-connection link .....	95

Table 57 – Informative ACR-F values for links with maximum implementation at key frequencies .....	96
Table 58 – PS ACR-F for 2-connection or 3-connection link .....	97
Table 59 – Informative PS ACR-F values for links with maximum implementation at key frequencies .....	98
Table 60 – DC loop resistance for a 2-connection or 3-connection link.....	99
Table 61 – Informative DC loop resistance for links with maximum implementation .....	99
Table 62 – Propagation delay for 2-connection or 3-connection link .....	100
Table 63 – Informative propagation delay values for links with maximum implementation at key frequencies .....	101
Table 64 – Delay skew for 2-connection or 3-connection link .....	102
Table 65 – Informative delay skew for links with maximum implementation .....	103
Table 66 – TCL for Class I and II screened permanent links .....	104
Table 67 – Informative TCL values for Class I and II screened permanent links at key frequencies.....	104
Table 68 – ELTCTL for Class I and II permanent links .....	105
Table 69 – Informative ELTCTL values for Class I and II permanent links at key frequencies.....	105
Table 70 – Coupling attenuation for a screened permanent link .....	106
Table 71 – Informative coupling attenuation values for a screened permanent link at key frequencies .....	106
Table 72 – PS ANEXT for 2-connection or 3-connection link .....	107
Table 73 – Informative PS ANEXT values for links at key frequencies.....	108
Table 74 – PS ANEXT <sub>avg</sub> for 2-connection or 3-connection link .....	108
Table 75 – Informative PS ANEXT <sub>avg</sub> values for links at key frequencies .....	109
Table 76 – PS AACR-F for 2-connection or 3-connection link.....	109
Table 77 – Informative PS AACR-F values for links at key frequencies .....	110
Table 78 – PS AACR-F <sub>avg</sub> for a 2-connection or 3-connection link .....	110
Table 79 – Informative PS AACR-F <sub>avg</sub> values for links at key frequencies.....	111
Table 80 – Alien crosstalk and coupling attenuation for screened links .....	111
Table 81 – Insertion loss for link .....	112
Table 82 – Informative insertion loss values for link at key frequencies.....	112
Table 83 – DC loop resistance for link .....	112
Table 165 – Return loss for a single pair link .....	114
Table 166 – Informative return loss values for a single pair link at key frequencies .....	114
Table 167 – Insertion loss for a single pair link .....	115
Table 168 – Informative insertion loss values for single pair links with maximum implementation at key frequencies .....	115
Table 169 – Direct current (DC) loop resistance for a single pair link at 20 °C .....	116
Table 170 – Informative DC loop resistance for single pair links with maximum implementation .....	116
Table 171 – Propagation delay for a single pair link .....	117
Table 172 – Informative propagation delay values for a single pair link at key frequencies.....	118
Table 173 – TCL for a single pair link for unscreened systems.....	118

Table 174 – Informative TCL values for a single pair unscreened link at key frequencies .....	119
Table 175 – ELTCTL for a single pair link for unscreened systems .....	119
Table 176 – Informative ELTCTL values for a single pair unscreened link at key frequencies .....	120
Table 177 – Coupling attenuation for a single pair link for screened systems .....	120
Table 178 – Informative coupling attenuation values for a single pair screened link at key frequencies .....	121
Table 179 – PS ANEXT for a single pair link .....	122
Table 180 – Informative PS ANEXT values for a single pair link at key frequencies .....	122
Table 181 – PS AACR-F for a single pair link .....	123
Table 182 – Informative PS AACR-F values for a single pair link at key frequencies .....	123
Table 183 – Alien crosstalk and coupling attenuation for a single pair screened link .....	124
Table 184 – Informative coupling attenuation to meet alien crosstalk values for a single pair screened link at key frequencies .....	124
Table 84 – Backbone link length equations .....	126
Table 185 – Single pair link length equations .....	129
Table 85 – Basic requirements of balanced cables.....	130
Table 86 – Mechanical characteristics of balanced cables of Category 5, 6, 6 <sub>A</sub> , 7 and 7 <sub>A</sub> .....	131
Table 87 – Mechanical characteristics of balanced cables of Category BCT-B .....	133
Table 88 – Minimum transmission performance requirements BCT-B balanced pairs .....	133
Table 89 – Basic requirements of coaxial cables.....	134
Table 90 – Mechanical performance requirements for coaxial BCT cables .....	134
Table 91 – Minimum electrical performance requirements for cables of Category BCT-C .....	135
Table 92 – Cabled optical fibre attenuation (maximum), dB/km .....	136
Table 93 – Multimode optical fibre modal bandwidth .....	136
Table 186 – Basic requirements of single pair balanced cables.....	137
Table 94 – Environmental performance specifications for balanced cabling connecting hardware .....	139
Table 95 – Environmental performance specifications for coaxial cabling connecting hardware .....	140
Table 96 – Environmental performance specifications for optical fibre cabling connecting hardware .....	141
Table 97 – Mechanical characteristics of connecting hardware for use with balanced cabling .....	143
Table 98 – Matrix of backward compatible mated free and fixed connector (plug and jack) performance .....	145
Table 99 – Return loss .....	145
Table 100 – Informative return loss values for connector at key frequencies .....	146
Table 101 – Insertion loss .....	146
Table 102 – Informative insertion loss values for connector at key frequencies .....	147
Table 103 – Near-end crosstalk (NEXT) .....	147
Table 104 – Informative NEXT values for connector at key frequencies .....	148
Table 105 – Power sum near-end crosstalk (PS NEXT) (for information only) .....	148

Table 106 – Informative PS NEXT values for connector at key frequencies .....	149
Table 107 – Far-end crosstalk (FEXT) .....	149
Table 108 – Informative FEXT values for connector at key frequencies.....	150
Table 109 – Power sum far-end crosstalk (PS FEXT) (for information only) .....	150
Table 110 – Informative PS FEXT values for connector at key frequencies .....	151
Table 111 – Input to output resistance .....	151
Table 112 – Input to output resistance unbalance .....	151
Table 113 – DC current carrying capacity .....	151
Table 114 – Propagation delay .....	152
Table 115 – Delay skew .....	152
Table 116 – Transverse conversion loss (TCL) .....	152
Table 117 – Informative TCL values for connector at key frequencies .....	153
Table 118 – Transverse conversion transfer loss (TCTL) .....	153
Table 119 – Informative TCTL values for connector at key frequencies.....	153
Table 120 – Transfer impedance (screened connectors only).....	154
Table 121 – Informative transfer impedance values (screened connectors only) at key frequencies .....	154
Table 122 – Coupling attenuation (screened connectors only) .....	154
Table 123 – Informative coupling attenuation values (screened connectors only) at key frequencies.....	154
Table 124 – Insulation resistance.....	155
Table 125 – Voltage proof.....	155
Table 126 – Power sum alien near-end crosstalk (PS ANEXT).....	155
Table 127 – Informative PS ANEXT values at key frequencies .....	155
Table 128 – Power sum alien far-end crosstalk (PS AFEXT) .....	156
Table 129 – Informative PS AFEXT values at key frequencies .....	156
Table 130 – Coupling attenuation for BCT-B connecting hardware .....	157
Table 131 – Formulae for return loss limits for BCT-C connecting hardware .....	157
Table 132 – Return loss limits for BCT-C connecting hardware at key frequencies.....	158
Table 133 – Formulae for insertion loss limits for BCT-C connecting hardware .....	158
Table 134 – Insertion loss limits for BCT-C connecting hardware at key frequencies.....	158
Table 135 – Screening attenuation limits for BCT-C connecting hardware.....	158
Table 136 – Attenuation of connecting hardware for optical fibre .....	159
Table 137 – Return loss of optical fibre connecting hardware.....	159
Table 138 – Electrical characteristics of terminal equipment outlets intended for use with balanced cabling .....	160
Table 187 – Mechanical characteristics of connecting hardware for use with single pair balanced cabling.....	164
Table 188 – Return loss for single pair connecting hardware .....	165
Table 189 – Informative return loss values for single pair connecting hardware at key frequencies .....	165
Table 190 – Insertion loss for single pair connecting hardware .....	165
Table 191 – Informative insertion loss values for single pair connecting hardware at key frequencies .....	166
Table 192 – Input to output resistance .....	166

Table 193 – Input to output resistance unbalance .....	166
Table 194 – DC current carrying capacity .....	166
Table 195 – Propagation delay for single pair connecting hardware .....	167
Table 196 – TCL for single pair connecting hardware.....	167
Table 197 – Informative TCL values for single pair connecting hardware at key frequencies.....	167
Table 198 – TCTL for single pair connecting hardware .....	168
Table 199 – Informative TCTL values for single pair connecting hardware at key frequencies.....	168
Table 200 – Transfer impedance (screened connectors only).....	168
Table 201 – Informative transfer impedance values (screened connectors only) at key frequencies.....	169
Table 202 – Coupling attenuation for single pair connecting hardware (screened connectors only) .....	169
Table 203 – Informative coupling attenuation values (screened connectors only) at key frequencies.....	169
Table 204 – Insulation resistance.....	170
Table 205 – Voltage proof.....	170
Table 206 – PS ANEXT for single pair connecting hardware .....	170
Table 207 – Informative PS ANEXT values for a connecting hardware at key frequencies .....	170
Table 208 – PS AFEXT for single pair connecting hardware.....	171
Table 209 – Informative PS AFEXT values for single pair connecting hardware at key frequencies .....	171
Table 139 – Minimum return loss for balanced cords .....	172
Table 140 – Informative values of return loss for balanced cords at key frequencies .....	173
Table 141 – Assumptions for cabling components used in the calculation of NEXT informative values.....	174
Table 142 – Informative values of NEXT for 2 m balanced cords at key frequencies .....	175
Table 143 – Informative values of NEXT for 5 m balanced cords at key frequencies .....	175
Table 144 – Informative values of NEXT for 10 m balanced cords at key frequencies .....	175
Table 210 – Minimum return loss for single pair balanced cords .....	177
Table 211 – Informative values of return loss for single pair balanced cords at key frequencies .....	177
Table A.1 – Test regime for reference conformance and installation conformance – Balanced cabling of Classes A through F <sub>A</sub> , BCT-B, I and II .....	180
Table A.2 – Test regime for reference conformance and installation conformance – Optical fibre cabling .....	181
Table A.3 – Test regime for reference conformance and installation conformance – Balanced single pair cabling of Classes T1-A, T1-B and T1-C.....	181
Table B.1 – Standards for solderless connections .....	182
Table B.2 – Standards for free and fixed connectors (modular plugs and jacks).....	183
Table B.3 – Standards for M12 style connectors .....	183
Table B.4 – Free and fixed connectors (modular plugs and jacks) operations matrix .....	184
Table B.5 – Reference for reliability testing of other connecting hardware .....	184
Table B.6 – Other connecting hardware operations matrix .....	185
Table E.1 – Applications using balanced cabling .....	189

Table E.2 – Industrial applications using balanced cabling .....	191
Table E.3 – Modular connector pin assignment for applications .....	192
Table E.4 – Optical fibre maximum channel length and maximum channel attenuation for supported network applications.....	193
Table E.7 – Supported BCT applications using balanced cabling .....	195
Table E.8 – Supported BCT applications using coaxial cabling .....	195
Table E.9 – Supported applications and maximum channel lengths with cabled multimode optical fibres .....	196
Table E.10 – Supported applications and maximum channel lengths with cabled all-silica single-mode optical fibres .....	196
Table E.11 – Applications using passive optical networks .....	197
Table E.12 – Applications using single pair balanced cabling .....	198
Table F.1 – Grandfathered OM1, OM2 and OS1 specifications .....	199
Table F.2 – Supported applications and maximum channel lengths with cabled all-silica multimode optical fibres .....	199
Table F.3 – Supported applications and maximum channel lengths with cabled all-silica singlemode optical fibres .....	200
Table G.1 – Remote powering information for single pair balanced cabling .....	201
Table G.2 – Maximum channel length information for single pair balanced cabling.....	202

**Information technology -  
Generic cabling for customer premises -  
Part 1: General requirements**

**FOREWORD**

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and [www.iso.org/patents](http://www.iso.org/patents). IEC and ISO shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

ISO/IEC 11801-1 edition 1.1 contains:

- the first edition (2017-11)
- the corrigendum 1 (2018-04)
- the amendment 1 (2025-11) [documents JTC1-SC25/3285/CDV and JTC1-SC25/3337A/RVC]
- the corrigendum 1 (2025-12) to the amendment 1

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard ISO/IEC 11801-1 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition, together with ISO/IEC 11801-2, cancels and replaces ISO/IEC 11801:2002, Amendment 1:2008 and Amendment 2:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain those elements and requirements, that are common to generic cabling systems (in application fields such as offices and industrial premises), namely requirements for common elements of topology and transmission performance of channels, links and related components;
- b) addition of balanced cabling channel and link Classes BCT-B, I and II;
- c) addition of coaxial cabling channel and link Class BCT-C;
- d) addition of balanced cabling component requirements for Categories BCT-B, 8.1 and 8.2;
- e) addition of coaxial cabling component requirements for Category BCT-C;
- f) addition of cabled optical fibre Categories OS1a and OM5;
- g) removal of optical fibre classes;
- h) cabled optical fibre Categories OM1, OM2 and OS1 have been moved to an informative annex.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

## INTRODUCTION

This document contains general requirements in support of the other premises-specific referenced cabling design documents developed by ISO/IEC JTC 1/SC 25 including ISO/IEC 11801-2, ISO/IEC 11801-3, ISO/IEC 11801-4, ISO/IEC 11801-5, ISO/IEC 11801-6, related Technical Specifications and Technical Reports (including the ISO/IEC TR 11801-99xx series, ISO/IEC TR 24704, ISO/IEC TR 24750 and ISO/IEC TS 29125).

This document specifies a multi-vendor cabling system which may be implemented with material from single or multiple sources, and is related to:


- a) International Standards for cabling components developed by technical committees of the IEC, for example copper cables and connectors as well as optical fibre cables and connectors (see Clause 2 and bibliography);
- b) standards for the testing of installed cabling (see Clause 2 and bibliography);
- c) applications developed by technical committees of the IEC, by subcommittees of ISO/IEC JTC 1, by study groups of ITU-T, for example for LANs and ISDN, and by IEEE 802;
- d) planning and installation guides and other standards which take into account the needs of specific applications for the configuration and the use of cabling systems on customer premises (e.g. ISO/IEC 14709 series, ISO/IEC 14763 series, ISO/IEC 30129, and ISO/IEC 18598).

Physical layer requirements for the applications listed in Annex E have been analysed to determine their compatibility with cabling classes specified in this document. These application requirements, together with statistics concerning premises-specific topologies and cabling models of the supported standards, have been used to develop the requirements for balanced, coaxial and optical fibre cabling.

As a result, generic cabling defined within this document:

- 1) specifies balanced cabling channel and link Classes A, B, C, D, E,  $E_A$ , F,  $F_A$ , I and II meeting both the requirements of standardized applications and to support the development and implementation of future applications;
- 2) specifies balanced cabling channel and link Class BCT-B to support the delivery of BCT applications;
- 3) specifies coaxial cabling channel and link Class BCT-C to support the delivery of BCT applications;
- 4) specifies optical fibre cabling meeting the requirements of standardized applications and exploiting component capabilities to ease the implementation of applications developed in the future;
- 5) invokes component requirements and specifies cabling implementations that ensure performance of links and of channels that meet or exceed the requirements for cabling classes.

Figure 1 shows the schematic and contextual relationships between the standards relating to information technology cabling produced by ISO/IEC JTC 1/SC 25, namely the ISO/IEC 11801 series of standards for generic cabling design, standards for the installation, operation and administration of generic cabling and for testing of installed generic cabling.



**Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25**

This document refers to International Standards for components and test methods wherever appropriate International Standards are available.

## INTRODUCTION to Amendment 1

This document specifies single pair component Categories T1-A, T1-B, and T1-C, as well as cabling channels and link Classes T1-A, T1-B, and T1-C to support single pair applications. Balanced single pair channels and links specified in this document are not a replacement for the generic 4-pair channels in ISO/IEC 11801-1:2017. They are an additional media type intended for use in intelligent building and industrial automation devices (e.g. in network sensors, actuators, and controllers). Because of the different types and locations of these devices, single pair cabling will have distinct structures and distribution architectures that are detailed in other parts of the ISO/IEC 11801 series.

This document also provides modifications and corrections to ISO/IEC 11801-1:2017.

## 1 Scope

This part of ISO/IEC 11801 specifies requirements that are common to the other parts of the ISO/IEC 11801 series. Cabling specified by this document supports a wide range of services including voice, data, and video that may also incorporate the supply of power.

This document specifies:

- a) the fundamental structure and configuration of generic cabling requirements within the types of premises defined by the other parts of the ISO/IEC 11801 series,
- b) channel transmission, environmental and power delivery performance requirements,
- c) link performance requirements,
- d) backbone cabling reference implementations in support of the parts of the ISO/IEC 11801 series,
- e) component performance requirements, referring to available International Standards for components and test methods where appropriate,
- f) test procedures to verify conformance to the cabling transmission performance requirements of the ISO/IEC 11801 series.

NOTE This document does not contain specific conformance requirements. The cabling design documents supported by ISO/IEC 11801-1 incorporate the requirements of this document as part of their individual conformance requirements.

In addition, this document provides information regarding the applications supported by the cabling channels.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60352-2, *Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance*

IEC 60352-3, *Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-4, *Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-5, *Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance*

IEC 60352-6, *Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance*

IEC 60352-7, *Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance*

IEC 60352-8, *Solderless connections – Part 8: Compression mount connections – General requirements, test methods and practical guidance*

IEC 60512-4-1, *Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof*

IEC 60512-4-2, *Connectors for electronic equipment – Tests and measurements – Part 4-2: Voltage stress tests – Test 4b: Partial discharge*

IEC 60512-6-2, *Connectors for electronic equipment – Tests and measurements – Part 6-2: Dynamic stress tests – Test 6b: Bump*

IEC 60512-6-3, *Connectors for electronic equipment – Tests and measurements – Part 6-3: Dynamic stress tests – Test 6c: Shock*

IEC 60512-6-4, *Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)*

IEC 60512-11-4, *Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature*

IEC 60512-11-7, *Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test*

IEC 60512-11-9, *Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat*

IEC 60512-11-10, *Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold*

IEC 60512-11-12, *Connectors for electronic equipment – Tests and measurements – Part 11-12: Climatic tests – Test 11m: Damp heat, cyclic*

IEC 60512-16-4, *Connectors for electronic equipment – Tests and measurements – Part 16-4: Mechanical tests on contacts and terminations – Test 16d: Tensile strength (crimped connections)*

IEC 60512-17-4, *Connectors for electronic equipment – Tests and measurements – Part 17-4: Cable clamping tests – Test 17d: Cable clamp resistance to cable torsion*

IEC 60512-19-3, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 19: Chemical resistance tests – Section 3: Test 19c – Fluid resistance*

IEC 60512-23-3, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 23-3: Test 23c: Shielding effectiveness of connectors and accessories*

IEC 60512-99-001, *Connectors for electronic equipment – Tests and measurements – Part 99-001: Test schedule for engaging and separating connectors under electrical load – Test 99a: Connectors used in twisted pair communication cabling with remote power*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60603-7, *Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors*

IEC 60603-7-1, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors*

IEC 60603-7-2, *Connectors for electronic equipment – Part 7-2: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 100 MHz*

IEC 60603-7-3, *Connectors for electronic equipment – Part 7-3: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 100 MHz*

IEC 60603-7-4, *Connectors for electronic equipment – Part 7-4: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-5, *Connectors for electronic equipment – Part 7-5: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 250 MHz*

IEC 60603-7-7, *Connectors for electronic equipment – Part 7-7: Detail specification for 8-way, shielded, free and fixed connectors for data transmission with frequencies up to 600 MHz*

IEC 60603-7-41, *Connectors for electronic equipment – Part 7-41: Detail specification for 8-way, unshielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-51, *Connectors for electronic equipment – Part 7-51: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 500 MHz*

IEC 60603-7-71, *Connectors for electronic equipment – Part 7-71: Detail specification for 8-way, shielded, free and fixed connectors, for data transmission with frequencies up to 1 000 MHz*

IEC 60603-7-81, *Connectors for electronic equipment – Part 7-81: Detail specification for 8-way, shielded, free and fixed connectors, for data transmissions with frequencies up to 2 000 MHz*

IEC 60603-7-82, *Connectors for electronic equipment – Part 7-82: Detail specification for 8-way, 12 contacts, shielded, free and fixed connectors, for data transmission with frequencies up to 2 000 MHz*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-2-10, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods*

IEC 60794-2, *Optical fibre cables – Part 2: Indoor cables – Sectional specification*

IEC 60794-2-51, *Optical fibre cables – Part 2-51: Indoor cables – Detail specification for simplex and duplex cables for use in cords for controlled environment*

IEC 60794-3, *Optical fibre cables – Part 3: Outdoor cables – Sectional specification*

IEC 60794-5, *Optical fibre cables – Part 5: Sectional specification – Microduct cabling for installation by blowing*

IEC 60966-2-4, *Radio frequency and coaxial cable assemblies – Part 2-4: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 3000 MHz, IEC 61169-2 connectors*

IEC 60966-2-5, *Radio frequency and coaxial cable assemblies – Part 2-5: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 1000 MHz, IEC 61169-2 connectors*

IEC 60966-2-6, *Radio frequency and coaxial cable assemblies – Part 2-6: Detail specification for cable assemblies for radio and TV receivers – Frequency range 0 MHz to 3000 MHz, IEC 61169-24 connectors*

IEC 61076-2-101, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking*

IEC 61076-2-109, *Connectors for electronic equipment – Product requirements – Part 2-109: Circular connectors – Detail specification for connectors with M 12 × 1 screw-locking, for data transmission frequencies up to 500 MHz*

IEC 61076-3-104, *Connectors for electrical and electronic equipment – Product requirements – Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2000 MHz*

IEC 61076-3-106, *Connectors for electronic equipment – Product requirements – Part 3-106: Rectangular connectors – Detail specification for protective housings for use with 8-way shielded and unshielded connectors for industrial environments incorporating the IEC 60603-7 series interface*

IEC 61076-3-110, *Connectors for electronic equipment – Product requirements – Part 3-110: Detail specification for shielded, free and fixed connectors for data transmission with frequencies up to 3000 MHz*

IEC 61156 (all parts), *Multicore and symmetrical pair/quad cables for digital communications*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC 61156-2, *Multicore and symmetrical pair/quad cables for digital communications – Part 2: Symmetrical pair/quad cables with transmission characteristics up to 100 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-3, *Multicore and symmetrical pair/quad cables for digital communications – Part 3: Work area cable – Sectional specification*

IEC 61156-4, *Multicore and symmetrical pair/quad cables for digital communications – Part 4: Riser cables – Sectional specification*

IEC 61156-5:2009, *Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-5:2009/AMD1:2012

IEC 61156-5-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 5-1: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Horizontal floor wiring – Blank detail specification*

IEC 61156-6, *Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Work area wiring – Sectional specification*

IEC 61156-6-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 6-1: Symmetrical pair/quad cables with transmission characteristics up to 1000 MHz – Work area wiring – Blank detail specification*

IEC 61156-7, *Multicore and symmetrical pair/quad cables for digital communications – Part 7: Symmetrical pair cables with transmission characteristics up to 1200 MHz – Sectional specification for digital and analog communication cables*

IEC 61156-9:2016, *Multicore and symmetrical pair/quad cables for digital communications – Part 9: Cables for channels with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61156-10, *Multicore and symmetrical pair/quad cables for digital communications – Part 10: Cables for cords with transmission characteristics up to 2 GHz – Sectional specification*

IEC 61169-2, *Radio-frequency connectors – Part 2: Sectional specification – Radio frequency coaxial connectors of type 9,52*

IEC 61169-24, *Radio-frequency connectors – Part 24: Sectional specification – Radio frequency coaxial connectors with screw coupling, typically for use in 75 Ω cable networks (type F)*

IEC 61196-1, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC 61196-6, *Coaxial communication cables – Part 6: Sectional specification for CATV drop cables*

IEC 61196-7, *Coaxial communication cables – Part 7: Sectional specification for cables for BCT cabling in accordance with ISO/IEC 15018 – Indoor drop cables for systems operating at 5 MHz – 3000 MHz*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-5, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-5: Tests – Torsion*

IEC 61300-2-9, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-9: Tests – Shock*

IEC 61300-2-18, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-18: Tests – Dry heat – High temperature endurance*

IEC 61300-2-22, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-22: Tests – Change of temperature*

IEC 61300-2-34, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-34: Tests – Resistance to solvents and contaminating fluids of interconnecting components and closures*

IEC 61300-2-44, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-44: Tests – Flexing of the strain relief of fibre optic devices*

IEC 61300-2-46, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-46: Tests – Damp heat, cyclic*

IEC 61753-1, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1: General and guidance for performance standards*

IEC 61753-021-2, *Fibre optic interconnecting devices and passive components – Performance standard – Part 021-2: Grade C/3 single-mode fibre optic connectors for category C – Controlled environment*

IEC 61753-022-2, *Fibre optic interconnecting devices and passive components – Performance standard – Part 022-2: Fibre optic connectors terminated on multimode fibre for category C – Controlled environment*

IEC 61754 (all parts), *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*

IEC 61754-20-100, *Fibre optic interconnecting devices and passive components – Part 20-100: Interface standard for LC connectors with protective housings related to IEC 61076-3-106*

IEC 61935-1, *Specification for the testing of balanced and coaxial information technology cabling – Part 1: Installed balanced cabling as specified in ISO/IEC 11801 and related standards*

IEC 61935-2, *Specification for the testing of balanced and coaxial information technology cabling – Part 2: Cords as specified in ISO/IEC 11801 and related standards*

IEC 62012-1, *Multicore and symmetrical pair/quad cables for digital communications to be used in harsh environments – Part 1: Generic specification*

IEC 62664-1-1, *Fibre optic interconnecting devices and passive components – Fibre optic connector product specifications – Part 1-1: LC-PC duplex multimode connectors terminated on IEC 60793-2-10 category A1a fibre*

ISO 4892-1, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-3, *Information technology – Implementation and operation of customer premises cabling – Part 3: Testing of optical fibre cabling*

IEC 60512-99-002, *Connectors for electrical and electronic equipment - Tests and measurements - Part 99-002: Endurance test schedules - Test 99b: Test schedule for unmating under electrical load*

IEC 61156-11, *Multicore and symmetrical pair/quad cables for digital communications - Part 11: Symmetrical single pair cables with transmission characteristics up to 1,25 GHz - Horizontal floor wiring - Sectional specification*

IEC 61156-12, *Multicore and symmetrical pair/quad cables for digital communications - Part 12: Symmetrical single pair cables with transmission characteristics up to 1,25 GHz - Work area wiring - Sectional specification*

IEC 61156-13, *Multicore and symmetrical pair/quad cables for digital communications - Part 13: Symmetrical single pair cables with transmission characteristics up to 20 MHz - Horizontal floor wiring - Sectional specification*

IEC 61156-14, *Multicore and symmetrical pair/quad cables for digital communications - Part 14: Symmetrical single pair cables with transmission characteristics up to 20 MHz - Work area wiring - Sectional specification*

IEC 61196-1-105, *Coaxial communication cables - Part 1-105: Electrical test methods - Test for withstand voltage of cable dielectric*

IEC 61935-4, *Specification for the testing of balanced and coaxial information technology cabling - Part 4: Installed balanced single-pair cabling as specified in ISO/IEC 11801-1 and related standards<sup>1</sup>*

IEC 63171, *Connectors for electrical and electronic equipment - Shielded or unshielded free and fixed connectors for balanced single-pair data transmission with current-carrying capacity - General requirements and tests*

IEC 63171-1, *Connectors for electronic equipment - Part 1: Detail specification for two-way, shielded or unshielded, free and fixed connectors - Mechanical mating information, pin assignment and additional requirements for Type 1 copper LC style*

IEC 63171-6, *Connectors for electrical and electronic equipment - Part 6: Detail specification for 2-way and 4-way (data/power), shielded, free and fixed connectors for power and data transmission with frequencies up to 600 MHz*

ISO/IEC TS 29125, *Telecommunications cabling requirements for remote powering of terminal equipment*

---

<sup>1</sup> First edition under preparation. Stage at the time of publication: IEC CDV 61935-4:2025.

## Bibliography

CISPR 32, *Electromagnetic compatibility of multimedia equipment – Emission requirements*

CISPR 35, *Electromagnetic compatibility of multimedia equipment – Immunity requirements*

IEC 60027 (all parts), *Letter symbols to be used in electrical technology*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-38, *Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60227-2, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 2: Test methods*

IEC 60332-3 (all parts), *Tests on electric cables under fire conditions – Part 3: Test for vertical flame spread of vertically-mounted bunched wires or cables*

IEC 60364-1, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC 60512 (all parts), *Connectors for electronic equipment – Tests and measurements*

IEC 60512-1, *Connectors for electronic equipment – Tests and measurements – Part 1: General*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-2-5, *Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance*

IEC 60512-13-1, *Connectors for electronic equipment – Tests and measurements – Part 13-1: Mechanical operation tests – Test 13a: Engaging and separating forces*

IEC 60512-15-6, *Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices*

IEC 60512-15-8, *Electromechanical components for electronic equipment – Basic testing procedures and measuring methods – Part 15: Mechanical tests on contacts and terminations – Section 8: Test 15h – Contact retention system resistance to tool application*

IEC 60512-25-3, *Connectors for electronic equipment – Tests and measurements – Part 25-3: Test 25c – Rise time degradation*

IEC 60793-1-4X (all parts), *Optical fibres – Part 1-4X: Measurement methods and test procedures*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60794-1 (all parts), *Optical fibre cables – Part 1: Generic specification*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance*

IEC 60807-8, *Rectangular connectors for frequencies below 3 MHz – Part 8: Detail specification for connectors, four-signal contacts and earthing contacts for cable screen*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60874-1, *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables – Part 1: Generic specification*

IEC 60950 (all parts), *Information technology equipment – Safety*

IEC 61000-2-2, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC TR 61000-5-2, *Electromagnetic compatibility (EMC) – Part 5: Installation and mitigation guidelines – Section 2: Earthing and cabling*

IEC 61073-1, *Fibre optic interconnecting devices and passive components – Mechanical splices and fusion splice protectors for optical fibres and cables – Part 1: Generic specification*

IEC 61280 (all parts), *Fibre optic communication subsystem test procedures*

IEC 61280-4-1, *Fibre optic communication subsystem test procedures – Part 4-1: Installed cable plant – Multimode attenuation measurement*

IEC 61280-4-2, *Fibre optic communication subsystem test procedures – Part 4-2: Installed cable plant – Single-mode attenuation and optical return loss measurement*

IEC 61300 (all parts), *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-2-2, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-2: Tests – Mating durability*

IEC 61300-2-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-6: Tests – Tensile strength of coupling mechanism*

IEC 61300-2-12, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-12: Tests – Impact*

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-17: Tests – Cold*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*

IEC 61300-2-42, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-42: Tests – Static side load for strain relief*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

IEC 61300-3-34, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-34: Examinations and measurements – Attenuation of random mated connectors*

IEC 61753-1-3, *Fibre optic interconnecting devices and passive components – Performance standard – Part 1-3: General and guidance for single-mode fibre optic connector and cable assembly for industrial environment, Category I*

IEC 61754-7-1, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7-1: Type MPO connector family – One fibre row*

IEC 61754-7-2<sup>2</sup>, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7-2: Type MPO connector family – Two fibre rows*

IEC 61935-3, *Testing of balanced and coaxial information technology cabling – Part 3: Installed cabling as specified in ISO/IEC 15018 and related standards*

IEC TR 62000:2010, *Guidance for combining different single-mode fibres types*

ISO/IEC 8877, *Information technology – Telecommunications and information exchange between systems – Interface connector and contact assignments for ISDN Basic Access Interface located at reference points S and T*

ISO/IEC 11801-2, *Information technology – Generic cabling for customer premises – Part 2: Office premises*

ISO/IEC 11801-3, *Information technology – Generic cabling for customer premises – Part 3: Industrial premises*

ISO/IEC 11801-4, *Information technology – Generic cabling for customer premises – Part 4: Single-tenant homes*

ISO/IEC 11801-5, *Information technology – Generic cabling for customer premises – Part 5: Data centres*

ISO/IEC 11801-6, *Information technology – Generic cabling for customer premises – Part 6: Distributed building services*

ISO/IEC 14165-114, *Information technology – Fibre channel – Part 114: 100 MB/s balanced copper physical interface (FC-100-DF-EL-S)*

ISO/IEC 14709-1, *Information technology – Configuration of Customer Premises Cabling (CPC) for applications – Part 1: Integrated Services Digital Network (ISDN) basic access*

ISO/IEC 14709-2, *Information technology – Configuration of Customer Premises Cabling (CPC) for applications – Part 2: Integrated Services Digital Network (ISDN) primary rate*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-3, *Information technology – Implementation and operation of customer premises cabling – Part 3: Testing of optical fibre cabling*

ISO/IEC 18598, *Information technology – Automated infrastructure management (AIM) systems – Requirements, data exchange and applications*

ISO/IEC TR 24704, *Information technology – Customer premises cabling for wireless access points*

ISO/IEC TR 24750, *Information technology – Assessment and mitigation of installed balanced cabling channels in order to support 10GBASE-T*

ISO/IEC TR 29106, *Information technology – Generic cabling – Introduction to the MICE environmental classification*

ISO/IEC TS 29125, *Information technology – Telecommunications cabling requirements for remote powering of terminal equipment*

---

<sup>2</sup> Under preparation. Stage at time of publication: IEC CDV 61754-7-2:2016.

ISO/IEC/IEEE 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Standard for Ethernet*

ITU-T Rec. I.430, *Basic user-network interface – Layer 1 specification*

ITU-T Rec. I.431, *Primary rate user-network interface – Layer 1 specification*

ITU-T Rec. X.21, *Interface between data terminal equipment (DTE) and data circuit-terminating equipment (DCE) for synchronous operation on public data networks*

IEEE 802.3, *IEEE Standard for Ethernet*

IEEE 802.3bt, *IEEE Standard for Ethernet Amendment: Physical Layer and Management Parameters for DTE Power via MDI over 4-Pair*

IEEE 802.3bz, *IEEE Standard for Ethernet Amendment 3: Physical Layer and Management Parameters for 25 Gb/s and 40 Gb/s Operation, Types 25GBASE-T and 40GBASE-T*

IEEE 802.3bz, *IEEE Standard for Ethernet Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation, Types 2.5GBASE-T and 5GBASE-T*

IEEE 1394b, *IEEE Standard for Higher-Performance Serial Bus*

IEC 61753-031-6, *Fibre optic interconnecting devices and passive components - Performance standard - Part 031-6: Non-connectorized single-mode 1×N and 2×N non-wavelength-selective branching devices for Category O - Uncontrolled environment*

IEC 62153-4-7, *Metallic cables and other passive components test methods - Part 4-7: Electromagnetic compatibility (EMC) - Test method for measuring of transfer impedance  $Z_T$  and screening attenuation  $a_S$  or coupling attenuation  $a_C$  of connectors and assemblies - Triaxial tube in tube method*

IEC 62153-4-9, *Metallic communication cable test methods - Part 4-9: Electromagnetic compatibility (EMC) - Coupling attenuation of screened balanced cables, triaxial method*

IEC 62153-4-13, *Metallic communication cable test methods - Part 4-13: Electromagnetic compatibility (EMC) - Coupling attenuation of links and channels (laboratory conditions) - Absorbing clamp method*

ISO/IEC TR 11801-9911, *Information technology - Generic cabling for customer premises - Part 9911: Guidelines for the use of balanced single pair applications within a balanced 4-pair cabling system*