



IEC 62541-3

Edition 4.0 2025-12

INTERNATIONAL STANDARD

REDLINE VERSION

**OPC unified architecture -
Part 3: Address Space Model**

CONTENTS

FOREWORD.....	10
1 Scope.....	13
2 Normative references	13
3 Terms, definitions, abbreviations and conventions.....	14
3.1 Terms and definitions.....	14
3.2 Abbreviated terms.....	15
3.3 Conventions.....	16
3.3.1 Conventions for AddressSpace figures	16
3.3.2 Conventions for defining NodeClasses	16
4 AddressSpace concepts.....	17
4.1 Overview	17
4.2 URIs	18
4.3 Object Model.....	19
4.4 Node Model	19
4.4.1 General	19
4.4.2 NodeClasses	20
4.4.3 Attributes.....	20
4.4.4 References	20
4.5 Variables	21
4.5.1 General	21
4.5.2 Properties.....	21
4.5.3 DataVariables	21
4.6 TypeDefinitionNodes	22
4.6.1 General	22
4.6.2 Complex TypeDefinitionNodes and their InstanceDeclarations	22
4.6.3 Subtyping	23
4.6.4 Instantiation of complex TypeDefinitionNodes.....	24
4.7 Event Model.....	25
4.7.1 General	25
4.7.2 EventTypes.....	25
4.7.3 Event Categorization.....	26
4.8 Methods.....	26
4.9 Roles.....	26
4.9.1 Overview	26
4.9.2 Well Known Roles.....	27
4.9.3 Evaluating Permissions with Roles	28
4.10 Interfaces and AddIns for Objects.....	30
4.10.1 Overview	30
4.10.2 Interface Model.....	30
4.10.3 AddIn model	34
5 Standard NodeClasses	35
5.1 Overview	35
5.2 Base NodeClass	36
5.2.1 General	36
5.2.2 NodeId.....	36
5.2.3 NodeClass.....	36

5.2.4	BrowseName	36
5.2.5	DisplayName	37
5.2.6	Description	37
5.2.7	WriteMask	37
5.2.8	UserWriteMask	37
5.2.9	RolePermissions	38
5.2.10	UserRolePermissions	39
5.2.11	AccessRestrictions	39
5.3	ReferenceType NodeClass	39
5.3.1	General	39
5.3.2	Attributes	40
5.3.3	References	42
5.4	View NodeClass	42
5.5	Objects	44
5.5.1	Object NodeClass	44
5.5.2	ObjectType NodeClass	46
5.5.3	Standard ObjectType FolderType	48
5.5.4	Client-side creation of Objects of an ObjectType	48
5.6	Variables	49
5.6.1	General	49
5.6.2	Variable NodeClass	49
5.6.3	Properties	53
5.6.4	DataVariable	54
5.6.5	VariableType NodeClass	55
5.6.6	Client-side creation of Variables of an VariableType	57
5.7	Methods	57
5.7.1	Method NodeClass	57
5.7.2	HasArgumentDescription ReferenceType	61
5.7.3	HasOptionalInputArgumentDescription ReferenceType	61
5.8	DataTypes	61
5.8.1	DataType Model	61
5.8.2	Encoding Rules for different kinds of DataTypes	62
5.8.3	DataType NodeClass	63
5.8.4	DataTypeEncoding and Encoding Information	66
5.9	Summary of Attributes of the NodeClasses	66
6	Type Model for ObjectTypes and VariableTypes	67
6.1	Overview	67
6.2	Definitions	68
6.2.1	InstanceDeclaration	68
6.2.2	Instances without ModellingRules	68
6.2.3	InstanceDeclarationHierarchy	68
6.2.4	Similar Node of InstanceDeclaration	68
6.2.5	BrowsePath	68
6.2.6	BrowseName within a TypeDefinitionNode	68
6.2.7	Attribute Handling of InstanceDeclarations	69
6.2.8	Attribute Handling of Variable and VariableTypes	69
6.2.9	NodeIds of InstanceDeclarations	69
6.3	Subtyping of ObjectTypes and VariableTypes	69
6.3.1	Overview	69

6.3.2	Attributes	69
6.3.3	InstanceDeclarations	69
6.4	Instances of ObjectTypes and VariableTypes	74
6.4.1	Overview	74
6.4.2	Creating an Instance	74
6.4.3	Constraints on an Instance	75
6.4.4	ModellingRules	76
6.5	Changing Type Definitions that are already used	85
7	Standard ReferenceTypes	86
7.1	General.....	86
7.2	References ReferenceType	86
7.3	HierarchicalReferences ReferenceType	87
7.4	NonHierarchicalReferences ReferenceType	87
7.5	HasChild ReferenceType.....	87
7.6	Aggregates ReferenceType	87
7.7	HasComponent ReferenceType	88
7.8	HasProperty ReferenceType.....	88
7.9	HasOrderedComponent ReferenceType.....	88
7.10	HasSubtype ReferenceType	88
7.11	Organizes ReferenceType	89
7.12	HasModellingRule ReferenceType	89
7.13	HasTypeDefinition ReferenceType.....	89
7.14	HasEncoding ReferenceType	89
7.15	GeneratesEvent	90
7.16	AlwaysGeneratesEvent	90
7.17	HasEventSource	90
7.18	HasNotifier.....	91
7.19	HasInterface ReferenceType	92
7.20	HasAddIn ReferenceType.....	92
7.21	IsDeprecated ReferenceType	93
7.22	HasStructuredComponent ReferenceType	93
7.22.1	Overview	93
7.22.2	Differences between HasStructuredComponent and ExposesItsArray	94
7.23	AssociatedWith ReferenceType	95
8	Standard DataTypes	95
8.1	General.....	95
8.2	NodeId.....	95
8.2.1	General	95
8.2.2	NamespaceIndex	96
8.2.3	IdentifierTypeIdType	96
8.2.4	Identifier value	97
8.3	QualifiedName	97
8.4	LocaleId.....	98
8.5	LocalizedText.....	98
8.6	Argument	99
8.7	BaseDataType	99
8.8	Boolean	100
8.9	Byte.....	100
8.10	ByteString	100

8.11	DateTime	100
8.12	Double	100
8.13	Duration	100
8.14	Enumeration	100
8.15	Float	100
8.16	Guid	100
8.17	Sbyte	100
8.18	IdType	101
8.19	Image	101
8.20	ImageBMP	101
8.21	ImageGIF	101
8.22	ImageJPG	101
8.23	ImagePNG	101
8.24	Integer	101
8.25	Int16	101
8.26	Int32	101
8.27	Int64	101
8.28	TimeZoneDataType	101
8.29	NamingRuleType	101
8.29	NodeClass	102
8.30	Number	103
8.31	String	103
8.32	Structure	103
8.33	UInteger	103
8.34	UInt16	103
8.35	UInt32	103
8.36	UInt64	103
8.37	UtcTime	103
8.38	XmlElement	104
8.39	EnumValueType	104
8.40	OptionSet	104
8.41	Union	105
8.42	DateString	106
8.43	DecimalString	106
8.44	DurationString	106
8.45	NormalizedString	106
8.46	TimeString	107
8.47	DataTypeDefinition	107
8.48	StructureDefinition	107
8.49	StructureType	108
8.50	EnumDefinition	108
8.51	StructureField	108
8.52	EnumField	109
8.53	AudioDataType	110
8.54	Decimal	110
8.55	PermissionType	110
8.56	AccessRestrictionType	111
8.57	AccessLevelType	112
8.58	AccessLevelExType	112

8.59	EventNotifierType	114
8.60	AttributeWriteMask	114
8.61	CurrencyUnitType	115
9	Standard EventTypes	116
9.1	General.....	116
9.2	BaseEventType.....	117
9.3	SystemEventType	117
9.4	ProgressEventType	117
9.5	AuditEventType.....	118
9.6	AuditSecurityEventType	119
9.7	AuditChannelEventType	119
9.8	AuditOpenSecureChannelEventType	119
9.9	AuditSessionEventType.....	119
9.10	AuditCreateSessionEventType	120
9.11	AuditUrlMismatchEventType.....	120
9.12	AuditActivateSessionEventType	120
9.13	AuditCancelEventType	120
9.14	AuditCertificateEventType	120
9.15	AuditCertificateDataMismatchEventType	120
9.16	AuditCertificateExpiredEventType.....	120
9.17	AuditCertificateInvalidEventType	120
9.18	AuditCertificateUntrustedEventType	120
9.19	AuditCertificateRevokedEventType.....	121
9.20	AuditCertificateMismatchEventType.....	121
9.21	AuditNodeManagementEventType	121
9.22	AuditAddNodesEventType	121
9.23	AuditDeleteNodesEventType	121
9.24	AuditAddReferencesEventType	121
9.25	AuditDeleteReferencesEventType	121
9.26	AuditUpdateEventType.....	121
9.27	AuditWriteUpdateEventType.....	121
9.28	AuditHistoryUpdateEventType	121
9.29	AuditUpdateMethodEventType.....	121
9.30	DeviceFailureEventType.....	122
9.31	SystemStatusChangeEventType.....	122
9.32	ModelChangeEvents	122
9.32.1	General	122
9.32.2	NodeVersion Property	122
9.32.3	Views	122
9.32.4	Event compression.....	122
9.32.5	BaseModelChangeEvent.....	123
9.32.6	GeneralModelChangeEvent	123
9.32.7	Guidelines for ModelChangeEvents	123
9.33	SemanticChangeEvent.....	123
9.33.1	General	123
9.33.2	ViewVersion and NodeVersion Properties.....	123
9.33.3	Views	124
9.33.4	Event compression.....	124
Annex A (informative) How to use the Address Space Model		125

A.1	Overview	125
A.2	Type definitions.....	125
A.3	ObjectTypes.....	125
A.4	VariableTypes.....	126
A.4.1	General	126
A.4.2	Properties or DataVariables	126
A.4.3	Many Variables and / or Structured DataTypes	126
A.5	Views.....	127
A.6	Methods.....	127
A.7	Defining ReferenceTypes	127
A.8	Defining ModellingRules.....	127
Annex B (informative)	OPC UA Meta Model in UML	128
B.1	Background.....	128
B.2	Notation.....	128
B.3	Meta Model	129
B.3.1	Base.....	129
B.3.2	ReferenceType	130
B.3.3	Predefined ReferenceTypes	131
B.3.4	Attributes	131
B.3.5	Object and ObjectType.....	132
B.3.6	EventNotifier.....	133
B.3.7	Variable and VariableType	133
B.3.8	Method	134
B.3.9	DataType.....	135
B.3.10	View	136
Annex C (normative)	Graphical notation	137
C.1	General.....	137
C.2	Notation.....	137
C.2.1	Overview	137
C.2.2	Simple notation.....	137
C.2.3	Extended notation	139
Bibliography	142
Figure 1	– AddressSpace Node diagrams.....	16
Figure 2	– OPC UA Object Model.....	19
Figure 3	– AddressSpace Node Model.....	20
Figure 4	– Reference Model.....	21
Figure 5	– Example of a Variable defined by a VariableType.....	22
Figure 6	– Example of a Complex TypeDefinition.....	23
Figure 7	– Object and its Components defined by an ObjectType.....	24
Figure 8	– Examples of Interfaces	32
Figure 9	– Example: Interface application to an ObjectType.....	32
Figure 10	– Example: One Interface applied to an ObjectType another one to the instance	33
Figure 11	– Example: Interface Hierarchy.....	33
Figure 12	– Example of AddIn with default BrowseName.....	34
Figure 13	– Example of AddIn applied to an instance.....	35

Figure 14 – Permissions in the Address Space	39
Figure 15 – Symmetric and Non-Symmetric References.....	41
Figure 16 – Method Metadata Example	60
Figure 17 – Variables, VariableTypes and their DataTypes	61
Figure 18 – DataType Model	62
Figure 19 – Example of DataType Modelling.....	66
Figure 20 – Subtyping TypeDefinitionNodes	70
Figure 21 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType	73
Figure 22 – An Instance and its TypeDefinitionNode	74
Figure 23 – Example for several References between InstanceDeclarations.....	76
Figure 24 – Example on changing instances based on InstanceDeclarations	78
Figure 25 – Example on changing InstanceDeclarations based on an InstanceDeclaration	79
Figure 26 – Use of the Standard ModellingRule Mandatory	80
Figure 27 – Example using the Standard ModellingRules Optional and Mandatory.....	81
Figure 28 – Example on using ExposesItsArray	82
Figure 29 – Complex example on using ExposesItsArray	82
Figure 30 – Example using OptionalPlaceholder with an Object and Variable	83
Figure 31 – Example using OptionalPlaceholder with a Method.....	84
Figure 32 – Example on using MandatoryPlaceholder for Object and Variable.....	85
Figure 33 – Standard ReferenceType Hierarchy	86
Figure 34 – Event Reference Example.....	91
Figure 35 – Complex Event Reference Example	92
Figure 36 – Example of using HasStructuredComponent ReferencyType.....	94
Figure 37 – Difference between HasStructuredComponent and ExposesItsArray	95
Figure 38 – Standard EventType Hierarchy	117
Figure 39 – Audit Behaviour of a Server	118
Figure 40 – Audit Behaviour of an Aggregating Server	119
Figure B.1 – Background of OPC UA Meta Model	128
Figure B.2 – Notation (I).....	128
Figure B.3 – Notation (II).....	129
Figure B.4 – Base	130
Figure B.5 – Reference and ReferenceType	130
Figure B.6 – Predefined ReferenceTypes	131
Figure B.7 – Attributes	132
Figure B.8 – Object and ObjectType.....	133
Figure B.9 – EventNotifier	133
Figure B.10 – Variable and VariableType.....	134
Figure B.11 – Method	135
Figure B.12 – DataType	135
Figure B.13 – View	136
Figure C.1 – Example of a Reference connecting two Nodes	138
Figure C.2 – Example of using a TypeDefinition inside a Node.....	140

Figure C.3 – Example of exposing Attributes	140
Figure C.4 – Example of exposing Properties inline	141
Table 1 – NodeClass Table Conventions	16
Table 2 – Well-Known Roles	27
Table 3 – Example Roles	28
Table 4 – Example Nodes	29
Table 5 – Example Role Assignment	29
Table 6 – Examples of Evaluating Access	29
Table 7 – Base NodeClass	36
Table 8 – RolePermissionType	38
Table 9 – ReferenceType NodeClass	40
Table 10 – View NodeClass	43
Table 11 – Object NodeClass	45
Table 12 – ObjectType NodeClass	47
Table 13 – Variable NodeClass	49
Table 14 – VariableType NodeClass	55
Table 15 – Method NodeClass	58
Table 16 – DataType NodeClass	64
Table 17 – Overview of Attributes	67
Table 18 – The InstanceDeclarationHierarchy for BetaType	71
Table 19 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType	72
Table 20 – Rule for ModellingRules Properties when Subtyping	77
Table 21 – Properties of ModellingRules	95
Table 21 – NodeId Definition	95
Table 22 – IdentifierType IdType Values	96
Table 24 – NodeId Null Values	97
Table 23 – NodeId Alternative Null Values	97
Table 24 – QualifiedName Definition	98
Table 25 – LocaleId Examples	98
Table 26 – LocalizedText Definition	98
Table 27 – Argument Definition	99
Table 28 – TimeZoneDataType Definition	101
Table 29 – NodeClass Values	102
Table 30 – NamingRuleType Values	104
Table 30 – EnumValueType Definition	104
Table 31 – OptionSet Definition	105
Table 32 – StructureDefinition Structure	107
Table 33 – StructureType Values	108
Table 34 – EnumDefinition Structure	108
Table 35 – StructureField Structure	108
Table 36 – EnumField Structure	110
Table 37 – PermissionType Definition	110

Table 38 – AccessRestrictionType Definition	112
Table 39 – AccessLevelType Definition	112
Table 40 – Use Cases of Constant and NonVolatile Fields	113
Table 41 – AccessLevelExType Definition	113
Table 42 – EventNotifierType Definition.....	114
Table 43 – Bit mask for WriteMask and UserWriteMask	115
Table 44 – CurrencyUnitType Definition	115
Table C.1 – Notation of Nodes depending on the NodeClass	137
Table C.2 – Simple Notation of Nodes depending on the NodeClass	139
Table C.3 – Extended Notation of Reference Cardinality.....	141

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**OPC unified architecture -
Part 3: Address Space Model**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62541-3:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62541-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of the concept and modelling elements for Interfaces and AddIns;
- b) addition of Currency;
- c) addition of Method Meta Data to define additional attributes for Method Arguments;
- d) addition of ApplyRestrictionToBrowse bit to AccessRestrictionType;
- e) addition of a Non-Volatile Storage bit to AccessLevelExType;
- f) addition of a Constant bit and ConfigurationConstant bit to AccessLevelExType;
- g) the View NodeClass has been changed to define the EventNotifier as an EventNotifierType in the same way the Object NodeClass defines it;
- h) correction of HasNotifier, HasEventSource, and Organizes, to include ObjectType as valid source node;
- i) NamingRules have become deprecated;
- j) addition of AssociatedWith ReferenceType.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1061/CDV	65E/1128/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 62541 describes the OPC Unified Architecture (OPC UA) *AddressSpace* and its *Objects*. This specification is the OPC UA meta model on which OPC UA information models are based.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC ~~TR~~ 62541-1, *OPC Unified Architecture – Part 1: Overview and Concepts*

IEC 62541-4, *OPC Unified Architecture – Part 4: Services*

IEC 62541-5, *OPC Unified Architecture – Part 5: Information Model*

IEC 62541-6, *OPC Unified Architecture – Part 6: Mappings*

IEC 62541-8, *OPC Unified Architecture – Part 8: Data Access*

IEC 62541-11, *OPC Unified Architecture – Part 11: Historical Access*

IEC 62541-18, *OPC Unified Architecture – Part 18: Role-Based Security*

IEC 62541-21, *OPC Unified Architecture – Part 21: Device Onboarding*

~~ISO/IEC/IEEE 60559:2011, *Information technology – Microprocessor Systems – Floating-Point arithmetic*~~

ISO 639 (all parts), *Codes for the representation of names of languages*

ISO 3166 (all parts), *Codes for the representation of names of countries and their subdivisions*

~~ISO 8601 (all parts), *Date and time – Representations for information interchange*~~

ISO 4217, *Codes for the representation of currencies*

ISO 8601-1:2019, *Date and time – Representations for information interchange – Part 1: Basic rules*

ISO/IEC/IEEE 60559:2020, *Information technology – Microprocessor Systems – Floating-Point arithmetic*

~~IETF RFC5646, *Tags for Identifying Languages*
<http://tools.ietf.org/html/rfc5646>~~

~~Unicode Standard Annex #15: *Unicode Normalization Forms*,
<http://www.unicode.org/reports/tr15/>~~

~~W3C XML Schema Definition Language (XSD) Part 2: *DataTypes*
<http://www.w3.org/TR/xmlschema-2/>~~

~~TAI: International Atomic Time~~

~~<http://www.bipm.org/en/bipm-services/timescales/tai.html>~~

IETF RFC 3986, Berners-Lee T., Fielding R. and Masinter L., “Uniform Resource Identifier (URI): Generic Syntax”, January 2005, available at <https://www.ietf.org/rfc/rfc3986.txt>

IETF RFC 4151, Kindberg T. and Hawke S., “The 'tag' URI Scheme”, October 2005, available at <https://datatracker.ietf.org/doc/html/rfc4151>

IETF RFC 5646, Davis M. and Phillips A., “Tags for Identifying Languages”, September 2009, available at <http://tools.ietf.org/html/rfc5646>

Unicode Annex 15, *Unicode Standard Annex #15: Unicode Normalization Forms*

<http://www.unicode.org/reports/tr15/>

W3C XML Schema Definition Language (XSD) Part 2, DataTypes

<http://www.w3.org/TR/xmlschema-2>

Unicode C0 Controls and Basic Latin:

<https://www.unicode.org/charts/PDF/U0000.pdf>

Unicode C1 Controls and Latin-1 Supplement:

<https://www.unicode.org/charts/PDF/U0080.pdf><https://www.unicode.org/Public/UCD/latest/ucd/PropList.txt>

Bibliography

~~IEC 62541-11, OPC Unified Architecture – Part 11: Historical Access~~

[GH95] Erich Gamma, Richard Helm, Ralph Johnson, John Vlissides, *Design Patterns – Elements of Reusable Object-Oriented Software*, Addison-Wesley 1995
<https://www.oreilly.com/library/view/design-patterns-elements/0201633612/>

[FF04] Eric Freeman, Elisabeth Freeman, Kathy Sierra, Bert Bates, *Head First Design Patterns*, O'Reilly, 2004
<https://www.oreilly.com/library/view/head-first-design/0596007124/>
