



IEC 60358-1

Edition 2.0 2025-12

INTERNATIONAL STANDARD

REDLINE VERSION

**Coupling capacitors and capacitor dividers -
Part 1: General rules**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembeé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -
webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references	9
3 Terms, definitions, symbols and abbreviated terms.....	10
3.1 General.....	11
3.2 Coupling capacitor and capacitor divider specifics	14
4 Service Normal and special environmental conditions.....	17
4.1 General.....	17
4.2 Normal service conditions	17
4.2.1 Ambient air temperature	17
4.2.2 Altitude	17
4.2.3 Vibrations or earthquakes.....	17
4.2.4 Other service conditions for indoor equipment	17
4.2.5 Other service conditions for outdoor equipment	18
4.3 Special service conditions.....	18
4.3.1 General	18
4.3.2 Altitude	18
4.3.3 Ambient temperature	20
4.3.4 Earthquakes	21
4.4 System earthing.....	21
5 Ratings.....	21
5.1 Standard values of rated frequency.....	21
5.2 Standard values of rated voltages.....	21
5.2.1 Rated voltage U_R U_r for AC	21
5.2.2 Rated voltage U_R U_r for DC	22
5.3 Standard values of rated voltage factor	22
5.3.1 Standard values of rated voltage factor for AC voltages.....	22
5.3.2 Standard values of rated voltage factor for DC voltages	23
6 Design requirements.....	23
6.1 Insulation requirements.....	23
6.2 Other insulation requirements	28
6.2.1 Low-voltage terminal not exposed to weather	28
6.2.2 Low-voltage terminal exposed to weather	28
6.2.3 Partial discharges	28
6.2.4 Chopped lightning impulse test.....	29
6.2.5 Capacitance at power frequency.....	30
6.2.6 Losses of the capacitor at power frequency	30
6.2.7 External insulation requirements.....	30
6.3 Electromagnetic emission requirements – Radio interference voltage (RIV)	31
6.4 Mechanical requirements	31
6.5 Tightness of equipment.....	32
6.5.1 General	32
6.5.2 Liquid tightness	32
6.5.3 Gas tightness	33

6.6	Voltage grading for DC capacitors.....	34
6.7	Requirements for temperature rise.....	35
6.8	Capacitor element ageing requirements.....	35
6.8.1	General.....	35
6.8.2	Capacitor element design criteria.....	35
6.9	Marking of the equipment.....	36
6.9.1	General.....	36
6.9.2	Markings of the rating plate.....	36
7	Tests conditions	38
7.1	General.....	38
7.2	Classification of tests.....	38
7.2.1	General.....	38
7.2.2	Routine tests.....	39
7.2.3	Type tests.....	39
7.2.4	Special tests.....	40
7.2.5	Design tests.....	42
7.2.6	Routine test sequence.....	43
7.2.7	Type test sequence.....	44
7.3	Routine tests.....	45
7.3.1	General.....	45
7.3.2	Tightness of the liquid-filled equipment.....	45
9.2	Electrical routine tests.....	45
7.3.3	Capacitance and $\tan\delta$ measurement at power-frequency.....	45
7.3.4	Power-frequency or DC withstand test.....	47
7.3.5	Partial discharge measurement.....	49
7.3.6	AC withstand test on low-voltage terminal of the equipment (6.2.1 and 6.2.2) Power-frequency voltage withstand test on low-voltage terminal if applicable.....	49
7.3.7	Resistance measurement for DC equipment.....	50
7.3.8	Verification of markings.....	50
7.3.9	Gas dew point measurement.....	50
7.4	Type tests.....	50
7.4.1	General.....	50
7.4.2	Impulse tests.....	51
7.4.3	Wet test for outdoor equipment.....	53
7.4.4	Radio interference voltage test.....	54
7.4.5	Voltage Polarity reversal test for DC equipment.....	55
7.4.6	Temperature rise test.....	56
7.4.7	Enclosure tightness test at ambient temperature.....	58
7.4.8	Special tests — Mechanical strength test Mechanical tests.....	58
7.5	Special tests.....	60
7.5.1	Determination of the temperature coefficient of capacitance T_C	60
7.5.2	Enclosure tightness test at low and high temperatures.....	61
7.5.3	Internal arc test.....	61
7.5.4	Multiple chopped impulse test on primary terminals.....	61
7.5.5	Measurement of the impedance depending on frequency.....	61
7.5.6	Thermal stability test.....	62
7.5.7	Corrosion test.....	62

7.6	Design tests.....	63
7.6.1	Ageing test.....	63
8	Rules for transport, storage, erection, operation and maintenance.....	64
8.1	General.....	64
8.2	Conditions during transport, storage and installation.....	64
8.3	Installation.....	65
8.3.1	General.....	65
8.3.2	Unpacking and lifting.....	65
8.3.3	Assembly.....	65
8.3.4	Mounting.....	65
8.3.5	Connections.....	65
8.3.6	Final installation inspection and tests.....	65
8.4	Maintenance.....	66
8.4.1	General.....	66
8.4.2	Responsibilities for the manufacturer.....	66
9	Safety.....	66
10	Influence of products on the natural environment.....	67
	Annex A (informative) Typical diagram of an equipment.....	68
	Annex B (informative) Partial discharge test circuit and instrumentation.....	70
	Annex C (normative) Radio interference voltage – Measurement circuit.....	72
	Annex D (informative) Superimposed impulse voltage test.....	74
	D.1 Overview.....	74
	D.2 Test description.....	74
	D.3 Criteria to pass the test.....	75
	Annex E (informative) Test circuit for superimposed impulse voltage tests.....	76
	E.1 General.....	76
	E.2 Test circuit using blocking capacitor.....	76
	E.3 Test circuit using sphere gap.....	76
	Annex F (informative) High-frequency characteristic measurements.....	78
	Annex G (informative) Composite AC/DC voltages.....	79
	G.1 Composite AC/DC voltage descriptions.....	79
	G.2 Example 1 – without 3PWM.....	80
	G.3 Example 2 – with 3PWM.....	81
	G.4 Conclusion.....	83
	Annex H (informative) Voltage definitions.....	84
	Bibliography.....	85
	Figure 1 – Altitude correction factor for insulation.....	
	Figure 1 – Factor m for the switching impulse withstand test.....	20
	Figure 2 – Reduced scale model capacitor element geometry.....	36
	Figure 2 – Flow charts test sequence to be applied when performing the type test (Figure 2a) and routine test (Figure 2b).....	
	Figure 3 – Flow charts test sequence to be applied when performing the routine test.....	43
	Figure 4 – Flow charts test sequence to be applied when performing the type test.....	44
	Figure 5 – Test sequence for polarity reversal tests.....	56
	Figure 6 – Flow chart for temperature rise test.....	56

Figure A.1 – Example of a diagram for a coupling capacitor (with and without low-voltage terminal)	68
Figure A.2 – Example of a diagram for a capacitor divider (with and without low-voltage terminal)	69
Figure B.1 – Test circuit	70
Figure B.2 – Alternative circuit	70
Figure B.3 – Example of balanced test circuit	71
Figure B.4 – Example of calibration circuit	71
Figure C.1 – Measuring circuit	73
Figure D.1 – Schematic representation of superimposed impulse voltage tests	74
Figure E.1 – Test circuit for superimposed impulse tests using blocking capacitor	76
Figure E.2 – Test circuit for superimposed impulse tests using sphere gap	77
Figure F.1 – Wiring diagram of the measuring circuit for the high-frequency capacitance and equivalent series resistance of a coupling capacitor	78
Figure G.1 – Example of an unsymmetrically VSC converter	80
Figure G.2 – Maximum peak voltage without 3PWM	81
Figure G.3 – Both individual AC voltage curves with 3PWM	82
Figure G.4 – Superimposed voltage curve with 3PWM, based on Figure G.3	82
Figure H.1 – Voltage overview and definitions	84
Table 1 – Rated ambient temperature categories	17
Table 2 – Standard values of rated voltage factors	23
Table 3 – Standard insulation levels for AC voltages	24
Table 4 – Partial discharge test voltages and permissible levels	28
Table 5 – Creepage distance for AC	31
Table 6 – Static withstand test loads for insulators	32
Table 7 – Permissible temporary leakage rates for gas systems	34
Table 8 – Marking of the rating plate	37
Table 9 – List of Routine tests	39
Table 10 – List of Type tests	40
Table 11 – List of Special tests	42
Table 12 – List of Design tests	42
Table 13 – Test voltages for units, stacks and complete equipment	48
Table 14 – Modalities of application of the test loads to the line primary terminals	59
Table H.1 – Voltage definitions for DC application	84

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Coupling capacitors and capacitor dividers -
Part 1: General rules**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60358-1:2012. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60358-1 has been prepared by IEC Technical Committee 33: Power capacitors and their applications. It is an International Standard.

This second edition cancels and replaces the first edition published in 2012. This edition constitutes a technical revision.

This edition of IEC 60358-1 includes the following significant technical changes with respect to the previous edition:

- a) new terms and definitions are presented in Clause 3;
- b) new definitions in Clause 4 and Clause 5;
- c) gas-insulated coupling capacitors and capacitor dividers are integrated in Clause 6;
- d) new tests in routine, type, special and design test sections are introduced, see Clause 7;
- e) new Clause 8, Clause 9 and Clause 10;
- f) new Annex D, Annex E, Annex F, Annex G and Annex H.

The text of this International Standard is based on the following documents:

Draft	Report on voting
33/732/FDIS	33/737/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60358 series, published under the general title *Coupling capacitors and capacitor dividers*, can be found on the IEC website.

IEC 60358-1, *Coupling capacitors and capacitor dividers - Part 1: General rules*

IEC 60358-2, *Coupling capacitors and capacitor dividers - Part 2: AC or DC single-phase coupling capacitor connected between line and ground for power line carrier-frequency (PLC) application*

IEC 60358-3, *Coupling capacitors and capacitor dividers - Part 3: AC or DC single-phase coupling capacitor for harmonic-filters applications*

IEC 60358-4, *Coupling capacitors and capacitor dividers - Part 4: DC or AC single-phase capacitor dividers*

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

~~For the new re-structured IEC 60358 series, the following parts are envisaged:~~

~~IEC 60358-1¹, — Coupling capacitors and capacitor dividers — Part 1: General rules~~

~~IEC 60358-2², — Coupling capacitor and capacitor dividers — Part 2: AC or DC single-phase coupling capacitor connected between line and ground for power line carrier-frequency (PLC) application~~

~~IEC 60358-3³, — Coupling capacitors and capacitor dividers — Part 3: AC or DC single-phase coupling capacitor for harmonic filters applications~~

~~IEC 60358-4⁴, — Coupling capacitor and capacitor dividers — Part 4: AC or DC single-phase capacitor-divider and RC-divider connected between line and ground (except for CVT's which belong to IEC 61869-5)~~

This document is the first revision of IEC 60358-1, defining general rules for coupling capacitors and capacitor dividers.

The main modifications of this revision are listed below:

- terms and definitions:
 - new terms and definitions are presented in Clause 3;
- normal and special environmental conditions:
 - new definitions in Clause 4 are introduced;
- ratings:
 - addition of HV insulation levels above 800 kV;
 - new definition on rated voltage U_r for AC and DC applications;
 - Clause 5, new definitions for DC application are integrated;
 - new standard values of rated voltages are defined;
- design and construction:
 - clarification of the altitude correction for external insulation and dielectric tests;
 - external insulation requirements for DC application;
 - gas-insulated coupling capacitors and capacitor dividers are integrated in Clause 6;
 - new test with its requirements on capacitor element ageing is defined;
- type tests:
 - temperature rise test: more accurate definition of the test duration;
 - lightning impulse test: new test procedure (15 impulses) for $U_m \geq 300$ kV;
 - mechanical test: moved from special test to type test;
 - new enclosure tightness test for gas-insulated coupling capacitors and dividers;

¹~~To be published.~~

²~~To be published.~~

³~~Under consideration.~~

⁴~~Under consideration.~~

- routine tests:
 - tightness tests for gas-insulated equipment;
 - gas dew point measurements;
 - new flowchart of routine tests presented in Figure 3;
- special tests:
 - determination of temperature coefficient of the capacitor element;
 - new enclosure tightness test on low and hot temperature;
 - information about internal arc tests;
 - information about multiple chopped impulse tests;
 - new test on impedance measurements depending on frequency;
 - new test on thermal stability;
 - new test on corrosion;
 - new flowchart of type tests presented in Figure 4;
- design tests (new clause):
 - ageing tests of capacitor elements;
- commissioning tests (new clause):
 - new installation inspection;
 - gas dew point test moved from special test to commissioning tests;
- rules for transport, storage, erection, operation and maintenance:
 - new mandatory rules for user and manufacturer;
 - new conditions for transportation and storage;
- new annexes:
 - Annex D (informative): provide information about superimposed impulse voltages;
 - Annex E (informative): provide information on test setups for superimposed impulse voltage tests;
 - Annex F (informative): is introduced on high-frequency characteristic measurements;
 - Annex G (informative): provide information about composite AC/DC voltages;
 - Annex H (informative): present a summary of all voltages used in DC application.

1 Scope

This part of IEC 60358 applies to:

- Coupling capacitors and capacitor dividers, with rated voltage > 1 000 V, connected line to ground with the low-voltage terminal either permanently earthed or connected to devices, for applications listed hereunder and other similar uses.

This document serves as a basic standard for the coupling capacitors and capacitor dividers. The different parts of this standard series will present the supplementary specifications and tests, for example IEC 60358-2, IEC 60358-3 or IEC 60358-4.

NOTE—Diagrams of coupling capacitor and capacitor divider to which this standard series applies are given in Figure A.1 and Figure A.2 (see Annex A).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

~~IEC 60050-321:1986, *International Electrotechnical Vocabulary — Chapter 321: Instrument transformers*~~

~~IEC 60050-436:1990, *International Electrotechnical Vocabulary — Chapter 436: Power capacitors*~~

~~IEC 60050-601:1985, *International Electrotechnical Vocabulary — Chapter 601: Generation, transmission and distribution of electricity — General*~~

~~IEC 60050-604:1987, *International Electrotechnical Vocabulary — Chapter 604: Generation, transmission and distribution of electricity — Operation*~~

IEC 60060-1, *High-voltage test techniques - Part 1: General definitions and test requirements*

IEC 60068-2-11:2021, *Environmental testing - Part 2-11: Tests - Test Ka: Salt mist*

IEC 60068-2-17, ~~*Basic Environmental testing procedures*~~ *Environmental testing - Part 2-17: Tests - Test Q: Sealing*

IEC 60071-1, *Insulation co-ordination - Part 1: Definitions, principles and rules*

IEC 60071-2, *Insulation co-ordination - Part 2: Application guidelines*

IEC 60071-11, *Insulation co-ordination - Part 11 : Definitions, principles and rules for HVDC system*

IEC 60270, *High-voltage test techniques - ~~Partial discharge measurements~~ Charge-based measurement of partial discharges*

IEC 60296, *Fluids for electrotechnical applications - Mineral insulating oils for electrical equipment*

IEC 60376, *Specification of technical grade sulphur hexafluoride (SF₆) and complementary gases to be used in its mixtures for use in electrical equipment*

IEC 60480, *Specifications for the re-use of sulphur hexafluoride (SF₆) and its mixtures in electrical equipment*

IEC 60721 (all parts), *Classification of environmental conditions*

IEC TS 60815-1:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles*

IEC TS 60815-2:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 2: Ceramic and glass insulators for a.c. systems*

IEC TS 60815-3:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 3: Polymer insulators for a.c. systems*

IEC 60867, *Insulating liquids - Specifications for unused liquids based on synthetic aromatic hydrocarbons*

IEC 61099, *Insulating liquids - Specifications for unused synthetic organic esters for electrical purposes*

~~IEC 61462, *Composite hollow insulators — Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V — Definitions, test methods, acceptance criteria and design recommendations*~~

IEC 62271-4:2022, *High-voltage switchgear and controlgear - Part 4: Handling procedures for gases for insulation and/or switching*

IEC 62770, *Fluids for electrotechnical applications - Unused natural esters for transformers and similar electrical equipment*

IEC 63012, *Insulating liquids - Unused modified or blended esters for electrotechnical applications*

ISO 4628-3, *Paints and varnishes - Evaluation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 3: Assessment of degree of rusting*

ISO 22479, *Corrosion of metals and alloys - Sulfur dioxide test in a humid atmosphere (fixed gas method)*

CISPR/TR 18-2, *Radio interference characteristics of overhead power lines and high-voltage equipment - Part 2: Methods of measurement and procedure for determining limits*

Bibliography

IEC 60050-321:1986, *International Electrotechnical Vocabulary (IEV) - Part 321: Instrument transformers*

IEC 60050-436:1990, *International Electrotechnical Vocabulary (IEV) - Part 436: Power capacitors*

IEC 60050-601:1985, *International Electrotechnical Vocabulary (IEV) - Part 601: Generation, transmission and distribution of electricity - General*

IEC 60050-604:1987, *International Electrotechnical Vocabulary - Chapter 604: Generation, transmission and distribution of electricity - Operation*

IEC 60060-2, *High-voltage test techniques - Part 2: Measuring systems*

IEC 60085, *Electrical insulation - Thermal evaluation and designation*

~~IEC 60358-1⁵, *Coupling capacitors and capacitor dividers — Part 1: Common clauses*~~

IEC 60358-2⁶, *Coupling capacitors and capacitor dividers - Part 2: AC or DC single-phase coupling capacitor connected between line and ground for power line carrier-frequency (PLC) application*

IEC 60358-3⁷, *Coupling capacitors and capacitor dividers - Part 3: AC or DC coupling capacitor for harmonic-filters applications*

IEC 60358-4, *Coupling capacitors and capacitor dividers - Part 4: DC and AC single-phase capacitor dividers*

IEC 60422, *Mineral insulating oils in electrical equipment - Supervision and maintenance ~~guide~~ guidance*

IEC TS 60815-4:2016, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 4: Insulators for d.c. systems*

IEC 61462, *Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with AC rated voltage greater than 1 000 V AC and D.C. voltage greater than 1500V - Definitions, test methods, acceptance criteria and design recommendations*

IEC 61869-5, *Instrument transformers - Part 5: Additional requirements for ~~capacitive~~ capacitor voltage transformers*

IEC 62155, *Hollow pressurized and unpressurized ceramic and glass insulators for use in electrical equipment with rated voltages greater than 1 000 V*

~~IEC/TR 62271-300, *Highvoltage switchgear and controlgear — Seismic qualification of alternating current circuitbreakers*~~

⁵ ~~To be published.~~

⁶ ~~To be published.~~

⁷ ~~Under consideration.~~

IEC 62217:2012, *Polymeric HV insulators for indoor and outdoor use - General definitions, test methods and acceptance criteria*

IEC 62271-203, *High-voltage switchgear and controlgear - Part 203: AC gas-insulated metal-enclosed switchgear for rated voltages above 52 kV*

IEC TR 62271-300, *High-voltage switchgear and controlgear - Part 300: Seismic qualification of alternating current circuit-breakers*

IEC Guide 109:2003, *Environmental aspects - Inclusion in electrotechnical product standards*

CISPR 16-1, *Specification for radio disturbance and immunity measuring apparatus and methods - Part 1: Radio disturbance and immunity measuring apparatus - Measuring apparatus*