

# TECHNICAL REPORT

REDLINE VERSION

---

Touch and interactive displays -  
Part 1-3: Generic - ~~General introduction to~~ Overview of pen touch technology

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions and abbreviated terms .....	6
3.1 Terms and definitions .....	6
3.2 Abbreviated terms .....	6
4 Generic information on pen touch technology .....	7
4.1 General .....	7
4.2 Classification .....	7
4.3 Sensing technology for touch pen .....	9
4.3.1 General .....	9
4.3.2 Resistive type panel structure and sensing method .....	9
4.3.3 Capacitive type panel structure and sensing method .....	10
4.3.4 EMI type panel structure and sensing method .....	10
4.3.5 Optical type panel structure and sensing method .....	11
4.3.6 Ultrasonic type panel structure and sensing method .....	11
4.4 Touch pen architecture .....	12
4.4.1 General .....	12
4.4.2 Passive stylus pen .....	12
4.4.3 Active stylus pen .....	13
5 Pen touch characteristics .....	17
5.1 General .....	17
5.2 Basic characteristics of pen touch .....	17
5.3 Unique and important characteristics of pen touch .....	17
5.3.1 General .....	17
5.3.2 Tracking speed .....	18
5.3.3 Writing <del>comfort</del> characteristics .....	18
5.3.4 Position parallax .....	18
5.3.5 Minimum area and minimum pressure .....	20
5.3.6 Pressure sensitivity .....	20
5.3.7 Tilt angle .....	21
6 Application example for each pen touch technology .....	21
6.1 General .....	21
6.2 Passive stylus pen .....	21
6.3 Active stylus pen .....	21
6.3.1 General .....	21
6.3.2 EMI pen .....	22
6.3.3 Universal pen for PCAP type .....	23
6.3.4 Type MPP .....	23
6.3.5 Type AP .....	23
6.3.6 Type WA Active ES stylus .....	23
<del>6.3.7 Type U (multiple use) .....</del>	<del>23</del>
7 Issue of future pen touch technology .....	24
7.1 General .....	24
7.2 Tracking speed .....	24

7.3	Writing comfort .....	24
7.4	Combinational use of finger and pen touch .....	25
7.5	Palm rejection area and pen positional relationship.....	25
8	Collaboration of hardware and software.....	25
Annex A (informative) Example of use-case: touch display used in the classroom.....		27
A.1	Impact of glare on the viewing distance and the posture of the students .....	27
A.2	Writing and Optical characteristics of anti-glare screen .....	28
Bibliography.....		31
Figure 1 – Resistive type panel structure .....		9
Figure 2 – Capacitive type panel structure .....		10
Figure 3 – EMI type panel structure .....		11
Figure 4 – Optical type panel structure .....		11
Figure 5 – Ultrasonic type panel structure.....		12
Figure 6 – Example of conductive fibre tip .....		13
Figure 7 – Example of transparent disk tip .....		13
Figure 8 – Example of exclusive pen.....		13
Figure 9 – Example of EMI pens (Type WE).....		15
Figure 10 – Example of frictional response between different pen tips and screens .....		19
Figure 11 – Example of frictional response between paper and pencil, AGL and touch pen, and glass and touch pen .....		19
Figure 12 – Position parallax .....		20
Figure 13 – Pen tablet for animation/illustration .....		22
Figure 14 – Examples of notebook PCs .....		24
Figure 15 – Example of drawing settings for a software simulating several pen types .....		26
Figure A.1 – Ambient light sources in the classroom .....		27
Figure A.2 – Examples of poor postures of the students caused by the glare .....		28
Figure A.3 – Example of the screen with AGL (left) and without AGL (right) .....		28
Figure A.4 – Unwanted reflection from measured samples .....		29
Figure A.5 – Writing and optical characteristics of the measured samples.....		29
Figure A.6 – Examples of scoring the writing and optical characteristics with the different types of screens.....		30
Table 1 – Comparison among pointing devices .....		8
Table 2 – Classification of touch pens.....		8
Table 3 – Correspondence between touch panel and touch pen.....		9
Table 4 – Performance comparison of touch pens for PCAP/EMI .....		16
Table 5 – Basic pen touch characteristics .....		17
Table 6 – Unique and important characteristics of touch pen .....		18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Touch and interactive displays -  
Part 1-3: Generic ~~General introduction to~~ Overview of pen touch  
technology**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC TR 62908-1-3:2021. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC TR 62908-1-3 has been prepared by IEC technical committee 110: Electronic displays. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) add writing characteristics as physical properties of interaction between a pen and a surface of a screen;
- b) add example of frictional response between paper and pencil, AGL and touch pen, and glass and touch pen;
- c) add example of touch display used in the classroom regarding writing and optical characteristics.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
110/1834/DTR	110/1849/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

With the spread of smartphones in recent years, finger touch technology has become widespread throughout the world. The field of popularization has started with smartphones and has spread out with information terminals such as notebook (laptop) PCs and tablets to kiosks, ATMs, sales equipment in the field of social infrastructure, medical equipment for professional use, and construction-related items.

Finger touch **technology** faces several challenges, such as malfunction due to usage environment, wearing of gloves or water droplets, in addition to difficulty of fine drawing with finger touch, signature input, and so on.

In the early stage of the pen touch **technologies**, the operating system and application software only supported the same function as finger touch, ~~but recently~~. However, a new concept of digital ink has enabled to ~~use not only the data of the entered trajectory, but also~~ treat the progressing data, such as writing pressure, pen angle, and drawing, ~~being~~ in addition to the **data of the entered trajectory**. These are digitized and saved together with the trajectory data. This means that a new technique with pen input has been developed, which goes beyond the conventional technology of finger touch input.

Based on the above situation, this document aims to focus on the issues related to future standardization by summarizing the sensing methods of pen touch, the types of touch pens and the corresponding technologies, and the market's trend of pen touch technology.

## 1 Scope

This part of IEC 62908, which is a technical report, provides general information on pen touch technology with the aim toward standardization. This document includes an overview of the pen touch technology, critical performance characteristics, issues of characteristics measurements, and other information.

The purpose of this document is to provide an overview of the different products available in pen touch technology.

**NOTE**—The companies and products named in this document do not constitute an endorsement by IEC of these products.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing - Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays - Part 1-2: Generic - Terminology and letter symbols*

## Bibliography

- [1] <https://tablet.wacom.co.jp/what/news-img/W8002basis.pdf>
- [2] [http://www.wacom.jp/jp/customercare/download/catalogue/pdf/0507\\_EMR\\_Pen\\_Technology\\_J.pdf](http://www.wacom.jp/jp/customercare/download/catalogue/pdf/0507_EMR_Pen_Technology_J.pdf)
- [3] <https://universalstylus.org/members/>
- [4] IEC 62908-12-10:2017, Touch and interactive displays - Part 12-10: Measurement methods of touch displays - Touch and electrical performance
- [5] Applied Sciences Group: Interactive Displays: High Performance Touch – YouTube, & <https://gigazine.net/news/20120312-high-performance-touchscreen/>
- [6] M. Kurashige et al., "Writing and optical characteristics of anti-glare screens for educational applications. J Soc Inf Disp. (2024)
- [7] <https://wacom.com/ja-jp/products/wacom-cintiq-previous> [viewed 2026-05-28]
- [8] <https://j.ext.hp.com/info/newsroom/library/notebook/personal/> [viewed 2026-01-20]
- [9] <https://pc.watch.impress.co.jp/docs/topic/feature/1132456.html> [viewed 2026-01-20]
- [10] "Pen interactions and Windows Ink in Windows apps - Windows apps | Microsoft Learn", <https://learn.microsoft.com/en-us/windows/apps/design/input/pen-and-stylus-interactions>
- [11] "WILL™ SDK. Digital ink easy for developers (wacom.com)", <https://developer.wacom.com/en-us/products/will-sdk-for-ink>
- [12] D. Impedovo et al, "Automatic Signature Verification: The State of the Art", <https://www.inf.ufpr.br/lesoliveira/padroes/Impedovo08.pdf>
- [13] ISO/IEC 19794-7, Information technology - Biometric data interchange formats - Part 7: Signature/sign time series data
- [14] ISO/IEC 19794-11, Information technology - Biometric data interchange formats - Part 11: Signature/sign processed dynamic data
- [15] T. Shibata and K. Ogiwara, "Measurement of Viewing Distance and Posture Using the Front Cameras of Digital Devices to Support Children's Health", ITE Transactions on Media Technology and Applications, 12(4), 203-210 (2024)
- [16] T. Shibata and Y. Sato, "Educational material for understanding screen glare in tablet use in classrooms", Human-Centered Digitalization, Volume 1, Springer, 277-286 (2026)
- [17] T. Shibata et al., "Tablet use in elementary schools from ergonomic aspect", Proc. IDW2017, VHF2-1 (2017)
- [18] ISO 2813:2014, Paints and varnishes - Determination of gloss value at 20°, 60° and 85°
- [19] IEC 62977-3-9:2023, Electronic displays - Part 3-9: Evaluation of optical performance - Display sparkle contrast

- [20] K. Masaoka, "Line-Based Modulation Transfer Function Measurement of Pixelated Displays," IEEE Access, 8, pp. 2169-3536 (2020)
  - [21] D. Hertel, et al, "BRDF to Gloss: Comparing Specular Reflectance Measurements", SID Symposium Digest 55, 1011-1014 (2024)
-