
**Information technology — Message
Handling Systems (MHS): Interpersonal
messaging system**

*Technologies de l'information — Systèmes de messagerie (MHS):
Système de messagerie de personne à personne*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

	<i>Page</i>
SECTION 1 – INTRODUCTION	1
1 Scope	1
2 Normative references	1
2.1 Open Systems Interconnection	1
2.2 Message Handling Systems	2
2.3 Directory Systems	2
2.4 Language Code	2
2.5 Character Sets	2
2.6 Telematic Services	2
2.7 File Transfer	3
2.8 Open Document Architecture	3
2.9 Digital Encoding of Sound	3
2.10 Cryptography	3
3 Definitions	3
4 Abbreviations	3
5 Conventions	3
5.1 ASN.1	4
5.2 Grade	4
5.3 Terms	5
5.4 Conventions for attribute-types used in Table 5	5
5.5 Interpretation of UTC Time values	5
SECTION 2 – ABSTRACT INFORMATION OBJECTS	5
6 Overview	5
7 Interpersonal Messages	6
7.1 Heading Field Component Types	6
7.1.1 IPM Identifier	7
7.1.2 Recipient Specifier	7
7.1.3 OR-Descriptor	8
7.1.4 IPMS Extension	8
7.2 Heading Fields	9
7.2.1 This IPM	9
7.2.2 Originator	9
7.2.3 Authorizing Users	9
7.2.4 Primary Recipients	9
7.2.5 Copy Recipients	9
7.2.6 Blind Copy Recipients	10
7.2.7 Replied-to IPM	10
7.2.8 Obsolete IPMs	10
7.2.9 Related IPMs	10
7.2.10 Subject	11
7.2.11 Expiry Time	11
7.2.12 Reply Time	11
7.2.13 Reply Recipients	11
7.2.14 Importance	11
7.2.15 Sensitivity	11
7.2.16 Auto-forwarded	12
7.2.17 Extensions	12
7.3 Body Parts	12
7.3.1 Extended Body Part	13
7.3.2 Body Part Encoding	14
7.4 Standard Body Part Types	15
7.4.1 IA5 Text	15
7.4.2 G3 Facsimile	15
7.4.3 G4 Class 1	16
7.4.4 Teletex	16

	<i>Page</i>
7.4.5 Videotex	17
7.4.6 Encrypted	17
7.4.7 Message	18
7.4.8 Mixed-mode	18
7.4.9 Bilaterally Defined	19
7.4.10 Nationally Defined	19
7.4.11 General Text	19
7.4.12 File Transfer	20
7.4.13 Voice	25
7.4.14 Report	27
7.4.15 Notification	27
7.4.16 Forwarded Content	27
7.4.17 PKCS7	28
8 Interpersonal Notifications	29
8.1 Common Fields	30
8.1.1 Subject IPM	30
8.1.2 IPN Originator	30
8.1.3 IPM Intended Recipient	30
8.1.4 Conversion EITs	31
8.1.5 Notification Extensions	31
8.2 Non-receipt Fields	31
8.2.1 Non-receipt Reason	31
8.2.2 Discard Reason	31
8.2.3 Auto-forward Comment	32
8.2.4 Returned IPM	32
8.2.5 NRN Extensions	32
8.3 Receipt Fields	32
8.3.1 Receipt Time	33
8.3.2 Acknowledgment Mode	33
8.3.3 Suppl Receipt Info	33
8.3.4 RN Extensions	33
8.4 Other Notification Type Fields	33
8.4.1 Absence Advice	33
8.4.2 Change of Address Advice	34
SECTION 3 – ABSTRACT SERVICE DEFINITION	35
9 Overview	35
10 Primary Object Types	35
10.1 Interpersonal Messaging System User	35
10.2 Interpersonal Messaging System	36
11 Primary Port Types	36
11.1 Origination	36
11.2 Reception	36
11.3 Management	36
12 Abstract Operations	36
12.1 Origination Abstract Operations	37
12.1.1 Originate Probe	37
12.1.2 Originate IPM	37
12.1.3 Originate RN	38
12.1.4 Originate ON	38
12.2 Reception Abstract Operations	39
12.2.1 Receive Report	39
12.2.2 Receive IPM	39
12.2.3 Receive RN	40
12.2.4 Receive NRN	40
12.2.5 Receive ON	40
12.3 Management Abstract Operations	40
12.3.1 Change Auto-discard	40
12.3.2 Change Auto-acknowledgment	41
12.3.3 Change Auto-forwarding	41

	<i>Page</i>
13 Abstract Errors	42
13.1 Subscription Error	42
13.2 Recipient Improperly Specified	42
14 Other Capabilities	42
SECTION 4 – ABSTRACT SERVICE PROVISION	43
15 Overview	43
16 Secondary Object Types	43
16.1 Interpersonal Messaging System User Agent	43
16.2 Interpersonal Messaging System Message Store	43
16.3 Telematic Agent	43
16.4 Telex Access Unit	44
16.5 Physical Delivery Access Unit	44
16.6 Message Transfer System	45
17 Secondary Port Types	45
17.1 Submission	45
17.2 Delivery	45
17.3 Retrieval	45
17.4 Administration	45
17.5 Import	45
17.6 Export	45
18 User Agent Operation	46
18.1 State Variables	46
18.2 Performance of Origination Operations	46
18.2.1 Originate Probe	46
18.2.2 Originate IPM	47
18.2.3 Originate RN	47
18.2.4 Originate ON	48
18.3 Performance of Management Operations	48
18.3.1 Change Auto-discard	48
18.3.2 Change Auto-acknowledgment	49
18.3.3 Change Auto-forwarding	49
18.4 Invocation of Reception Operations	49
18.4.1 Receive Report	49
18.4.2 Receive IPM	49
18.4.3 Receive RN	50
18.4.4 Receive NRN	50
18.4.5 Receive ON	50
18.5 Internal Procedures	50
18.5.1 Auto-discard	50
18.5.2 Auto-acknowledgment	51
18.5.3 Auto-forwarding	52
19 Message Store Operation	53
19.1 Binding to the IPMS-MS	53
19.1.1 MS-Bind-argument	53
19.1.2 MS-Bind-result	53
19.2 Creation of Information Objects	53
19.2.1 Mapping an IPMS Message to an MS entry	54
19.2.2 Mapping of forwarding messages in the IPMS-MS	54
19.2.3 Presence of General-attributes in child-entries	55
19.3 Maintenance of Attributes	56
19.4 Notification of Non-receipt	57
19.5 IPMS-MS abstract-operation extensions	57
19.5.1 MS-Bind extensions	57
19.5.2 MS-Bind-Result extensions	58
19.5.3 IPM -submission options	58
19.5.4 IPM submission errors	60

	<i>Page</i>
19.5.5 Forwarding-request extension	60
19.5.6 Delete extensions	60
19.6 IPMS-MS Attributes	60
19.6.1 Summary Attributes	63
19.6.2 Heading Attributes	66
19.6.3 Body Attributes	71
19.6.4 Notification Attributes	74
19.6.5 Correlation Attributes	76
19.6.6 The IPMS-attribute-table information object class	83
19.6.7 Generation of the IPMS-specific Attributes	84
19.6.8 Attributes Subject to Modification	89
19.7 IPMS-MS matching rules	89
19.7.1 IPM-identifier-match	89
19.7.2 IPM-location-match	89
19.7.3 OR-descriptor-match	90
19.7.4 OR-descriptor-elements-match	90
19.7.5 OR-descriptor-substring-elements-match	90
19.7.6 OR-descriptor-single-element-match	90
19.7.7 Recipient-specifier-match	90
19.7.8 Recipient-specifier-elements-match	91
19.7.9 Recipient-specifier-substring-elements-match	91
19.7.10 Recipient-specifier-single-element-match	91
19.7.11 Circulation-member-match	91
19.7.12 Circulation-member-elements-match	91
19.7.13 Circulation-member-substring-elements-match	91
19.7.14 Circulation-member-single-element-match	92
19.7.15 Circulation-member-checkmark-match	92
19.7.16 Distribution-code-match	92
19.7.17 Information-category-match	92
19.8 IPMS-MS auto-actions	93
19.8.1 Auto-action performance	94
19.8.2 IPM Auto-forward	94
19.8.3 IPM Auto-acknowledgement	96
19.8.4 IPM Auto-correlate	97
19.8.5 IPM Auto-discard	98
19.8.6 IPM auto-advise	98
19.9 Procedures for the IPMS-MS	100
19.9.1 Additional procedures for Message-delivery and Report-delivery	100
19.9.2 Additional Procedures for MS-message-submission	104
19.9.3 Additional Procedures for Fetch	106
19.9.4 Additional Procedures for Delete and Auto-delete	106
19.9.5 Auto-discard of expired IPMs	106
20 Message Contents	107
20.1 Content	107
20.2 Content Type	107
20.3 Content Length	107
20.4 Encoded Information Types	108
21 Port Realization	108
22 Conformance	109
22.1 Origination Versus Reception	109
22.2 Statement Requirements	109
22.3 Static Requirements	109
22.4 Dynamic Requirements	110
Annex A – General IPMS Extensions	111
A.1 Heading Extensions	111
A.1.1 Incomplete Copy	111
A.1.2 Languages	111
A.1.3 Auto-submitted	111
A.1.4 Body Part Signature	111

	<i>Page</i>
A.1.5 IPM Security Label	112
A.1.6 Authorization Time	113
A.1.7 Circulation List Recipients	113
A.1.8 Distribution Codes	114
A.1.9 Extended Subject	115
A.1.10 Information Category	115
A.1.11 Manual Handling Instructions	116
A.1.12 Originator's Reference	116
A.1.13 Precedence Policy Identifier	116
A.2 Recipient Extensions	116
A.2.1 Circulation List Indicator	116
A.2.2 Precedence	117
A.3 Notification Extensions	117
Annex B – IPMS Security Extensions	118
B.1 Recipient Security Request	118
B.2 IPN Security Response	119
B.3 Security Diagnostic Code	119
B.4 Additional UA Procedures	121
B.4.1 Originate IPM	121
B.4.2 Originate IPN	122
B.5 Additional MS Procedures	124
B.6 MTS Extensions	124
B.6.1 Body Part Encryption Token	124
B.6.2 Forwarded Content Token	126
Annex C – Reference Definition of Object Identifiers	127
Annex D – Reference Definition of Abstract Information Objects	133
Annex E – Reference Definition of Extended Body Part Types	143
E.1 Equivalents of Basic Body Part Types	143
E.2 General Text	144
E.3 File Transfer	145
E.4 Voice	148
E.5 Report and Notification	148
E.6 Forwarded Content	149
E.7 PKCS7	150
Annex F – Reference Definition of Functional Objects	151
Annex G – Reference Definition of Abstract Service	152
Annex H – Reference Definition of IPM Extensions	155
Annex I – Reference Definition of Message Store Attributes	159
Annex J – Reference Definition of IPMS-MS auto-actions	174
Annex K – Reference Definition of IPMS Security Extensions	178
Annex L – Reference Definition of Upper Bounds	181
Annex M – Support of the Interpersonal Messaging Service	182
M.1 Support of Recipient Specifier Components	182
M.2 Support of Heading Fields	182
M.3 Support of Body Aspects	183
M.4 Support of Notification Fields	184
M.5 Support of Envelope Fields	184
M.6 Support of IPMS Message Store	184
Annex N – Security Model Supplement for IPMS	185
N.1 Introduction	185
N.2 Security Services	185
N.3 Supplements to Clause 10.2: Security Services	185
N.4 Body Part Encryption	185
N.5 Body Part Authentication and Integrity	185

	<i>Page</i>
N.6 IPM Security Labelling	185
N.7 IPN Authentication.....	186
N.7.1 Proof of Notification	186
N.7.2 Proof of Content.....	186
N.8 Non-repudiation of IPM Responsibility	186
N.8.1 Non-repudiation of Notification.....	186
N.8.2 Non-repudiation of Content	186
Annex O – ASN.1 Module for PKCS#7	187
Annex P – Differences Between ISO/IEC 10021-7 and ITU-T Recommendation X.420	192
Annex Q – Summary of Changes to Previous Editions	193
Q.1 Differences between CCITT Rec. X.420 (1984) and CCITT Rec. X.420 (1988)	193
Q.2 Differences between CCITT Rec. X.420 (1988) and ISO/IEC 10021-7:1990	193
Q.3 Differences between ISO/IEC 10021-7:1990 and CCITT Rec. X.420 (1992)	193
Q.4 Differences between CCITT Rec. X.420 (1992) and ITU-T Rec. X.420 (1996) ISO/IEC 10021-7:1997	194
Q.5 Differences between ITU-T Rec. X.420 (1996) ISO/IEC 10021-7:1997 and ITU-T Rec. X.420 (1998) ISO/IEC 10021-7:1999	194
Annex R – Index.....	196

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 10021-7 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.420.

This third edition cancels and replaces the second edition (ISO/IEC 10021-7:1997), which has been technically revised. It also incorporates Amendment 1:1998 and Corrigendum 1:1998.

ISO/IEC 10021 consists of the following parts, under the general title *Information technology — Message Handling Systems (MHS)*:

- *Part 1: System and service overview*
- *Part 2: Overall architecture*
- *Part 4: Message transfer system — Abstract service definition and procedures*
- *Part 5: Message store: Abstract service definition*
- *Part 6: Protocol specifications*
- *Part 7: Interpersonal messaging system*
- *Part 8: Electronic Data Interchange Messaging Service*
- *Part 9: Electronic Data Interchange Messaging System*
- *Part 10: MHS routing*
- *Part 11: MHS Routing — Guide for messaging systems managers* [Technical Report]

Introduction

This Specification is one of a set of Recommendations | International Standards for Message Handling. The entire set provides a comprehensive blueprint for a Message Handling System (MHS) realized by any number of cooperating open systems.

The purpose of an MHS is to enable users to exchange messages on a store-and-forward basis. A message submitted on behalf of one user, the originator, is conveyed by the Message Transfer System (MTS) and subsequently delivered to the agents of one or more additional users, the recipients. Access units (AUs) link the MTS to communication systems of other kinds (e.g., postal systems). A user is assisted in the preparation, storage, and display of messages by a user agent (UA). Optionally, it is assisted in the storage of messages by a message store (MS). The MTS comprises a number of message transfer agents (MTAs) which collectively perform the store-and-forward message transfer function.

This Specification defines the Message Handling application called *Interpersonal Messaging*, specifying in the process the message content type and associated procedures known as *P2*.

This Specification was developed jointly by ITU-T and ISO/IEC. It is published as common text as ITU-T Rec. X.420 | ISO/IEC 10021-7.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology –
Message Handling Systems (MHS) –
Interpersonal Messaging System**

SECTION 1 – INTRODUCTION

1 Scope

This Recommendation | International Standard defines **Interpersonal Messaging**, a form of Message Handling tailored for ordinary interpersonal business or private correspondence.

This Recommendation | International Standard is one of a series on Message Handling. ITU-T Rec. X.402 | ISO/IEC 10021-2 constitutes the introduction to the series and identifies the other documents in it.

The architectural basis and foundation for Message Handling are defined in still other Recommendations | International Standards. ITU-T Rec. X.402 | ISO/IEC 10021-2 identifies those documents as well.

This Recommendation | International Standard is structured as follows. Section one is this introduction. Section two defines the kinds of information objects exchanged in Interpersonal Messaging. Section three defines the associated abstract service. Section four specifies how it is provided. Annexes provide important supplemental information.

The requirements for conformance to this Recommendation | International Standard are given in clause 22.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent editions of the Recommendations and Standards listed below. Members of ISO and IEC maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Open Systems Interconnection

This Specification cites the following OSI specifications:

- ITU-T Recommendation X.227 (1995) | ISO/IEC 8650-1:1995, *Information technology – Open Systems Interconnection – Connection-oriented protocol for the Association Control Service Element: Protocol specification.*
- ITU-T Recommendation X.680 (1997) | ISO/IEC 8824-1:1998, *Information technology – Abstract Syntax Notation One (ASN.1) – Specification of Basic Notation.*
- ITU-T Recommendation X.681 (1997) | ISO/IEC 8824-2:1998, *Information technology – Abstract Syntax Notation One (ASN.1) – Information Object Specification.*
- ITU-T Recommendation X.682 (1997) | ISO/IEC 8824-3:1998, *Information technology – Abstract Syntax Notation One (ASN.1) – Constraint Specification.*
- ITU-T Recommendation X.683 (1997) | ISO/IEC 8824-4:1998, *Information technology – Abstract Syntax Notation One (ASN.1) – Parameterization of ASN.1 Specifications.*
- ITU-T Recommendation X.690 (1997) | ISO/IEC 8825-1:1998, *Information technology – ASN.1 Encoding Rules – Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*

- ITU-T Recommendation X.880 (1994) | ISO/IEC 13712-1:1995, *Information technology – Remote Operations – Concepts, Model and Notation*.

2.2 Message Handling Systems

This Specification cites the following Message Handling System specifications:

- ITU-T Recommendation F.400/X.400 (1999), *Message handling: System and service overview*.
ISO/IEC 10021-1:2003, *Information technology – Message Handling Systems (MHS) – Part 1: System and service overview*.
- ITU-T Recommendation X.402 (1999) | ISO/IEC 10021-2:2003, *Information technology – Message Handling Systems (MHS) – Overall architecture*.
- CCITT Recommendation X.408 (1988), *Message handling systems: Encoded information type conversion rules*.
- ITU-T Recommendation X.411 (1999) | ISO/IEC 10021-4:2003, *Information technology – Message Handling Systems (MHS) – Message transfer system – Abstract service definition and procedures*.
- ITU-T Recommendation X.413 (1999) | ISO/IEC 10021-5:1999, *Information technology – Message Handling Systems (MHS) – Message store: Abstract service definition*.
- ITU-T Recommendation X.419 (1999) | ISO/IEC 10021-6:2003, *Information technology – Message Handling Systems (MHS) – Protocol specifications*.
- CCITT Recommendation X.420 (1984), *Message handling systems: Interpersonal messaging user agent layer*.

2.3 Directory Systems

This Specification cites the following Directory System specifications:

- ITU-T Recommendation X.501 (1997) | ISO/IEC 9594-2:1998, *Information technology – Open Systems Interconnection – The Directory – Models*.
- ITU-T Recommendation X.509 (1997) | ISO/IEC 9594-8:1998, *Information technology – Open Systems Interconnection – The Directory – Authentication Framework*.
- ITU-T Recommendation X.520 (1997) | ISO/IEC 9594-6:1998, *Information technology – Open Systems Interconnection – The Directory – Selected Attribute Types*.

2.4 Language Code

This Specification cites the following Language Code specification:

- ISO 639: 1988, *Code for the representation of names of languages*.

2.5 Character Sets

This Specification cites the following Character Set specifications:

- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques*.
- ISO 2375:1985, *Data processing – Procedure for registration of escape sequences*.
- ISO 8859-1:1987, *Information processing – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*.
- ISO 10646-1:1993, *Information technology – Universal Multiple-Octet Coded Character Set (UCS) – Part 1: Architecture and Basic Multilingual Plane*.
- CCITT Recommendation T.61 (1988), *Character repertoire and coded character sets for the international Teletex service*.

2.6 Telematic Services

This Specification cites the following Telematic Service specifications:

- ITU-T Recommendation T.4 (1993), *Standardization of group 3 facsimile apparatus for document transmission*.

- ITU-T Recommendation T.30 (1993), *Procedures for document facsimile transmission in the general switched telephone network*.
- CCITT Recommendation T.100 (1988), *International information exchange for interactive videotex*.
- ITU-T Recommendation T.101 (1994), *International interworking for videotex services*.
- CCITT Recommendation T.330 (1988), *Telematic access to interpersonal messaging system*.

2.7 File Transfer

This Specification cites the following File Transfer specifications:

- ISO 8571-1:1988, *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management – Part 1: General Introduction*.
- ISO 8571-2:1988, *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management – Part 2: Virtual Filestore Definition*.
- ISO 8571-2:1988/Amd.1:1992, *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management – Part 2: Virtual Filestore Definition – Amendment 1: Filestore Management*.
- ISO 8571-4:1988, *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management – Part 4: File Protocol Specification*.
- ISO 8571-4:1988/Amd.1:1992, *Information processing systems – Open Systems Interconnection – File Transfer, Access and Management – Part 4: File Protocol Specification – Amendment 1: Filestore Management*.

2.8 Open Document Architecture

This Specification cites the following Open Document Architecture specifications:

- ITU-T Recommendation T.415 (1993), | ISO/IEC 8613-5:1994, *Information technology – Open document architecture (ODA) and Interchange Format: Open Document Interchange Format*.

2.9 Digital Encoding of Sound

This Specification cites the following specifications on the Digital Encoding of Sound:

- CCITT Recommendation G.711 (1988), *Pulse code modulation (PCM) of voice frequencies*.
- CCITT Recommendation G.726 (1990), *40, 32, 24, 16 kbit/s Adaptive Differential Pulse Code Modulation (ADPCM)*.
- CCITT Recommendation G.728 (1992), *Coding of Speech at 16 kbit/s Using Low-Delay Code Excited Linear Prediction*.
- IEC 908: 1987, *Compact Disc Digital Audio*.

2.10 Cryptography

This Specification cites the following Cryptographic specification:

- RSA Laboratories. PKCS#7: *Cryptographic Message Syntax Standard. Version 1.5, November 1993*.