

# INTERNATIONAL STANDARD

**ISO/IEC  
13712-2**

First edition  
1995-04-15

Corrected and reprinted  
1995-09-15

---

---

---

## **Information technology — Remote Operations: OSI realizations — Remote Operations Service Element (ROSE) service definition**

*Technologies de l'information — Opérations à distance: Réalisations  
OSI — Définition du service pour l'élément de service des opérations à  
distance (ROSE)*



Reference number  
ISO/IEC 13712-2:1995(E)

## Contents

	<i>Page</i>
1 Scope .....	1
2 Normative references .....	1
2.1 Identical Recommendations   International Standards .....	1
2.2 Paired Recommendations   International Standards equivalent in technical content .....	2
3 Definitions.....	2
3.1 Reference Model definitions .....	2
3.2 Service conventions definitions .....	2
3.3 Presentation service definitions .....	3
3.4 Association control definitions .....	3
3.5 Reliable Transfer definitions.....	3
3.6 ROSE definitions .....	3
4 Abbreviations .....	4
5 Conventions.....	4
6 OSI Realization model for ROS .....	4
7 ROS-based application contexts.....	6
7.1 General .....	6
7.2 Application context specification.....	6
7.3 Relationship with other ASEs and Lower Layer Services .....	7
8 Basic ROSE services .....	7
8.1 RO-INVOKE service .....	8
8.2 RO-RESULT service .....	9
8.3 RO-ERROR service .....	10
8.4 RO-REJECT-U service .....	11
8.5 RO-REJECT-P service.....	13
8.6 RO-BIND service.....	14
8.7 RO-UNBIND service .....	15
9 Sequencing information .....	16
9.1 Associations .....	16
9.2 Operations .....	19
9.3 Further sequencing rules .....	19
9.4 Invoke-id management.....	21

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

10	Mapping onto ROSE services .....	21
11	Mapping onto RO-BIND and RO-UNBIND services.....	22
11.1	Mapping onto ACSE services .....	23
11.2	Mapping onto RTSE services .....	24
	Annex A – ASN.1 Modules .....	27
	Annex B – Guidelines for the use of the notation .....	28
	B.1    Example of information objects of class Application Context .....	28
	B.2    Releasing Application-associations in an Orderly Way.....	28
	Annex C – Assignment of object identifier values.....	31

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 13712-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open Systems Interconnection, data management and open distributed processing*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.881.

This part of ISO/IEC 13712 is a partial revision of ISO/IEC 9072-1:1989.

ISO/IEC 13712 consists of the following parts, under the general title *Information technology — Remote operations*:

- *Part 1: Concepts, model and notation*
- *Part 2: OSI realizations — Remote Operations Service Element (ROSE) service definition*
- *Part 3: OSI realizations — Remote Operations Service Element (ROSE) protocol specification*

Annex A forms an integral part of this part of ISO/IEC 13712. Annexes B and C are for information only.

## Introduction

Remote operations (ROS) is a paradigm for interactive communication between objects. As such it can be used in the design and specification of distributed applications. The basic interaction involved is the invocation of an operation by one object (the invoker), its performance by another (the performer), possibly followed by a report of the outcome of the operation being returned to the invoker.

The concepts of ROS, as specified in ITU-T Rec. X.880 | ISO/IEC 13712-1, are abstract and may be realized in many ways. For example, objects whose interactions employ ROS concepts may be separated by a software interface or by an OSI network.

This Recommendation | International Standard provides the framework for the realization of an operation package and association contract as an OSI application context. Such an application context is specified primarily in terms of a collection of application service elements (ASE). From a ROS perspective, these ASEs fall into three broad categories:

- a) operation-specific ASEs, which embody knowledge of the definitions of the operations in the association contract;
- b) the Remote Operations ASE (ROSE) which drives the general-purpose protocol required to invoke and report returns of arbitrary operations;
- c) information transfer ASEs concerned with the establishment and release of associations where necessary, and the communication of the ROSE protocol control information (PCI). In the OSI realization, such ASEs are the Association Control Service Element (ACSE), the Reliable Transfer Service Element (RTSE) used together with the services of the Presentation layer.

This Recommendation | International Standard focuses on the derivation of ROSE-based application context specifications, the service provided by ROSE, and the way that ROSE is used. This Recommendation | International Standard is a revision of CCITT Rec. X.219 | ISO/IEC 9072-1. The existing usage of ROSE in connection with ACSE, RTSE and the Presentation layer as defined in CCITT Rec. X.219 | ISO/IEC 9072-1 remains valid after this revision. This revision makes no change to the ROSE PCI.

## INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY –  
REMOTE OPERATIONS: OSI REALIZATIONS – REMOTE OPERATIONS  
SERVICE ELEMENT (ROSE) SERVICE DEFINITION**

## 1 Scope

This Recommendation | International Standard provides the framework for the realization as an OSI application context of the abstracts concepts of operation package and association contract defined in ITU-T Rec. X.880 | ISO/IEC 13712-1. Such an application context is described in terms of a collection of application service elements, in particular the Remote Operations Application Service Element (ROSE), which drives the general purpose protocol for invoking and reporting the returns of arbitrary operations.

The terms, definitions, and mechanisms defined in ITU-T Rec. X.880 | ISO/IEC 13712-1 apply here and are specialized for an OSI realization as specified in this Recommendation | International Standard. This Recommendation | International Standard focuses on the services provided by ROSE, and the way ROSE is used. The ROSE services are provided by the use of the ROSE protocol (specified in a companion Recommendation | International Standard, ITU-T Rec. X.882 | ISO/IEC 13712-3), in conjunction with the Association Control Service Element (ACSE) services (ITU-T Rec. X.217 | ISO 8649) and the ACSE protocol (ITU-T Rec. X.227 | ISO 8650), and, optionally, the Reliable Transfer Service Element (RTSE) services (ITU-T Rec. X.218 | ISO/IEC 9066-1) and the RTSE protocol (ITU-T Rec. X. 228 | ISO/IEC 9066-2), and the Presentation service (ITU-T Rec. X.216 | ISO/IEC 8822).

No requirement is made for conformance to this Recommendation | International Standard.

## 2 Normative references

The following ITU-T Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Specification. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Specification are encouraged to investigate the possibility of applying the most recent editions of the Recommendations and Standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunications Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

### 2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model*.
- ITU-T Recommendation X.210 (1993) | ISO/IEC 10731:1994, *Information technology — Open Systems Interconnection — Basic Reference Model — Conventions for the definitions of OSI services*.
- ITU-T Recommendation X.215 (1994) | ISO 8326-<sup>1)</sup>, *Information processing systems — Open Systems Interconnection — Basic connection oriented session service definition*.
- ITU-T Recommendation X.216 (1994) | ISO/IEC 8822:1994, *Information technology — Open Systems Interconnection — Presentation service definition*.
- ITU-T Recommendation X.217 (1995) | ISO 8649-<sup>2)</sup>, *Information processing systems — Open Systems Interconnection — Service definition for the Association Control Service Element*.
- ITU-T Recommendation X.227 (1995) | ISO 8650-<sup>3)</sup>, *Information processing systems — Open Systems Interconnection — Protocol specification for the Association Control Service Element*.
- ITU-T Recommendation X.680 (1994) | ISO/IEC 8824-1:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*.

1) To be published. (Revision of ISO 8326:1987)

2) To be published. (Revision of ISO 8649:1988)

3) To be published. (Revision of ISO 8650:1988)

- ITU-T Recommendation X.681 (1994) | ISO/IEC 8824-2:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification*.
- ITU-T Recommendation X.682 (1994) | ISO/IEC 8824-3:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification*.
- ITU-T Recommendation X.683 (1994) | ISO/IEC 8824-4:1995, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*.
- ITU-T Recommendation X.880 (1994) | ISO/IEC 13712-1:1995, *Information technology – Remote Operations: Concepts, model and notation*.
- ITU-T Recommendation X.882 (1994) | ISO/IEC 13712-3:1995, *Information technology – Remote Operations: OSI realizations – Remote Operations Service Element (ROSE) protocol specification*.

## 2.2 Paired Recommendations | International Standards equivalent in technical content

- ITU-T Recommendation X.218 (1993), *Reliable Transfer: Model and service definition*.  
ISO/IEC 9066-1:1989, *Information processing systems – Text communication – Reliable Transfer – Part 1: Model and service definition*.
- ITU-T Recommendation X.228 (1993), *Reliable Transfer – Protocol specification*.  
ISO/IEC 9066-2:1989, *Information processing systems – Text communication – Reliable Transfer – Part 2: Protocol specification*.
- CCITT Recommendation X.219 (1988), *Remote Operations: Model, notation and service definition*.  
ISO/IEC 9072-1:1989, *Information processing systems – Text communication – Remote Operations – Part 1: Model, notation and service definition*.
- CCITT Recommendation X.229 (1988), *Remote Operations: Protocol specification*.  
ISO/IEC 9072-2:1989, *Information processing systems – Text communication – Remote Operations – Part 2: Protocol specification*.