

INTERNATIONAL
STANDARD

ISO/IEC
15476-3

First edition
2006-01-01

**Information technology — CDIF semantic
metamodel —**

**Part 3:
Data definitions**

*Technologies de l'information — Métamodèle sémantique CDIF —
Partie 3: Définition de données*

Reference number
ISO/IEC 15476-3:2006(E)



© ISO/IEC 2006

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

1	Scope	1
2	Conformance	2
2.1	General	2
2.2	Input conformance	2
2.3	Output conformance	2
2.4	Round-trip conformance	3
3	Normative references	3
4	Terms and definitions	4
4.1	From other International Standards	4
4.1.1	ISO/IEC 15474-1	4
4.1.2	ISO/IEC 13238-1	4
4.1.3	For this International Standard	4
5	Symbols (and abbreviated terms)	5
5.1	Naming, diagramming and definition conventions	5
5.2	Abbreviations	5
6	Data definition subject area overview	5
6.1	Introduction	5
6.2	Data Typing	5
6.3	The General Structuring Mechanism	5
6.3.1	Introduction	5
6.3.2	Meta-entities and Meta-relationships	5
6.3.3	DefinitionObject and ComponentObject	7
6.4	Alternate Decompositions	8
6.5	Pointers and Arrays	10
6.6	Data Types	10
6.7	Constraining Data Type and Attribute Values	11
6.8	Units for Numeric DataTypes	12
6.9	Void and Unknown Data Types	13
6.10	Computable Languages	13
6.11	Formats for Computable Values	13
6.12	Diagrams	16
7	Data definitions subject area summary	21
7.1	AttributableMetaObject classification hierarchy	21
7.2	MetaEntity summary	23
7.3	MetaRelationship summary	37
8	Data definitions subject area specification	39
8.1	Introduction	39
8.1.1	Subject area definition	39
8.2	Meta-entity definitions	39
8.2.1	AggregateDataType	39
8.2.2	ApproximateNumericType	40
8.2.3	ArrayQualifier	41
8.2.4	Attribute	42
8.2.5	BasicDataType	42
8.2.6	BinaryCodedDecimalType	43
8.2.7	BinaryType	43
8.2.8	BooleanType	44
8.2.9	BoundedArrayQualifier	44
8.2.10	CartesianComplexType	45

8.2.11	ComplexType	46
8.2.12	DataType	47
8.2.13	DateType	48
8.2.14	DayTimeIntervalType	49
8.2.15	DefinitionObject	49
8.2.16	EnumerationType	49
8.2.17	ExactNumericType	50
8.2.18	FixedDecimalType	51
8.2.19	FixedLengthBinaryType	52
8.2.20	FixedLengthStringType	54
8.2.21	IntegerType	55
8.2.22	MagnitudeType	55
8.2.23	MoneyType	56
8.2.24	NLFixedLengthStringType	57
8.2.25	NLVariableLengthStringType	58
8.2.26	NumericType	59
8.2.27	PackedDecimalType	59
8.2.28	PointerQualifier	60
8.2.29	PolarComplexType	60
8.2.30	QualifiedDataType	62
8.2.31	Qualifier	62
8.2.32	RefinedDataType	63
8.2.33	SerialType	63
8.2.34	StringType	65
8.2.35	TemporalType	66
8.2.36	TimeIntervalType	66
8.2.37	TimeStampType	67
8.2.38	TimeType	68
8.2.39	UnboundedArrayQualifier	69
8.2.40	Unit	70
8.2.41	ValueDomain	74
8.2.42	ValueDomainEnumeration	75
8.2.43	ValueDomainGroup	76
8.4.44	ValueDomainProcedure	77
8.2.45	ValueDomainRange	78
8.2.46	ValueDomainRule	80
8.2.47	VariableLengthBinaryType	81
8.2.48	VariableLengthStringType	82
8.2.49	VoidType	84
8.2.50	YearMonthIntervalType	84
8.3	Meta-relationship definitions	85
7.3.1	ArrayQualifier.HasType.DataType	85
7.3.2	DataType.TakesValueFrom.ValueDomain	85
7.3.3	NumericType.IsMeasuredIn.Unit	86
8.3.1	RootEntity.IsRelatedTo.RootEntity	86
8.3.2	QualifiedDataType.IsQualificationOf.DataType	86
8.3.3	QualifiedDataType.IsQualifiedBy.Qualifier	87
8.3.4	RefinedDataType.IsRefinementOf.DataType	87
8.3.5	ValueDomainGroup.Contains.ValueDomain	88

Table of Illustrations

Figure 1 – CDIF family of International Standards	1
Figure 2 – Part of general Structuring Mechanism for data definitions subject area	6
Figure 3 – Meta-model fragment for simple attribution with defined DataTypes	6
Figure 4 – Instance Diagram showing simple attribution with defined DataTypes	7

Figure 5 – Instance diagram of attributes sharing the same structured definition.....	8
Figure 6 – Instance diagram of alternate Data Structures	9
Figure 7 – Concepts of shared attribute values and definitions	10
Figure 8 – Usage of ValueDomainGroup and ValueDomain	12
Figure 9 – Data Definition Subject Area - Main Diagram.....	16
Figure 10	17
Figure 11 – MagnitudeType Subtypes	18
Figure 12 – NumericType Subtypes.....	19
Figure 13 – Subtypes and meta-relationships for Qualifier.....	20
Figure 14 – ValueDomainGroup and related meta-entities	20

Table of Tables

Table 1 – Formats for Computable Values.....	13
Table 2 – Notation Used for Computable Values	15
Table 3 – Function Values for Computable Values	15

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15476-3 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and system engineering*.

ISO/IEC 15476 consists of the following parts, under the general title *Information technology — CDIF semantic metamodel*:

- *Part 1: Foundation*
- *Part 2: Common*
- *Part 3: Data definitions*
- *Part 4: Data models*
- *Part 5: Data flow models*
- *Part 6: State/event models*

Introduction

This International Standard will assist the vendors and users of modelling tools and meta-data repositories in developing mechanisms for interchanging information. This International Standard specifies an element of a family of related standards. When used together, these International Standards specify a mechanism for transferring information between tools.

ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview* and ISO/IEC 15474-2, *Information technology - CDIF framework - Part 2: Modelling and extensibility* should be read first when initially exploring CDIF. The first explains the overall CDIF architecture and how the family of standards fits together. The second explains the scope, and modelling approach in CDIF. The CDIF meta-metamodel and extensibility mechanism are also defined in that document.

This International Standard explains the data definitions subject area of the CDIF semantic metamodel, which defines the primitive data types and the objects which are used for structured data. The CDIF semantic metamodel is used to ensure that the information transferred by tools communicating using CDIF is expressed with an agreed meaning.

This International Standard has been developed with the wide support and participation of vendors, users, academia and government involved in or familiar with the CASE industry, its products and the general requirements associated with interchanging information between these products.

This document is organized into the following Clauses:

- Clause 1 to 5 are prescribed ISO/IEC Clauses.
- Clause 6: Subject area overview:

This Clause gives an overview of the coverage of this subject area.

- Clause 7: Subject area summary:

This Clause gives an overview of the content of this subject area.

- Clause 8: Subject area specification:

This Clause gives the formal specification of all the objects defined in the subject area, and the formal reference to those used, but not defined in the subject area.

This document is intended to be used by anyone wishing to understand and/or use CDIF. This document provides a definition of a single subject area of the CDIF semantic metamodel. It is suitable for:

- Those evaluating CDIF;
- Those who wish to understand the principles and concepts of a CDIF transfer; and
- Those developing importers and exporters.

This document, ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview*, and the framework document ISO/IEC 15474-2:2002, *Information technology - CDIF framework - Part 2: Modelling and extensibility*, should be read first when initially exploring CDIF and before attempting to read other documents in the CDIF family of International Standards.

While there are no specific prerequisites for reading this document, it will be helpful for the reader to have familiarity with the following:

- Entity-Relationship-Attribute modelling;
- Modelling (CASE) tools;
- Information repositories;
- Data dictionaries; and
- Multiple meta-layer modelling.

Information technology — CDIF semantic metamodel —

Part 3: Data definitions

1 Scope

The CDIF family of International Standards is primarily designed to be used as a description of a mechanism for transferring information between modelling tools. It facilitates a successful transfer when the authors of the importing and exporting tools have nothing in common except an agreement to conform to CDIF. The language that is defined for the transfer format also has applicability as a general language for import/export from repositories. The CDIF semantic metamodel defined for CASE also has applicability as the basis of standard definitions for use in repositories.

The International Standards which form the complete family of CDIF standards are documented in ISO/IEC 15474-1:2002, *Information technology — CDIF framework — Part 1: Overview*. These standards cover the overall framework, the transfer format and the CDIF semantic metamodel.




Figure 1 – CDIF family of International Standards

The diagram in Figure 1 depicts the various International Standards that comprise the CDIF family of standards. The shaded box depicts this International Standard and its position in the CDIF family of standards.

This International Standard defines the Data Definition Subject Area of the CDIF semantic metamodel. This subject area contains meta-objects that are used as the basis of the data components of other subject area standards, and also meta-relationships and meta-attributes that are applicable to all data-related meta-objects.

2 Conformance

2.1 General

A product is fully standards conformant to a CDIF subject area standard if and only if it is input-conformant, output-conformant and round-trip conformant to each and every *MetaEntity*, *MetaRelationship*, *MetaAttribute*, and *AttributableMetaObject* which is defined and/or used in that standard, and it is also CDIF architecture conformant. A product may be partially input-conformant, and/or partially output-conformant, and/or partially round-trip conformant to a CDIF subject area standard.

2.2 Input conformance

Input conformance for a specific *MetaEntity*, *MetaRelationship*, *MetaAttribute*, or *AttributableMetaObject* (short: *CollectableMetaObject*) is determined by applying the following test:

A set of meta-data containing all meanings and structures standardized by a CDIF subject area is imported by the product under test. Then the meta-data which has arrived in the product is examined. The following options exist for the relation between the input (CDIF) meta-data and the imported (product) meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is input conformant if each instance of the specific *CollectableMetaObject* has arrived in the product without change of meaning or structure. If the *CollectableMetaObject* is a meta-entity or meta-relationship, its structural relationships to other *CollectableMetaObjects* have been preserved. If the *CollectableMetaObject* is a meta-attribute, the value of the meta-attribute has been preserved.
- 2 The product is input morphing conformant if each instance of the specific *CollectableMetaObject* has arrived in the product, but with some changes in meaning or structure. If the *CollectableMetaObject* is a meta-attribute, the value(s) for some instances of the meta-attribute have changed.
- 3 The product is not input conformant for that *CollectableMetaObject* if neither of the previous tests is satisfied.

2.3 Output conformance

Output conformance for a specific *CollectableMetaObject* is determined by applying the following test:

For the product being tested, a set of meta-data that includes all possible meanings and structures representable in that product is exported. Then the meta-data that has been exported is examined. The following options exist for the relation between the product's meta-data and the exported (CDIF) meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is output conformant if all of the meaning and structure for the specific *CollectableMetaObject* has been represented as meta-data in the product and has been exported as one or more instances of that *CollectableMetaObject*. If the *CollectableMetaObject* is a meta-attribute, the correct value of the meta-attribute has been exported.
- 2 The product is output morphing conformant if each instance of meta-data in the product that has the same meaning and structure as the *CollectableMetaObject* has been exported, but some instances have been exported as a different *CollectableMetaObject* or some of the meaning and structure has been changed.

- 3 If the product does not represent the meaning and structure associated with the *CollectableMetaObject*, output conformance for that *CollectableMetaObject* is not applicable to the product.
- 4 In all other cases, the product is not output conformant for that *CollectableMetaObject*.

2.4 Round-trip conformance

Round-trip conformance for a specific *CollectableMetaObject* is determined by applying the following test:

A set of meta-data containing all meanings and structures standardized by a CDIF subject area is imported by the product under test. Then the meta-data is exported again. The following options exist for the relation between the input meta-data and the output meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is round-trip conformant if the meaning and structure of each instance of the *CollectableMetaObject* is preserved without changes during the round-trip. For a vendor to claim round-trip conformance, it is also necessary for the tool to be able to perform create, read, update, and delete operations on the imported (product) meta-data corresponding to the instances of the *CollectableMetaObject*.
- 2 The product is round-trip morphing conformant if each instance of the input *CollectableMetaObject* is preserved, but with some changes in meaning and/or structure. If the *CollectableMetaObject* is a meta-entity or meta-relationship, some of its instances' structural relationships to other *CollectableMetaObjects* have changed, or some instances have been transformed into other *CollectableMetaObjects*, or instances of other *CollectableMetaObjects* have been transformed into instances of the *CollectableMetaObject*. If the *CollectableMetaObject* is a meta-attribute, the values of some instances of the meta-attribute have changed or the domain of the meta-attribute has changed.
- 3 In all other cases, the product is not round-trip conformant for that *CollectableMetaObject*.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 31-1:1992 *Quantities and units – Part 1: Space and time*

ISO 4217:2001, *Codes for the representation of currencies and funds*

ISO/IEC 9945-1:1996, *Information technology – Portable Operating System Interface (POSIX) –Part 1: System Application Program Interface (API) [C Language]*

ISO/IEC 13238-1, *Information technology - Data management export/import - Part 1: Standardization framework.*

ISO/IEC 15474-1, *Information technology — CDIF framework — Part 1: Overview*

ISO/IEC 15474-2, *Information technology — CDIF framework — Part 2: Modelling and extensibility*

ISO/IEC 15476-1, *Information technology — CDIF semantic metamodel — Part 1: Foundation*

ISO/IEC 15476-2, *Information technology — CDIF semantic metamodel — Part 2: Common*

ISO/IEC 15476-4 *Information technology — CDIF semantic metamodel — Part 4: Data models*

CHARACTER SETS, IANA, available at <<http://www.iana.org/assignments/character-sets>>