

INTERNATIONAL
STANDARD

ISO/IEC
16382

First edition
2000-05-15

**Information technology — Data
interchange on 12,7 mm 208-track
magnetic tape cartridges — DLT 6 format**

*Technologies de l'information — Échange de données sur cartouches
de bande magnétique de 12,7 mm à 208 pistes — Format DLT 6*

Reference number
ISO/IEC 16382:2000(E)



© ISO/IEC 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Section 1 - General	1
1 Scope	1
2 Conformance	1
2.1 Magnetic tape cartridges	1
2.2 Generating systems	1
2.3 Receiving systems	1
3 Normative references	1
4 Terms and definitions	1
4.1 Average Signal Amplitude	1
4.2 azimuth	2
4.3 back surface	2
4.4 Beginning-Of-Tape marker (BOT)	2
4.5 block	2
4.6 byte	2
4.7 cartridge	2
4.8 Cyclic Redundancy Check (CRC) character	2
4.9 Early Warning (EW)	2
4.10 Error-Detecting Code (EDC)	2
4.11 End-Of-Tape marker (EOT)	2
4.12 Entity	2
4.13 Error-Correcting Code (ECC)	2
4.14 Envelope	2
4.15 Envelope size	2
4.16 flux transition position	2
4.17 flux transition spacing	2
4.18 Group Record	2
4.19 logical track	2
4.20 magnetic tape	2
4.21 Master Standard Reference Tape	2
4.22 object	2
4.23 page	2
4.24 physical recording density	2
4.25 physical track	2
4.26 Record	2
4.27 Reference Edge	2
4.28 Reference Field	2
4.29 Secondary Standard Reference Tape	2
4.30 Standard Reference Amplitude (SRA)	3
4.31 Standard Reference Current	3
4.32 Test Recording Current	3
4.33 Typical Field	3
5 Conventions and notations	3
5.1 Representation of numbers	3
5.2 Dimensions	3
5.3 Names	3
5.4 Acronyms	3

6	Environment and safety	3
6.1	Cartridge and tape testing environment	4
6.2	Cartridge operating environment	4
6.3	Cartridge storage environment	4
6.4	Safety	4
6.4.1	Safeness	4
6.4.2	Flammability	4
6.5	Transportation	4
Section 2 - Requirements for the unrecorded tape		4
7	Mechanical and electrical requirements	4
7.1	Material	4
7.2	Tape length	4
7.3	Width	4
7.4	Total thickness	5
7.5	Discontinuity	5
7.6	Longitudinal curvature	5
7.6.1	Requirement	5
7.6.2	Procedure	5
7.7	Out-of-Plane distortions	5
7.8	Cupping	5
7.9	Roughness of the coating surfaces	5
7.9.1	Roughness of the back coating surface	5
7.9.2	Roughness of the magnetic coating surface	5
7.10	Coating adhesion	5
7.11	Layer-to-layer adhesion	6
7.11.1	Requirements	6
7.11.2	Procedure	6
7.12	Modulus of elasticity	7
7.12.1	Requirement	7
7.12.2	Procedure	7
7.13	Flexural rigidity	7
7.13.1	Requirement	7
7.13.2	Procedure	7
7.14	Tensile yield force	7
7.14.1	Procedure	8
7.15	Electrical resistance	8
7.15.1	Requirement	8
7.15.2	Procedure	8
7.16	Inhibitor tape	8
7.17	Abrasivity	8
7.17.1	Requirement	8
7.17.2	Procedure	8
7.18	Light transmittance of the tape and the leader	9
7.19	Coefficient of dynamic friction	9
7.19.1	Requirements	9
7.19.2	Procedure for the measurement of the friction between the magnetic surface and the back surface	9
7.19.3	Procedure for the measurement of the friction between the magnetic surface or the back surface and calcium titanate ceramic	10

8	Magnetic recording characteristics	10
8.1	Typical Field	10
8.2	Signal amplitude	11
8.3	Resolution	11
8.4	Overwrite	11
8.4.1	Requirement	11
8.5	Peak shift	11
8.5.1	Requirement	11
8.5.2	Procedure	11
9	Tape quality	12
9.1	Missing pulses	12
9.1.1	Requirement	12
9.2	Missing pulse zone	12
9.2.1	Requirement	12
9.3	Tape durability	12
Section 3 - Mechanical specifications of the tape cartridge		12
10	General	12
10.1	Bottom side and right side	13
10.2	Back side and left side	14
10.3	Tape reel	14
10.4	Tape leader	15
10.5	Front side	16
10.6	Operation of the cartridge	16
10.7	Tape winding	17
10.8	Moment of inertia	17
10.9	Material	18
Section 4 - Requirements for an interchanged tape		27
11	Method of recording	27
11.1	Physical recording density	27
11.2	Channel bit cell length	27
11.2.1	Average Channel bit cell length	27
11.2.2	Long-term average Channel bit cell length	27
11.2.3	Short-term average Channel bit cell length	27
11.3	Flux transition spacing	27
11.4	Read signal amplitude	27
11.5	Azimuth	28
11.6	Channel skew	28
12	Tape format	28
12.1	Reference Edge	28
12.2	Direction of recording	28
12.3	Tape layout	28
12.4	Calibration and Directory Area	28
12.4.1	Scratch Area	29
12.4.2	Guard Area G1	29
12.4.3	Calibration Tracks Area	29
12.4.4	Guard Area G2	30
12.4.5	Directory Area	30
12.4.6	Guard Area G3	30
12.5	Data Area	30
12.5.1	Physical tracks	31
12.5.2	Logical tracks	32

13	Data format	34
13.1	Data Bytes	34
13.2	Data Blocks	34
13.3	Types of Blocks	34
13.4	Entities	34
13.5	Envelopes	34
13.6	Block format	34
13.6.1	Preamble	35
13.6.2	Sync	35
13.6.3	Data Field	35
13.6.4	EDC	36
13.6.5	Control Field 1 (CF1)	37
13.6.6	Control Field 2 (CF2)	38
13.6.7	CRC	39
13.6.8	Postamble	39
14	Use of blocks	39
14.1	Data Blocks	39
14.2	Filler Blocks	39
14.3	End of Track Blocks (EOTR)	39
14.4	End of Data Blocks (EOD)	40
14.5	ECC Blocks	40
15	Format of Entities	40
16	Format of Envelopes	40
17	Error handling	40
Annexes		
A -	Measurement of light transmittance	41
B -	Generation of the Data Block CRCs	44
C -	ECC generation	45
D -	Generation of page CRCs	48
E -	Format of MAP entries	49
F -	Format of Control Field 1	50
G -	Format of Control Field 2	51
H -	Recommendations for transportation	52
J -	Inhibitor tape	53
K -	Recommendations on tape durability	54
L -	Handling guidelines	55

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This International Standard was prepared by ECMA (as Standard ECMA-286) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Annexes A to G form a normative part of this International Standard. Annexes H to L are for information only.

Information technology — Data interchange on 12,7 mm 208-track magnetic tape cartridges — DLT 6 format

Section 1 - General

1 Scope

This International Standard specifies the physical and magnetic characteristics of a 12,7 mm wide, 208-track magnetic tape cartridge, to enable physical interchangeability of such cartridges between drives. It also specifies the quality of the recorded signals, a format - called Digital Linear Tape 6 (DLT 6) - and a recording method, thereby allowing data interchange between drives. Together with a labelling standard, for instance International Standard ISO 1001 for Magnetic Tape Labelling, it allows full data interchange by means of such magnetic tape cartridges.

2 Conformance

2.1 Magnetic tape cartridges

A magnetic tape cartridge shall be in conformance with this International Standard if it satisfies all mandatory requirements of this Standard. The tape requirements shall be satisfied throughout the extent of the tape.

2.2 Generating systems

A system generating a magnetic tape cartridge for interchange shall be in conformance with this International Standard if all the recordings that it makes on a tape according to 2.1 meet the mandatory requirements of this International Standard.

In addition, a claim of conformance shall state

- whether or not one, or more registered algorithm(s) are implemented within the system, and are able to compress data received from the host prior to collecting the data into blocks, and
- the registered identification number(s) of the implemented compression algorithm(s).

2.3 Receiving systems

A system receiving a magnetic tape cartridge for interchange shall be in conformance with this International Standard if it is able to handle any recording made on a tape according to 2.1.

In addition, it shall

- whether or not one, or more de-compression algorithm(s) are implemented within the system, and are able to be applied to de-compress data prior to making such data available to the host,
- the registered identification number(s) of the implemented compression algorithm(s).

3 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 1001:1986, *Information processing — File structure and labelling of magnetic tapes for information interchange*.

ISO 1302:1992, *Technical drawings — Method of indicating surface texture*.

ISO/IEC 11576:1994, *Information technology — Procedure for the registration of algorithms for the lossless compression of data*.