
**Information technology — Multimedia
framework (MPEG-21) —**

**Part 5:
Rights Expression Language**

Technologies de l'information — Cadre multimédia (MPEG-21) —

Partie 5: Langage d'expression des droits

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	viii
Introduction	ix
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols, and abbreviated terms	2
4 Namespaces and conventions	6
4.1 Namespaces	6
4.2 Namespace conventions	7
4.3 Special typographical conventions	7
4.4 XML structural notation conventions	8
4.5 Authorization context conventions	8
5 Authorization model	8
5.1 General	8
5.2 Authorization request	9
5.3 Authorization context	10
5.4 Authorization story	10
5.5 Authorizer	10
5.6 Authorization model authorization context properties	10
5.7 Authorization proof	11
5.8 License Semantics	12
6 Architectural concepts	12
6.1 Equality	12
6.2 License syntax	12
6.3 License parts	12
6.4 License issuers	13
6.5 Variables	14
6.5.1 Variable definition	14
6.5.2 Variable referencing	14
6.6 Conceptually abstract elements and types	15
6.7 Revocable	15
6.8 Principal surpassing	15
6.8.1 General	15
6.8.2 Principal set representation	15
6.9 Derived grants and grant groups	15
6.9.1 General	15
6.9.2 One-step-derived grants and grant groups	15
6.10 Encrypted Elements	17
7 Core	17
7.1 General	17
7.2 Core authorization context properties	17
7.3 General core elements and types	18
7.3.1 License	18
7.3.2 LicenseGroup	20
7.3.3 ForAll	20
7.3.4 DelegationControl	20
7.3.5 NonSecureReference	21
7.3.6 EncryptedContent	21
7.4 Core conceptually abstract elements and types	21
7.4.1 LicensePart	21

7.4.2	Principal	21
7.4.3	Right	21
7.4.4	Resource	21
7.4.5	Condition	22
7.4.6	AnXmlPatternAbstract	22
7.4.7	DcConstraint	22
7.4.8	TrustRoot	23
7.4.9	ServiceDescription	23
7.4.10	PropertyAbstract	23
7.5	Core principals	23
7.5.1	AllPrincipals	23
7.5.2	KeyHolder	23
7.6	Core rights	24
7.6.1	Issue	24
7.6.2	Obtain	24
7.6.3	PossessProperty	24
7.6.4	Revoke	25
7.7	Core resources	25
7.7.1	DigitalResource	25
7.7.2	Grant	26
7.7.3	GrantGroup	26
7.7.4	Revocable	26
7.7.5	ServiceReference	27
7.8	Core conditions	27
7.8.1	AllConditions	27
7.8.2	ExerciseMechanism	28
7.8.3	ExistsRight	28
7.8.4	Fulfiller	29
7.8.5	PrerequisiteRight	29
7.8.6	RevocationFreshness	29
7.8.7	ValidityInterval	30
7.9	Core patterns	30
7.9.1	General patterns	30
7.9.2	Principal patterns – PropertyPossessor	31
7.9.3	Right patterns	31
7.9.4	Resource patterns	31
7.9.5	Condition patterns	33
7.10	Core delegation constraints	33
7.10.1	ConditionIncremental	33
7.10.2	ConditionUnchanged	33
7.10.3	DepthConstraint	33
7.10.4	ToConstraint	34
7.11	Core trust roots	35
7.11.1	TrustedRootGrants	35
7.11.2	TrustedRootIssuers	35
7.12	Core service descriptions	35
7.13	Core properties	35
8	Standard extension	35
8.1	General	35
8.2	Standard extension authorization context properties	35
8.3	General standard extension elements and types	38
8.3.1	AccountPayable	38
8.3.2	ProfileCompliance	38
8.3.3	Rate	39
8.3.4	StateDistinguisher	39
8.3.5	UddiKey	39
8.3.6	Uuid	39
8.4	Standard extension conceptually abstract elements and types	39
8.4.1	Name	39

8.4.2	StatefulCondition	39
8.5	Standard extension principals	39
8.6	Standard extension rights – RightUri	40
8.7	Standard extension resources	40
8.8	Standard extension conditions	40
8.8.1	CallForCondition	40
8.8.2	ExerciseLimit	40
8.8.3	FeeFlat	40
8.8.4	FeeMetered	41
8.8.5	FeePerInterval	41
8.8.6	FeePerUse	42
8.8.7	FeePerUsePrePay	42
8.8.8	SeekApproval	42
8.8.9	Territory	43
8.8.10	TrackQuery	43
8.8.11	TrackReport	43
8.8.12	TransferControl	44
8.8.13	ValidityIntervalFloating	44
8.8.14	ValidityIntervalStartsNow	44
8.8.15	ValidityTimeMetered	45
8.8.16	ValidityTimePeriodic	45
8.9	Standard extension patterns	46
8.9.1	General patterns	46
8.9.2	Principal patterns	46
8.9.3	Right patterns	46
8.9.4	Resource patterns – X509SubjectNamePattern	47
8.9.5	Condition patterns – ValidityIntervalDurationPattern	47
8.10	Standard extension delegation constraints	47
8.11	Standard extension trust roots	47
8.12	Standard extension service descriptions	47
8.12.1	AnonymousStateService	47
8.12.2	Uddi	48
8.12.3	WsdIAddress	48
8.12.4	WsdIComplete	49
8.13	Standard extension properties – PropertyUri	49
8.14	Standard extension name properties	49
8.14.1	CommonName	49
8.14.2	DnsName	49
8.14.3	EmailName	49
8.14.4	X509SubjectName	49
9	Multimedia extension	50
9.1	General	50
9.2	Multimedia extension authorization context properties	50
9.3	General multimedia extension elements and types – resource attribute set definitions	51
9.3.1	Complement	51
9.3.2	Intersection	51
9.3.3	Set	52
9.3.4	Union	52
9.4	Multimedia extension conceptually abstract elements and types	52
9.5	Multimedia extension principals	52
9.6	Multimedia extension rights	52
9.6.1	Adapt	52
9.6.2	Delete	53
9.6.3	Diminish	53
9.6.4	Embed	53
9.6.5	Enhance	53
9.6.6	Enlarge	54
9.6.7	Execute	54
9.6.8	Install	54

9.6.9	Modify	54
9.6.10	Move	55
9.6.11	Play	55
9.6.12	Print	55
9.6.13	Reduce.....	55
9.6.14	Uninstall	56
9.7	Multimedia extension resources.....	56
9.7.1	DiItemReference	56
9.7.2	DiReference.....	56
9.8	Multimedia extension conditions.....	56
9.8.1	Digital Item conditions	56
9.8.2	Marking conditions.....	57
9.8.3	Security conditions	57
9.8.4	Transaction	59
9.8.5	Resource attribute conditions	59
9.9	Multimedia extension patterns.....	60
9.10	Multimedia extension delegation constraints	60
9.11	Multimedia extension trust roots.....	60
9.12	Multimedia extension service descriptions	60
9.13	Multimedia extension properties	60
9.14	Multimedia extension name properties.....	60
Annex A	(normative) W3C XML Schemas	61
A.1	General	61
A.2	Schema for the Core Namespace	61
A.3	Schema for the Standard Extension Namespace	72
A.4	Schema for the Multimedia Extension Namespace	80
Annex B	(normative) Country, region, and currency Qualified Names.....	87
B.1	Namespace URI structure.....	87
B.2	Country Qualified Names	87
B.3	Region Qualified Names	87
B.4	Currency Qualified Names	88
Annex C	(informative) Simplified equality algorithm	89
C.1	General	89
C.2	The equalQuickItem function	89
C.3	The equalQuickList function	91
C.4	The equalQuickSimple function.....	91
Annex D	(informative) Example Rights Expressions	92
D.1	Overview of examples.....	92
D.2	Simple end-user License example.....	92
D.3	Distribution License example	94
Annex E	(informative) Design philosophy concerning extensions and profiles of this part of ISO/IEC 21000	99
E.1	General	99
E.2	Definition of extension.....	99
E.3	Definition of profile.....	99
E.4	Extensibility points.....	99
Annex F	(informative) Extension mechanisms for introducing new rights	101
F.1	General	101
F.2	Use existing rights and conditions.....	101
F.3	Use rightUri	102
F.4	Use type extension.....	103
F.5	Use element extension	103
Annex G	(informative) Example profile of this part of ISO/IEC 21000	104
G.1	General	104
G.2	Profile elements.....	104
G.3	Profile schema	105

G.3.1	General	105
G.3.2	Example profile schema for the Core Namespace	105
G.3.3	Example profile schema for the Standard Extension Namespace.....	106
G.3.4	Example profile schema for the Multimedia Extension Namespace	107
G.4	Profile signalling	107
G.5	Profile expressiveness	107
G.5.1	General	107
G.5.2	Everyone can play a song for the year of 2004.....	107
G.5.3	A key holder can play a song three times within the year of 2004	108
Annex H	(informative) Relationship between ISO/IEC 21000-6 and this part of ISO/IEC 21000	110
Annex I	(informative) Relationship between ISO/IEC 21000-2 and this part of ISO/IEC 21000	111
Annex J	(informative) Example revocation mechanism	113
J.1	General	113
J.2	Designing a revocation mechanism.....	113
J.3	Indicating a revocation mechanism and freshness Condition when issuing a License	114
J.4	Checking for freshness	115
J.5	Delegating revoke Right	116
J.6	Requesting revocation	117
J.7	Latency until revocation goes into effect	119
J.8	Latency until freshness duration passes	119
Annex K	(informative) Patent statements	120
Bibliography		121

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

ISO/IEC 21000-5 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 21000 consists of the following parts, under the general title *Information technology — Multimedia framework (MPEG-21)*:

- *Part 1: Vision, Technologies and Strategy* [Technical Report]
- *Part 2: Digital Item Declaration*
- *Part 3: Digital Item Identification*
- *Part 5: Rights Expression Language*
- *Part 6: Rights Data Dictionary*
- *Part 7: Digital Item Adaptation*

Introduction

The growth of the Internet has enabled worldwide distribution and consumption of valuable multimedia resources, reduced the cost of doing business, enabled new business models for industry participants, and provided consumers with unprecedented access to high-quality multimedia resources. Internal distribution, external distribution, and retail sales now are conducted on the Internet to establish cost effective, reliable, flexible, highly available, and secure means of managing the delivery of multimedia resources. Consumers routinely search for and download multimedia resources from sources world-wide and can conveniently redistribute those resources. This has fuelled the development of technologies to manage, secure, control, and automate the flow of multimedia resources over the Internet.

The free and convenient flow of multimedia resources through the Internet presents many challenges to content owners and distributors. Before making high-quality and valuable multimedia resources available online, content owners want to be assured that their rights to those resources are respected. In addition, the business models and contracts of content distributors often involve conditions regarding distribution, such as fees, territory restrictions, time limits, and so on.

To meet these requirements, the players involved in the online distribution and consumption of multimedia resources need to exchange information about the rights, terms, and conditions associated with each resource at each step in the multimedia resource lifecycle. For example, a publisher needs to communicate the available consumption rights and the terms and conditions under which those rights may be exercised. To use the multimedia resources, a consumer needs to know the types of usage allowed and the terms and conditions that must be met. In distribution and super distribution business models, this information needs to be communicated to each participant in the distribution chain.

Depending on the business model, expressing rights, terms, and conditions can be simple or complex. In a simple example, a consumer might pay a flat fee to obtain unlimited rights to play a video file. In a more complex example, a video publisher might grant a distributor the right to sell usage rights for classic movie titles to consumers. The distribution agreement might specify the rights that consumers may purchase, the maximum fee the distributor may charge, and a percentage of the fee that must be paid to the publisher.

In an end-to-end system, other considerations such as authenticity and integrity of Rights Expressions become important. For example, any party who issues rights to use or distribute multimedia resources must be identified and authorized. In addition, a Rights Expression may be accessed by different participants during its life cycle, which requires mechanisms and semantics for validating the authenticity and integrity of the Rights Expression.

To address many of these issues, a common Rights Expression Language that can be shared among all participants in this digital workflow is required. A common Rights Expression Language addresses important aspects of the interoperability issues inherent in digital multimedia resource distribution; the issues relating to exchanging Rights Expressions during their life cycle; and the system issues such as trust, authorization, and authentication.

This part of ISO/IEC 21000 addresses a part of the overall vision for ISO/IEC 21000, which is to define a multimedia framework to enable transparent and augmented use of multimedia resources across a wide range of networks and devices used by different communities.

Information technology — Multimedia framework (MPEG-21) —

Part 5: Rights Expression Language

1 Scope

This part of ISO/IEC 21000 specifies the syntax and semantics of a Rights Expression Language.

This part of ISO/IEC 21000 does not give any permission, including permissions about who is legally or technically allowed to create Rights Expressions. It does not specify the security measures of trusted systems, propose specific applications, or describe the details of the systems required for accounting (monetary transactions, state transactions, and so on). It also does not specify if or when Rights Expressions shall be consulted.

However, this part of ISO/IEC 21000 does define an authorization model to specify whether the semantics of a set of Rights Expressions permit a given Principal to perform a given Right upon a given optional Resource during a given time interval based on a given authorization context and a given trust root.

Clause 1 gives the scope of this part of ISO/IEC 21000. Clause 2 gives the normative references. Clause 3 gives pertinent terms, definitions, symbols, and abbreviated terms. Clause 4 gives the namespaces and conventions. Clause 5 specifies the authorization model. Clause 6 defines architectural concepts. Clause 7 specifies the syntax and semantics integral to the architecture. Clause 8 specifies syntax and semantics peripheral to the architecture but still useful in many domains beyond multimedia. Clause 9 specifies syntax and semantics specific to multimedia. Annex A uses W3C XML Schema to normatively specify the syntax of the types and elements defined throughout this part of ISO/IEC 21000. Annex B normatively defines Qualified Names for identifying countries, regions, and currencies. Annex C gives an informative simplified equality algorithm. Annex D gives some example Rights Expressions. Annex E describes the design philosophy for extensions and profiles of this part of ISO/IEC 21000. Annex F demonstrates how to introduce new rights as an extension to this part of ISO/IEC 21000. Annex G gives an example profile of this part of ISO/IEC 21000. Annex H describes the relationship between ISO/IEC 21000-6 and this part of ISO/IEC 21000. Annex I describes the relationship between ISO/IEC 21000-2 and this part of ISO/IEC 21000. Annex J describes an example revocation mechanism and gives a walk-through of revocation.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3166 (all parts), *Codes for the representation of names of countries and their subdivisions*

ISO 4217, *Codes for the representation of currencies and funds*

ISO/IEC 9594-8, *Information technology — Open Systems Interconnection — The Directory: Public-key and attribute certificate frameworks*

ISO/IEC 10021-2, *Information technology — Message Handling Systems (MHS): Overall architecture*

ISO/IEC 21000 (all parts), *Information technology — Multimedia framework (MPEG-21)*

Request for Comments (RFC) 1034, *Domain Names — Concepts and Facilities*, The Internet Engineering Task Force (IETF), November 1987, available at <<http://www.ietf.org/rfc/rfc1034>>

RFC 1738, *Uniform Resource Locators (URL)*, IETF, December 1994, available at <<http://www.ietf.org/rfc/rfc1738.txt>>

RFC 2141, *URN Syntax*, IETF, May 1997, available at <<http://www.ietf.org/rfc/rfc2141.txt>>

RFC 2396, *Uniform Resource Identifiers (URI): Generic Syntax*, IETF, August 1998, available at <<http://www.ietf.org/rfc/rfc2396.txt>>

RFC 2822, *Internet Message Format*, IETF, April 2001, available at <<http://www.ietf.org/rfc/rfc2822>>

ROUTINGABA, *Routing Number Policy*, American Bankers Association Routing Number Administrative Board, November 1996, available at <http://www.tfp.com/text/aba_policy.pdf>

SCC14N, *Schema Centric XML Canonicalization Version 1.0*, Organization for the Advancement of Structured Information Standards (OASIS) Universal Description, Discovery, and Integration (UDDI) Technical Committee (TC) Committee Specification, 19 July 2002, available at <<http://www.uddi.org/pubs/SchemaCentricCanonicalization-20020710.htm>>

UDDIV2API, *UDDI Version 2.04 API Specification*, OASIS Standard, 19 July 2002, available at <<http://uddi.org/pubs/ProgrammersAPI-V2.04-Published-20020719.htm>>

UDDIV2DSR, *UDDI Version 2.03 Data Structure Reference*, OASIS Standard, 19 July 2002, available at <<http://uddi.org/pubs/DataStructure-V2.03-Published-20020719.htm>>

UDDIV3, *UDDI Version 3.0*, OASIS UDDI TC Committee Specification, 19 July 2002, available at <<http://uddi.org/pubs/uddi-v3.00-published-20020719.htm>>

WSDLSPEC, *Web Services Description Language (WSDL) 1.1*, Worldwide Web Consortium (W3C) Note, 15 March 2001, available at <<http://www.w3.org/TR/2001/NOTE-wsdl-20010315>>

XMLSPEC, *Extensible Markup Language (XML) 1.0 (Second Edition)*, W3C Recommendation, 6 October 2002, available at <<http://www.w3.org/TR/2000/REC-xml-20001006>>

XMLDSIG, *XML-Signature Syntax and Processing*, W3C Recommendation, 12 February 2002, available at <<http://www.w3.org/TR/2002/REC-xmlsig-core-20020212>>

XMLENC, *XML-Encryption Syntax and Processing*, W3C Recommendation, 10 December 2002, available at <<http://www.w3.org/TR/2002/REC-xmlenc-core-20021210>>

XMLINFOSET, *XML Information Set*, W3C Recommendation, 24 October 2001, available at <<http://www.w3.org/TR/2001/REC-xml-infoset-20011024>>

XMLNAMES, *Namespaces in XML*, W3C Recommendation, 14 January 1999, available at <<http://www.w3.org/TR/1999/REC-xml-names-19990114>>

XMLSCHEMA, *XML Schema Part 1: Structures and Part 2: Datatypes*, W3C Recommendation, 2 May 2001, available at <<http://www.w3.org/TR/2001/REC-xmlschema-1-20010502>> and <<http://www.w3.org/TR/2001/REC-xmlschema-2-20010502>>

XPATH, *XML Path Language (XPath) Version 1.0*, W3C Recommendation, 16 November 1999, available at <<http://www.w3.org/TR/1999/REC-xpath-19991116>>