



ISO/IEC 29341-8-21

Edition 1.0 2008-11

INTERNATIONAL STANDARD

**Information technology – UPnP Device Architecture –
Part 8-21: Internet Gateway Device Control Protocol – Wireless Local Area
Network Configuration Service**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 35.200

ISBN 978-2-88910-891-6

CONTENTS

FOREWORD	6
ORIGINAL UPNP DOCUMENTS (informative)	8
1. Overview and Scope	10
2. Service Modeling Definitions	10
2.1. ServiceType	10
2.2. State Variables	10
2.2.1. InsecureOOBAccessEnabled	12
2.2.2. SSID	12
2.2.3. BSSID	12
2.2.4. BeaconType	13
2.2.5. BeaconAdvertisementEnabled	13
2.2.6. RadioEnabled	13
2.2.7. LocationDescription	13
2.2.8. RegulatoryDomain	14
2.2.9. TotalPSKFailures	14
2.2.10. TotalIntegrityFailures	14
2.2.11. Channel	14
2.2.12. PossibleChannels	14
2.2.13. ChannelsInUse	14
2.2.14. DeviceOperationMode	15
2.2.15. DistanceFromRoot	15
2.2.16. PeerBSSID	15
2.2.17. BasicDataTransmitRates	15
2.2.18. OperationalDataTransmitRates	15
2.2.19. PossibleDataTransmitRates	16
2.2.20. AutoRateFallBackEnabled	16
2.2.21. TotalBytesSent	16
2.2.22. TotalBytesReceived	16
2.2.23. TotalPacketsSent	16
2.2.24. TotalPacketsReceived	16
2.2.25. TotalAssociations	16
2.2.26. AssociatedDeviceMACAddress	16
2.2.27. AssociatedDeviceIPAddress	16
2.2.28. AssociatedDeviceAuthState	17
2.2.29. AuthenticationServiceMode	17
2.2.30. WEPKeyIndex	17
2.2.31. WEPKey	17
2.2.32. KeyPassphrase	17
2.2.33. WPEncryptionLevel	18
2.2.34. PreSharedKey	18
2.2.35. PreSharedKeyIndex	18
2.2.36. BasicEncryptionModes	18
2.2.37. BasicAuthenticationMode	19
2.2.38. WPAEncryptionModes	19
2.2.39. WPAAuthenticationMode	19
2.2.40. IEEE11iEncryptionModes	20
2.2.41. IEEE11iAuthenticationMode	20
2.2.42. LastRequestedUnicastCipher	20
2.2.43. LastRequestedMulticastCipher	20
2.2.44. LastPMKId	21
2.3. Eventing and Moderation	21
2.3.1. Event Model	21
2.4. Actions	21
2.4.1. SetInsecureOutOfBandAccessMode	23
2.4.2. GetInsecureOutOfBandAccessMode	23

2.4.3.	SetSSID	24
2.4.4.	GetSSID	24
2.4.5.	GetBSSID	25
2.4.6.	SetBeaconType	25
2.4.7.	GetBeaconType	26
2.4.8.	SetBeaconAdvertisement	26
2.4.9.	GetBeaconAdvertisement	27
2.4.10.	SetRadioMode	27
2.4.11.	GetRadioMode	28
2.4.12.	SetLocationDescription	28
2.4.13.	GetLocationDescription	29
2.4.14.	SetRegulatoryDomain	29
2.4.15.	GetRegulatoryDomain	30
2.4.16.	GetFailureStatusInfo	30
2.4.17.	SetChannel	31
2.4.18.	GetChannelInfo	31
2.4.19.	GetChannelsInUse	32
2.4.20.	SetDeviceOperationMode	32
2.4.21.	GetDeviceOperationMode	33
2.4.22.	SetDataTransmitRates	34
2.4.23.	GetDataTransmitRateInfo	35
2.4.24.	SetAutoRateFallBackMode	35
2.4.25.	GetAutoRateFallBackMode	36
2.4.26.	GetByteStatistics	36
2.4.27.	GetPacketStatistics	37
2.4.28.	GetByteStatsForAssociatedDev	37
2.4.29.	GetPacketStatsForAssociatedDev	38
2.4.30.	GetTotalAssociations	38
2.4.31.	GetGenericAssociatedDeviceInfo	39
2.4.32.	GetSpecificAssociatedDeviceInfo	39
2.4.33.	GetSpecificAssociatedDev11iInfo	40
2.4.34.	SetAuthenticationServiceMode	41
2.4.35.	GetAuthenticationServiceMode	41
2.4.36.	SetSecurityKeys	42
2.4.37.	GetSecurityKeys	43
2.4.38.	SetDefaultWEPKeyIndex	43
2.4.39.	GetDefaultWEPKeyIndex	44
2.4.40.	SetPreSharedKey	44
2.4.41.	GetPreSharedKey	45
2.4.42.	SetBasBeaconSecurityProperties	45
2.4.43.	GetBasBeaconSecurityProperties	46
2.4.44.	SetWPABeaconSecurityProperties	46
2.4.45.	GetWPABeaconSecurityProperties	47
2.4.46.	Set11iBeaconSecurityProperties	48
2.4.47.	Get11iBeaconSecurityProperties	48
2.4.48.	FactoryDefaultReset	49
2.4.49.	ResetAuthentication	49
2.4.50.	Non-Standard Actions Implemented by a UPnP Device Vendor	49
2.4.51.	Common Error Codes	50
2.5.	Theory of Operation	51
2.5.1.	Initialization of the AP Device	51
2.5.2.	Operation of the AP Device	51
3.	XML Service Description	58
4.	Test	71

LIST OF TABLES

Table 1: State Variables	11
Table 2: Event Moderation.....	21
Table 3: Actions	22
Table 4: Arguments for SetInsecureOutOfBandAccessMode	23
Table 5: Arguments for SetInsecureOutOfBandAccessMode	23
Table 6: Arguments for SetSSID	24
Table 7: Arguments for GetSSID	24
Table 8: Arguments for GetBSSID	25
Table 9: Arguments for SetBeaconType	25
Table 10: Arguments for GetBeaconType	26
Table 11: Arguments for SetBeaconAdvertisement	26
Table 12: Arguments for GetBeaconAdvertisement.....	27
Table 13: Arguments for SetRadioMode	27
Table 14: Arguments for GetRadioMode.....	28
Table 15: Arguments for SetLocationDescription	28
Table 16: Arguments for GetLocationDescription.....	29
Table 17: Arguments for SetRegulatoryDomain	29
Table 18: Arguments for GetRegulatoryDomain	30
Table 19: Arguments for GetFailureStatusInfo	30
Table 20: Arguments for SetChannel	31
Table 21: Arguments for GetChannelInfo.....	31
Table 22: Arguments for GetChannelsInUse.....	32
Table 23: Arguments for SetDeviceOperationMode.....	33
Table 24: Arguments for GetDeviceOperationMode	34
Table 25: Arguments for SetDataTransmitRates	34
Table 26: Arguments for GetDataTransmitRateInfo.....	35
Table 27: Arguments for SetAutoRateFallBackMode.....	35
Table 28: Arguments for GetAutoRateFallBackMode	36
Table 29: Arguments for GetByteStatistics.....	36
Table 30: Arguments for GetPacketStatistics.....	37
Table 31: Arguments for GetByteStatsForAssociatedDev	37
Table 32: Arguments for GetPacketStatsForAssociatedDev	38
Table 33: Arguments for GetTotalAssociations.....	38
Table 34: Arguments for GetGenericAssociatedDeviceInfo.....	39
Table 35: Arguments for GetSpecificAssociatedDeviceInfo.....	40
Table 36: Arguments for GetSpecificAssociatedDeviceInfo.....	40
Table 37: Arguments for SetAuthenticationServiceMode.....	41
Table 38: Arguments for GetAuthenticationServiceMode	41
Table 39: Arguments for SetSecurityKeys.....	42

Table 40: Arguments for GetSecurityKeys	43
Table 41: Arguments for SetDefaultWEPKeyIndex	43
Table 42: Arguments for GetDefaultWEPKeyIndex	44
Table 43: Arguments for SetPreSharedKey	44
Table 44: Argument for GetPreSharedKey	45
Table 45: Arguments for SetBasBeaconSecurityProperties	45
Table 46: Arguments for GetBasBeaconSecurityProperties	46
Table 47: Arguments for SetWPABeaconSecurityProperties	47
Table 48: Arguments for GetWPABeaconSecurityProperties	47
Table 49: Arguments for Set11iBeaconSecurityProperties	48
Table 50: Arguments for Get11iBeaconSecurityProperties	48
Table 51: Common Error Codes for all actions	50

INFORMATION TECHNOLOGY – UPNP DEVICE ARCHITECTURE –

Part 8-21: Internet Gateway Device Control Protocol – Wireless Local Area Network Configuration Service

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of the putative patent rights. The holders of the putative patent rights have assured IEC and ISO that they are willing to negotiate free licences or licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of the putative patent rights are registered with IEC and ISO.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation
Standards Licensing Department
5200 NE Elam Young Parkway
MS: JFS-98
USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US; 7069312 / US;
10/783 524 / US

Information may be obtained from:

Microsoft Corporation
One Microsoft Way
USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S
High Tech campus, building 44 3A21
NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL)
High Tech campus 60
NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd.
1-3-7 Shiromi, Chuoh-ku
JP – Osaka 540-6139

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205 466 / US

Information may be obtained from:

Hewlett Packard Company
1501 Page Mill Road
USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd.
416 Maetan-3 Dong, Yeongtang-Gu,
KR – Suwon City 443-742

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29341-8-21 was prepared by UPnP Implementers Corporation and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of the ISO/IEC 29341 series, under the general title *Universal plug and play (UPnP) architecture*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

ORIGINAL UPnP DOCUMENTS (informative)

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title	ISO/IEC 29341 Part
UPnP Device Architecture 1.0	ISO/IEC 29341-1
UPnP Basic:1 Device	ISO/IEC 29341-2
UPnP AV Architecture:1	ISO/IEC 29341-3-1
UPnP MediaRenderer:1 Device	ISO/IEC 29341-3-2
UPnP MediaServer:1 Device	ISO/IEC 29341-3-3
UPnP AVTransport:1 Service	ISO/IEC 29341-3-10
UPnP ConnectionManager:1 Service	ISO/IEC 29341-3-11
UPnP ContentDirectory:1 Service	ISO/IEC 29341-3-12
UPnP RenderingControl:1 Service	ISO/IEC 29341-3-13
UPnP MediaRenderer:2 Device	ISO/IEC 29341-4-2
UPnP MediaServer:2 Device	ISO/IEC 29341-4-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11
UPnP ContentDirectory:2 Service	ISO/IEC 29341-4-12
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13
UPnP ScheduledRecording:1	ISO/IEC 29341-4-14
UPnP DigitalSecurityCamera:1 Device	ISO/IEC 29341-5-1
UPnP DigitalSecurityCameraMotionImage:1 Service	ISO/IEC 29341-5-10
UPnP DigitalSecurityCameraSettings:1 Service	ISO/IEC 29341-5-11
UPnP DigitalSecurityCameraStillImage:1 Service	ISO/IEC 29341-5-12
UPnP HVAC_System:1 Device	ISO/IEC 29341-6-1
UPnP HVAC_ZoneThermostat:1 Device	ISO/IEC 29341-6-2
UPnP ControlValve:1 Service	ISO/IEC 29341-6-10
UPnP HVAC_FanOperatingMode:1 Service	ISO/IEC 29341-6-11
UPnP FanSpeed:1 Service	ISO/IEC 29341-6-12
UPnP HouseStatus:1 Service	ISO/IEC 29341-6-13
UPnP HVAC_SetpointSchedule:1 Service	ISO/IEC 29341-6-14
UPnP TemperatureSensor:1 Service	ISO/IEC 29341-6-15
UPnP TemperatureSetpoint:1 Service	ISO/IEC 29341-6-16
UPnP HVAC_UserOperatingMode:1 Service	ISO/IEC 29341-6-17
UPnP BinaryLight:1 Device	ISO/IEC 29341-7-1
UPnP DimmableLight:1 Device	ISO/IEC 29341-7-2
UPnP Dimming:1 Service	ISO/IEC 29341-7-10
UPnP SwitchPower:1 Service	ISO/IEC 29341-7-11
UPnP InternetGatewayDevice:1 Device	ISO/IEC 29341-8-1
UPnP LANDevice:1 Device	ISO/IEC 29341-8-2
UPnP WANDevice:1 Device	ISO/IEC 29341-8-3
UPnP WANConnectionDevice:1 Device	ISO/IEC 29341-8-4
UPnP WLANAccessPointDevice:1 Device	ISO/IEC 29341-8-5
UPnP LANHostConfigManagement:1 Service	ISO/IEC 29341-8-10
UPnP Layer3Forwarding:1 Service	ISO/IEC 29341-8-11
UPnP LinkAuthentication:1 Service	ISO/IEC 29341-8-12
UPnP RadiusClient:1 Service	ISO/IEC 29341-8-13
UPnP WANCableLinkConfig:1 Service	ISO/IEC 29341-8-14
UPnP WANCommonInterfaceConfig:1 Service	ISO/IEC 29341-8-15
UPnP WANDSLLinkConfig:1 Service	ISO/IEC 29341-8-16
UPnP WANEthernetLinkConfig:1 Service	ISO/IEC 29341-8-17
UPnP WANIPConnection:1 Service	ISO/IEC 29341-8-18
UPnP WANPOTSLinkConfig:1 Service	ISO/IEC 29341-8-19
UPnP WANPPPConnection:1 Service	ISO/IEC 29341-8-20
UPnP WLANConfiguration:1 Service	ISO/IEC 29341-8-21
UPnP Printer:1 Device	ISO/IEC 29341-9-1
UPnP Scanner:1.0 Device	ISO/IEC 29341-9-2
UPnP ExternalActivity:1 Service	ISO/IEC 29341-9-10
UPnP Feeder:1.0 Service	ISO/IEC 29341-9-11
UPnP PrintBasic:1 Service	ISO/IEC 29341-9-12
UPnP Scan:1 Service	ISO/IEC 29341-9-13
UPnP QoS Architecture:1.0	ISO/IEC 29341-10-1
UPnP QoSDevice:1 Service	ISO/IEC 29341-10-10
UPnP QoSManager:1 Service	ISO/IEC 29341-10-11
UPnP QoSPolicyHolder:1 Service	ISO/IEC 29341-10-12
UPnP QoS Architecture:2	ISO/IEC 29341-11-1
UPnP QOS v2 Schema Files	ISO/IEC 29341-11-2

UPnP Document Title	ISO/IEC 29341 Part
UPnP QosDevice:2 Service	ISO/IEC 29341-11-10
UPnP QosManager:2 Service	ISO/IEC 29341-11-11
UPnP QosPolicyHolder:2 Service	ISO/IEC 29341-11-12
UPnP RemoteUIClientDevice:1 Device	ISO/IEC 29341-12-1
UPnP RemoteUIServerDevice:1 Device	ISO/IEC 29341-12-2
UPnP RemoteUIClient:1 Service	ISO/IEC 29341-12-10
UPnP RemoteUIServer:1 Service	ISO/IEC 29341-12-11
UPnP DeviceSecurity:1 Service	ISO/IEC 29341-13-10
UPnP SecurityConsole:1 Service	ISO/IEC 29341-13-11

1. Overview and Scope

This service definition is compliant with the UPnP Device Architecture version 1.0.

This service enables the **control, monitoring and configuration of IEEE 802.11 Wireless Access Points for the unmanaged network space, namely residential and small office LANs**. It focuses on the core elements required for setting up wireless networks, configuring wireless security, diagnosing and monitoring usage problems, and setting location-specific information elements.

Its intent is to simplify the setup experience, secure wireless networks and provide the framework for diagnosing and monitoring problems on wireless networks.

This service-type enables the following functions:

- Remote setup and configuration of the **basic parameters of a wireless access point** including: SSID, radio channel configuration, wireless access point mode and others.
- Remote setup and configuration of **wireless authentication** for WPA, 11i and WEP based security.
- Remote configuration and **provisioning of location** specific information.
- Remote **diagnostics and monitoring** of wireless networks.