
**Information technology — Computer
graphics — Metafile for the storage and
transfer of picture description
information —**

**Part 1:
Functional specification**

*Technologies de l'information — Infographie — Métafichier de stockage
et de transfert des informations de description d'images —*

Partie 1: Description fonctionnelle

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

	Page
1	Scope.....1
2	Conformance1
3	Normative references.....1
4	Terms and definitions.....3
4.1	Definitions.....3
5	Symbols and abbreviated terms.....11
6	Concepts12
6.1	Introduction12
6.2	Delimiter elements13
6.3	Metafile descriptor elements.....13
6.3.1	Identification14
6.3.2	Functional capability.....14
6.3.3	Default metafile state17
6.3.4	Fonts and character sets.....17
6.3.5	Picture directory.....22
6.4	Picture descriptor elements.....22
6.4.1	Scaling mode23
6.4.2	Colour selection mode.....23
6.4.3	Specification modes23
6.4.4	VDC extent23
6.4.5	CGM tailoring24
6.4.6	Background colour26
6.4.7	Device viewport control.....26
6.4.8	Representations26
6.4.9	Definable attributes.....27
6.4.10	Application structure directory.....27
6.5	Control elements27
6.5.1	VDC space and range27

6.5.2	Clipping	27
6.5.3	Save and restore primitive context	28
6.5.4	Compound clipping and shielding	29
6.5.5	Generalized text path	32
6.5.6	Mitre limit	32
6.5.7	Transparent cell colour	32
6.6	Graphical primitive elements	32
6.6.1	Line elements	34
6.6.2	Marker elements	36
6.6.3	Text elements	37
6.6.4	Filled-area elements	38
6.6.5	Cell elements	39
6.6.6	Circular arc elements	44
6.6.7	Elliptical elements	44
6.6.8	Hyperbolic arc element	44
6.6.9	Parabolic arc element	45
6.6.10	Spline curve elements	49
6.6.11	Closed figures	51
6.6.12	Symbol elements	58
6.7	Attribute elements	58
6.7.1	Line attributes	60
6.7.2	Marker attributes	62
6.7.3	Text attributes	64
6.7.4	Filled-area attributes	87
6.7.5	Specification modes and transformation of aspects	90
6.7.6	Colour attributes	91
6.7.7	Pick identifier	93
6.7.8	Compound text path	93
6.7.9	Symbol Attributes	93
6.8	Escape elements	94
6.9	External elements	95

6.10	Segment elements.....	95
6.10.1	Introduction	95
6.10.2	Local and global segments	95
6.10.3	Delimiting and naming segments.....	96
6.10.4	Segment attributes.....	96
6.10.5	Copy segment and inheritance.....	97
6.11	Metafile states.....	102
6.12	Registration	113
6.13	Application Structure Elements.....	113
6.13.1	Introduction	113
6.13.2	Location of and access to Application Structures	114
6.13.3	Nesting of Application Structures.....	114
6.13.4	Graphical Context of Application Structures	114
6.13.5	Application Structure Attributes.....	114
6.13.6	Relationship between application structures and segments	115
7	Abstract specification of elements.....	118
7.1	Introduction	118
7.2	Delimiter elements	120
7.2.1	BEGIN METAFILE	120
7.2.2	END METAFILE.....	121
7.2.3	BEGIN PICTURE	121
7.2.4	BEGIN PICTURE BODY.....	122
7.2.5	END PICTURE	122
7.2.6	BEGIN SEGMENT	122
7.2.7	END SEGMENT	123
7.2.8	BEGIN FIGURE	123
7.2.9	END FIGURE	123
7.2.10	BEGIN PROTECTION REGION	124
7.2.11	END PROTECTION REGION.....	124
7.2.12	BEGIN COMPOUND LINE	124
7.2.13	END COMPOUND LINE	124

7.2.14	BEGIN COMPOUND TEXT PATH	125
7.2.15	END COMPOUND TEXT PATH	125
7.2.16	BEGIN TILE ARRAY	125
7.2.17	END TILE ARRAY	126
7.2.18	BEGIN APPLICATION STRUCTURE	127
7.2.19	BEGIN APPLICATION STRUCTURE BODY	127
7.2.20	END APPLICATION STRUCTURE	127
7.3	Metafile descriptor elements	128
7.3.1	METAFILE VERSION	128
7.3.2	METAFILE DESCRIPTION	128
7.3.3	VDC TYPE	128
7.3.4	INTEGER PRECISION	129
7.3.5	REAL PRECISION	129
7.3.6	INDEX PRECISION	129
7.3.7	COLOUR PRECISION	129
7.3.8	COLOUR INDEX PRECISION	130
7.3.9	MAXIMUM COLOUR INDEX	130
7.3.10	COLOUR VALUE EXTENT	130
7.3.11	METAFILE ELEMENT LIST	131
7.3.12	METAFILE DEFAULTS REPLACEMENT	132
7.3.13	FONT LIST	132
7.3.14	CHARACTER SET LIST	133
7.3.15	CHARACTER CODING ANNOUNCER	133
7.3.16	NAME PRECISION	134
7.3.17	MAXIMUM VDC EXTENT	135
7.3.18	SEGMENT PRIORITY EXTENT	135
7.3.19	COLOUR MODEL	135
7.3.20	COLOUR CALIBRATION	136
7.3.21	FONT PROPERTIES	138
7.3.22	GLYPH MAPPING	140
7.3.23	SYMBOL LIBRARY LIST	142

7.3.24	PICTURE DIRECTORY	142
7.4	Picture descriptor elements.....	142
7.4.1	SCALING MODE	142
7.4.2	COLOUR SELECTION MODE	143
7.4.3	LINE WIDTH SPECIFICATION MODE.....	143
7.4.4	MARKER SIZE SPECIFICATION MODE.....	144
7.4.5	EDGE WIDTH SPECIFICATION MODE.....	144
7.4.6	VDC EXTENT.....	145
7.4.7	BACKGROUND COLOUR	145
7.4.8	DEVICE VIEWPORT	146
7.4.9	DEVICE VIEWPORT SPECIFICATION MODE.....	146
7.4.10	DEVICE VIEWPORT MAPPING.....	147
7.4.11	LINE REPRESENTATION.....	147
7.4.12	MARKER REPRESENTATION	148
7.4.13	TEXT REPRESENTATION.....	148
7.4.14	FILL REPRESENTATION	149
7.4.15	EDGE REPRESENTATION.....	149
7.4.16	INTERIOR STYLE SPECIFICATION MODE.....	150
7.4.17	LINE AND EDGE TYPE DEFINITION	150
7.4.18	HATCH STYLE DEFINITION.....	151
7.4.19	GEOMETRIC PATTERN DEFINITION	152
7.4.20	APPLICATION STRUCTURE DIRECTORY	152
7.5	Control elements.....	153
7.5.1	VDC INTEGER PRECISION.....	153
7.5.2	VDC REAL PRECISION	153
7.5.3	AUXILIARY COLOUR	153
7.5.4	TRANSPARENCY	154
7.5.5	CLIP RECTANGLE.....	154
7.5.6	CLIP INDICATOR	155
7.5.7	LINE CLIPPING MODE	155
7.5.8	MARKER CLIPPING MODE.....	155

7.5.9	EDGE CLIPPING MODE	156
7.5.10	NEW REGION.....	156
7.5.11	SAVE PRIMITIVE CONTEXT	156
7.5.12	RESTORE PRIMITIVE CONTEXT	157
7.5.13	PROTECTION REGION INDICATOR	158
7.5.14	GENERALIZED TEXT PATH MODE	158
7.5.15	MITRE LIMIT.....	158
7.5.16	TRANSPARENT CELL COLOUR.....	159
7.6	Graphical primitive elements.....	159
7.6.1	POLYLINE	159
7.6.2	DISJOINT POLYLINE.....	159
7.6.3	POLYMARKER.....	160
7.6.4	TEXT	160
7.6.5	RESTRICTED TEXT	161
7.6.6	APPEND TEXT	162
7.6.7	POLYGON	163
7.6.8	POLYGON SET	164
7.6.9	CELL ARRAY	166
7.6.10	GENERALIZED DRAWING PRIMITIVE (GDP)	168
7.6.11	RECTANGLE.....	168
7.6.12	CIRCLE.....	168
7.6.13	CIRCULAR ARC 3 POINT.....	169
7.6.14	CIRCULAR ARC 3 POINT CLOSE	169
7.6.15	CIRCULAR ARC CENTRE.....	172
7.6.16	CIRCULAR ARC CENTRE CLOSE	172
7.6.17	ELLIPSE	173
7.6.18	ELLIPTICAL ARC.....	173
7.6.19	ELLIPTICAL ARC CLOSE	174
7.6.20	CIRCULAR ARC CENTRE REVERSED.....	175
7.6.21	CONNECTING EDGE.....	176
7.6.22	HYPERBOLIC ARC.....	176

7.6.23	PARABOLIC ARC	177
7.6.24	NON-UNIFORM B-SPLINE	177
7.6.25	NON-UNIFORM RATIONAL B-SPLINE.....	178
7.6.26	POLYBEZIER	178
7.6.27	POLYSYMBOL	179
7.6.28	BITONAL TILE.....	179
7.6.29	TILE.....	181
7.7	Attribute elements.....	183
7.7.1	LINE BUNDLE INDEX	183
7.7.2	LINE TYPE	183
7.7.3	LINE WIDTH	184
7.7.4	LINE COLOUR.....	184
7.7.5	MARKER BUNDLE INDEX	185
7.7.6	MARKER TYPE	185
7.7.7	MARKER SIZE.....	186
7.7.8	MARKER COLOUR	186
7.7.9	TEXT BUNDLE INDEX	186
7.7.10	TEXT FONT INDEX	187
7.7.11	TEXT PRECISION	187
7.7.12	CHARACTER EXPANSION FACTOR	188
7.7.13	CHARACTER SPACING	189
7.7.14	TEXT COLOUR.....	189
7.7.15	CHARACTER HEIGHT	189
7.7.16	CHARACTER ORIENTATION.....	190
7.7.17	TEXT PATH	190
7.7.18	TEXT ALIGNMENT	191
7.7.19	CHARACTER SET INDEX	191
7.7.20	ALTERNATE CHARACTER SET INDEX.....	192
7.7.21	FILL BUNDLE INDEX.....	192
7.7.22	INTERIOR STYLE.....	193
7.7.23	FILL COLOUR	193

7.7.24	HATCH INDEX.....	194
7.7.25	PATTERN INDEX	194
7.7.26	EDGE BUNDLE INDEX.....	195
7.7.27	EDGE TYPE.....	195
7.7.28	EDGE WIDTH	196
7.7.29	EDGE COLOUR	196
7.7.30	EDGE VISIBILITY.....	197
7.7.31	FILL REFERENCE POINT	197
7.7.32	PATTERN TABLE	198
7.7.33	PATTERN SIZE	198
7.7.34	COLOUR TABLE.....	199
7.7.35	ASPECT SOURCE FLAGS.....	199
7.7.36	PICK IDENTIFIER.....	200
7.7.37	LINE CAP.....	200
7.7.38	LINE JOIN.....	201
7.7.39	LINE TYPE CONTINUATION	202
7.7.40	LINE TYPE INITIAL OFFSET	202
7.7.41	TEXT SCORE TYPE.....	203
7.7.42	RESTRICTED TEXT TYPE.....	203
7.7.43	INTERPOLATED INTERIOR.....	204
7.7.44	EDGE CAP.....	205
7.7.45	EDGE JOIN.....	206
7.7.46	EDGE TYPE CONTINUATION	206
7.7.47	EDGE TYPE INITIAL OFFSET	207
7.7.48	SYMBOL LIBRARY INDEX.....	207
7.7.49	SYMBOL COLOUR	208
7.7.50	SYMBOL SIZE	208
7.7.51	SYMBOL ORIENTATION	208
7.8	Escape elements	209
7.8.1	ESCAPE.....	209
7.9	External elements	209

7.9.1	MESSAGE	209
7.9.2	APPLICATION DATA	210
7.10	Segment elements.....	210
7.10.1	COPY SEGMENT	210
7.10.2	INHERITANCE FILTER	211
7.10.3	CLIP INHERITANCE.....	212
7.10.4	SEGMENT TRANSFORMATION	212
7.10.5	SEGMENT HIGHLIGHTING	213
7.10.6	SEGMENT DISPLAY PRIORITY.....	213
7.10.7	SEGMENT PICK PRIORITY	213
7.11	Application structure descriptor elements.....	214
7.11.1	APPLICATION STRUCTURE ATTRIBUTE	214
8	Metafile defaults	215
9	Profiles and conformance	219
9.1	Introduction	219
9.1.1	Objectives	219
9.1.2	Scope.....	219
9.1.3	Concept and purpose of profiles for CGM.....	219
9.1.4	Purpose of the Model Profile	220
9.2	Conformance	220
9.2.1	Conformance of profiles.....	220
9.2.2	Conformance of metafiles	221
9.2.3	Conformance of metafile generators	221
9.2.4	Conformance of metafile interpreters	222
9.3	Criteria for designing profiles.....	222
9.3.1	Criteria on the profile in its entirety	222
9.3.2	Criteria for the technical content of the profile.....	222
9.4	Form and format of a profile	222
9.5	Profile rules, proforma, and model profile	223
9.5.1	Overview	223
9.5.2	General principles	224

ISO/IEC 8632-1:1999(E)

9.5.3	Metafile rules	226
9.5.4	Multi-element rules	226
9.5.5	Individual element rules	231
9.5.6	Generator implementation requirements	231
9.5.7	Interpreter implementation requirements.....	233
9.5.8	PPF Tables	236
Annex A (normative)	Formal grammar of the functional specification of version 1 metafiles	238
A.1	Introduction	238
A.2	Notation used	238
A.3	Detailed grammar	238
A.3.1	Metafile structure	238
A.3.2	Metafile descriptor elements.....	239
A.3.3	Picture descriptor elements.....	240
A.3.4	Control elements.....	241
A.3.5	Graphical elements	241
A.3.6	Attribute elements.....	243
A.3.7	Escape elements	246
A.3.8	External elements.....	246
A.4	Terminal symbols.....	247
Annex B (normative)	Formal Grammar of the functional specification of version 2 metafiles.....	251
B.1	Introduction	251
B.2	Notation used	251
B.3	Detailed grammar	251
B.3.1	Metafile structure	251
B.3.2	Metafile descriptor elements.....	252
B.3.3	Picture descriptor elements.....	254
B.3.4	Control elements.....	256
B.3.5	Graphical elements	256
B.3.6	Attribute elements.....	259
B.3.7	Closed figure element.....	261
B.3.8	Escape elements	262

B.3.9 External elements.....	262
B.3.10 Segment elements.....	262
B.4 Terminal symbols.....	264
Annex C (normative) Formal grammar of the functional specification of version 3 metafiles	271
C.1 Introduction.....	271
C.2 Definitions	271
C.2.1 Notation Used	271
C.2.2 Structured Data Records	271
C.3 Detailed Grammar	272
C.3.1 Metafile structure	272
C.3.2 Metafile descriptor elements.....	276
C.3.3 Picture descriptor elements.....	279
C.3.4 Control elements	281
C.3.5 Graphical elements	282
C.3.6 Attribute elements.....	285
C.3.7 Escape elements	289
C.3.8 External elements.....	289
C.3.9 Segment elements.....	290
C.4 Terminal symbols.....	292
Annex D (informative) Guidelines for metafile generators and interpreters	300
D.1 Introduction.....	300
D.2 Errors and degeneracies	300
D.2.1 Syntax errors	301
D.2.2 Geometrically degenerate primitives	301
D.2.3 Mathematical singularities and ambiguities.....	302
D.3 General guidelines	302
D.3.1 Indexes	302
D.3.2 Colour model	302
D.3.3 Order of metafile descriptor elements	305
D.3.4 Unsatisfied references.....	305
D.4 Guidelines for element classes.....	305

D.4.1	Delimiter elements	305
D.4.2	Metafile descriptor elements.....	305
D.4.3	Picture descriptor elements.....	305
D.4.4	Control elements.....	306
D.4.5	Graphical primitive elements.....	306
D.4.6	Attribute elements.....	309
D.4.7	Escape elements	311
D.4.8	External elements.....	311
D.4.9	Segment elements	311
Annex E (informative)	Guidelines for private encodings	312
Annex F (informative)	Reference models.....	313
Annex G (informative)	Conversions between CIEXYZ reference colour space & metafile colour spaces	317
G.1	Introduction	317
G.2	CIELUV	317
G.2.1	Conversion from the CIEXYZ reference colour space to CIELUV	317
G.2.2	Conversion from CIELUV to the CIEXYZ reference colour space	318
G.3	CIELAB.....	318
G.3.1	Conversion from the CIEXYZ reference colour space to CIELAB	318
G.3.2	Conversion from CIELAB to the CIEXYZ reference colour space	319
G.4	RGB	320
G.4.1	Conversion from the CIEXYZ reference colour space to RGB.....	320
G.4.2	Conversion from RGB to the CIEXYZ reference colour space.....	321
G.5	RGB-related	322
G.6	CMYK.....	322
G.6.1	Conversion from CMYK to the CIEXYZ reference colour space	322
G.6.2	CMYK Calibration data	322
G.7	Bibliography	323
Annex H (normative)	Formal grammar of the functional specification of version 4 metafiles.....	324
H.1	Introduction	324
H.2	Definitions.....	324
H.2.1	Notation used	324

H.2.2 Structured Data Records:	324
H.3 Detailed grammar	325
H.3.1 Metafile structure	325
H.3.2 Metafile descriptor elements	329
H.3.3 Picture descriptor elements	332
H.3.4 Control elements	335
H.3.5 Graphical elements	336
H.3.6 Attribute elements	339
H.3.7 Escape elements	343
H.3.8 External elements	343
H.3.9 Segment elements	343
H.3.10 Application structure descriptor elements	346
H.4 Terminal Symbols	346
Annex I (normative) Proforma tables and font metrics	355
I.1 Proforma tables	354
I.2 Font character codes and metrics	434
I.2.1 Introduction	434
I.2.2 Association of character code to glyph	434
I.2.3 Font metric tables	437

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 8632 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 8632-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 24, *Computer graphics and image processing*.

This second edition cancels and replaces the first edition (ISO/IEC 8632-1:1992), which has been technically revised. Note that the previous edition of ISO/IEC 8632-1, published in 1992, was a first edition but second edition was indicated by error on its cover page and in the foreword.

ISO/IEC 8632 consists of the following parts, under the general title *Information technology — Computer graphics — Metafile for the storage and transfer of picture description information*:

- *Part 1: Functional specification*
- *Part 3: Binary encoding*
- *Part 4: Clear text encoding*

Annexes A, B, C, H and I form a normative part of this part of ISO/IEC 8632. Annexes D to G are for information only.

NOTE In previous editions of ISO/IEC 8632, Part 2 defined a Character Encoding. Part 2 was withdrawn in 1998, due to its lack of implementation and use.

Introduction

0.1 Purpose

The Computer Graphics Metafile provides a file format suitable for the storage and retrieval of picture information. The file format consists of a set of elements that can be used to describe pictures in a way that is compatible between systems of different architectures and devices of differing capabilities and design. This picture description includes the capability for describing static pictures. Static pictures are those where elements which may lead to dynamic effects (for example those leading to regeneration) are prohibited within the picture body.

0.2 Reasons for this International Standard

The main reasons for producing a standard computer graphics metafile are

- a) to allow picture information to be stored in an organized way on a graphical software system;
- b) to facilitate transfer of picture information between different graphical software system;
- c) to enable picture information to be transferred between graphical devices;.
- d) to enable picture information to be transferred between different computer graphics installations.

0.3 Design requirements

To reach these objectives, a number of design principles were adopted:

- a) The metafile should provide a suitable set of elements for the transfer of a wide range of pictorial information.
- b) The metafile should address the more usual and essential features found on graphical devices directly and should provide access to less common facilities via an escape mechanism.
- c) The design of the metafile should not preclude extension of ISO/IEC 8632 at a later stage to cover facilities beyond those included in this version of the Standard. It should also not preclude further extensions to support future standards.
- d) The metafile should be usable from GKS (Graphical Kernel System — ISO 7942) with both metafile input and metafile output functions. It should include the capability to support ISO 7942 (GKS) static picture capture.
- e) ISO/IEC 8632 should address the needs of different applications that have conflicting requirements for size of metafile, speed of generation and interpretation, readability, editability and ease of transfer through different transport mechanisms.

0.4 Design criteria

The requirements of 0.3 were used to formulate the following criteria which were used to decide between different design possibilities.

- a) Completeness: In any area of ISO/IEC 8632, the functionality specified by ISO/IEC 8632 should be complete in itself.
- b) Conciseness: Redundant elements or parameters should be avoided.
- c) Consistency: Contradictory elements should be avoided.
- d) Extensibility: The ability to add new elements and generality to ISO/IEC 8632 should not be precluded.
- e) Fidelity: The minimal results and characteristics of elements should be well defined.

- f) Implementability: An element should be able to be supported efficiently on most host systems and/or graphics hardware.
- g) Orthogonality: The elements of the metafile should be independent of each other, or any dependencies should be structured and well defined.
- h) Predictability: ISO/IEC 8632 should be such that the recommended or proper use of standard elements guarantees the results of using a particular element.
- i) Standard practice: Only those elements that reflect existing practice, that are necessary to support existing practice, or that are necessary to support proposed standards should be standardized.
- j) Usefulness: Functions should be powerful enough to perform useful tasks.
- k) Well-structured: The assumptions that elements make about each other should be minimized. An element should have a well-defined interface and a simply stated unconditional purpose. Multipurpose elements and side effects should be avoided.

0.5 Access to a metafile

The metafile has been designed so that, although its main usage is anticipated as being with completely sequential access, non-sequential access is also possible. Once the basic environment of the metafile has been established, individual pictures may be accessible if the medium, the encoding and the implementation support this form of access.

0.6 Generation and interpretation of metafiles

The specific mechanisms of metafile generation and interpretation are not described by ISO/IEC 8632, although it does describe the intended result of such interpretation. The basic set of metafile elements includes a capability for the addition of application-dependent data, which do not have graphical meaning and for which no intended interpretation results are described.

0.7 Distinction between formal specification and encodings

The functionality provided by the metafile is separated from the specification of any particular encoding format. ISO/IEC 8632 provides for both standard and private encodings of the elements described in this part of ISO/IEC 8632. Guidelines for private encodings are specified in annex E; these guidelines do not form part of ISO/IEC 8632.

Standardized encodings are specified in parts 3 and 4 of ISO/IEC 8632. Each of the standardized encodings is capable of representing the full functionality described in this part of ISO/IEC 8632. Translation between the standardized encodings is possible without loss of picture information, although subsequent translation back into the original encoding may not result in precisely the same data stream, due to different quantizations of precisions in the different encodings.

The binary encoding specified in ISO/IEC 8632-3 provides an encoding that requires least effort to generate and interpret on many systems, and which is relatively compact as well.

The clear text encoding specified in ISO/IEC 8632-4 provides an encoding that can be created, viewed and edited with standard text editors. It is therefore also suitable for transfer through networks that support only transfer of text files.

0.8 Relationship to other International Standards

ISO/IEC 8632 draws extensively for its model of a graphics system on GKS (Graphical Kernel System — ISO 7942). In addition, ISO/IEC 8632 specifies a metafile that may be used as a static picture-capture metafile by GKS.

This part of ISO/IEC 8632 uses font concepts and the font architecture defined in ISO/IEC 9541-1 for defining CGM references to fonts and font resources. The font properties of ISO/IEC 9541-1 are adopted, where appropriate, to define CGM mechanisms to provide information useful for font substitution between parties interchanging Metafiles. This part of ISO/IEC 8632 includes the minimum font description subset defined in ISO/IEC 9541-2. Clause 3

contains a number of glossary definitions that are taken from, and are identical to, those found in ISO/IEC 9541-1. This part of ISO/IEC 8632 also defines access to extended families of glyph based on the principles and procedures of ISO/IEC 10036.

This part of ISO/IEC 8632 uses a colorimetrically precise reference colour space to allow for interchange of precise colour specifications. It uses concepts defined in ISO/IEC 8613/Amd.2 which are based on CIE publications. ISO/IEC 8613/Amd.2 provides tutorial material on relevant definitions and colour concepts, which is useful for understanding the material in this Standard but is not incorporated into this Standard in that amount of detail.

The binary encoding specified in ISO/IEC 8632-3 employs the mechanism for representing floating point numbers specified in ANSI/IEEE 754-1986.

For certain elements, the CGM defines value ranges of parameters as being reserved for registration. The meanings of these values will be defined using the established procedures (see subclause 6.12) of the ISO International Registration Authority for Graphical Items. These procedures do not apply to values and value ranges defined as being reserved for private use; these values and ranges are not standardized. There is a very close relationship between many of the elements in ISO 8632 and a subset of the functions in the CGI (Computer Graphics Interface — ISO/IEC 9636).

0.9 Versions

ISO/IEC 8632 defines several versions of the Computer Graphics Metafile. A version is defined by a formal grammar and additional specifications contained in clauses 6, 7, and 8.

The following versions are currently defined: Version 1 (one); Version 2 (two); Version 3 (three); and Version 4 (four).

NOTE 1 A valid Version 3 metafile is also a valid Version 4 metafile. A valid Version 2 metafile is also a valid Version 3 metafile. A valid Version 1 metafile is also a valid Version 2 metafile.

NOTE 2 Version 1 metafiles are as defined by the original CGM standard, which was designated ISO 8632:1987. Version 2 metafiles are as defined by the first amendment to the CGM standard, which was designated ISO 8632:1987/Amd.1:1990. Version 3 metafiles are as defined by an amendment to Version 2 of the CGM standard. This amendment was originally designated ISO/IEC 8632:1987/Amd.3:1991, but was never published as an amendment. Instead all documents were consolidated to produce the 1992 revision of ISO 8632; Versions 1, 2, and 3 were all defined by the 1992 revision. Version 4 metafiles were originally defined by ISO/IEC 8632:1992/Amd.2-1995, which has been integrated into this (1999) revision of ISO/IEC 8632; Versions 1, 2, 3, and 4 are all defined by this revision

Information technology — Computer graphics — Metafile for the storage and transfer of picture description information —

Part 1: Functional specification

1 Scope

ISO/IEC 8632 provides a file format suitable for the storage and retrieval of picture description information. The file format consists of an ordered set of elements that may be used to describe pictures in a way that is compatible between systems of different architectures, compatible with devices of differing capabilities and design, and meaningful to application constituencies. This picture description includes the capability for describing static images.

The elements specified provide for the representation of a wide range of pictures on a wide range of graphical devices. The elements are organized into groups that delimit major structures (metafiles, pictures, and application structures), that specify the representations used within the metafile, that control the display of the picture, that perform basic drawing actions, that control the attributes of the basic drawing actions, that allow application-specific structuring to be overlaid on the graphical content, and that provide access to non-standard device capabilities.

The metafile is defined in such a way that, in addition to sequential access to the whole metafile, random access to individual pictures and individual context-independent application structures is well-defined. Applications which require random access to pictures and/or context-independent application structures within pictures may, within the metafile, define directories to these pictures and/or context-independent application structures. The metafile may then be opened and randomly accessed without interpreting the entire metafile.

In addition to a functional specification, two standard encodings of the metafile syntax are specified. These encodings address the needs of applications that require small metafile size plus minimum effort to generate and interpret, and maximum flexibility for a human reader or editor of the metafile.

This part of ISO/IEC 8632 describes the format using an abstract syntax. The remaining parts of ISO 8632 specify standardized encodings that conform to this syntax: ISO/IEC 8632-3 specifies a binary encoding; ISO/IEC 8632-4 specifies a clear text encoding.

2 Conformance

ISO/IEC 8632 defines specific criteria for conformance of metafiles, conformance of metafile generators, and conformance of metafile interpreters to this International Standard. Conformance is defined in terms of profiles. Specific conformance criteria for metafiles, generators, and interpreters are defined in clause 9. The criteria for valid, conforming profiles, plus a Model Profile, are specified in clause 9 and annex I. A methodology for defining valid profiles, and a pro forma (Profile Proforma, or PPF) for writing profiles, are defined in clause 9 and annex I.

3 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 8632. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 8632 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO/IEC 646:1991, *Information technology — ISO 7-bit coded character set for information interchange*.

ISO 2022:1986, *Information processing — ISO 7-bit and 8-bit coded character sets — Code extension techniques*.

ISO 2375:1985, *Data processing — Procedure for registration of escape sequences*.

ISO 7942:1985, *Information processing systems — Computer graphics — Graphical Kernel System (GKS) functional description*.

ISO 8601:1988, *Data elements and interchange formats — Information interchange — Representation of dates and time*.

ISO 8859-1:1987, *Information processing — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*.

ISO/IEC 9541-1:1991, *Information technology — Font information interchange — Part 1: Architecture*.

ISO/IEC 9541-2:1991, *Information technology — Font information interchange — Part 2: Interchange format*.

ISO/IEC 9636-1:1991, *Information technology — Computer graphics — Interfacing techniques for dialogues with graphical devices (CGI) — Functional specification — Part 1: Overview, profiles, and conformance*.

ISO/IEC 9636-2:1991, *Information technology — Computer graphics — Interfacing techniques for dialogues with graphical devices (CGI) — Functional specification — Part 2: Control*.

ISO/IEC 9636-3:1991, *Information technology — Computer graphics — Interfacing techniques for dialogues with graphical devices (CGI) — Functional specification — Part 3: Output*.

ISO/IEC 9636-4:1991, *Information technology — Computer graphics — Interfacing techniques for dialogues with graphical devices (CGI) — Functional specification — Part 4: Segments*.

ISO/IEC TR 9973:1988, *Information processing — Procedures for registration of graphical items*.

ISO/IEC 10036, *Information technology — Font information interchange — Procedure for registration of glyph and glyph collection identifiers*.

ISO/IEC TR 10000-1:1992, *Information technology — Framework and taxonomy of International Standardized Profiles — Part 1: Framework*.

ISO/IEC TR 10000-2:1992, *Information technology — Framework and taxonomy of International Standardized Profiles — Part 2: Taxonomy of OSI Profiles*.

ISO/IEC 10646-1:1993, *Information technology — Universal Multiple-Octet Coded Character Set (UCS) — Part 1: Architecture and Basic Multilingual Plane*.

ISO/IEC 10646-1:1993, Amd.2:1996, *Information technology — Universal Multiple-Octet Coded Character Set (UCS) — Part 1: Architecture and Basic Multilingual Plane, Amendment 2: UCS Transformation Format 8 (UTF-8)*.

CCITT Recommendation T.4 (1988), *Standardization of group 3 facsimile apparatus for document transmission*.

CCITT Recommendation T.6 (1988), *Standardization of group 4 facsimile apparatus for document transmission*.

CIE Publication 15.2, *Colorimetry, 1986 (2nd edition)*.

CIE Publication S002, *Colorimetric Observers, 1986 (1st edition)*.