

IPC-4101F

2026 - February

Specification for Base Materials for Rigid and Multilayer Printed Boards

Supersedes IPC-4101E WAM1
April 2020

*An IPC international standard developed by
the Global Electronics Association*

GEA Mission

The Global Electronics Association promotes industry growth and strengthens supply chain resilience.

**About IPC
Standards by
Global Electronics
Association**

IPC standards and publications by Global Electronics Association are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for their particular need. Existence of such standards and publications shall not in any respect preclude any entity from manufacturing or selling products not conforming to such standards and publications, nor shall the existence of such standards and publications preclude their voluntary use.

IPC standards and publications by Global Electronics Association are approved by committees without regard to whether the standards or publications may involve patents on articles, materials or processes. By such action, Global Electronics Association does not assume any liability to any patent owner, nor does Global Electronics Association assume any obligation whatsoever to parties adopting a standard or publication. Users are wholly responsible for protecting themselves against all claims of liabilities for patent infringement.

**Global Electronics
Association
Position Statement
on Specification
Revision Change**

The use and implementation of IPC standards and publications by Global Electronics Association are voluntary and part of a relationship entered into by customer and supplier. When a standard or publication is revised or amended, the use of the latest revision or amendment as part of an existing relationship is not automatic unless required by the contract. Global Electronics Association recommends the use of the latest revision or amendment.

**Standards
Improvement
Recommendations**

Global Electronics Association welcomes comments for improvements to any standard in its library. All comments will be provided to the appropriate committee.

If a change to technical content is requested, data to support the request is recommended. Technical comments to include new technologies or make changes to published requirements should be accompanied by technical data to support the request. This information will be used by the committee to resolve the comment.

To submit your comments, visit the Status of Standardization page at www.electronics.org/status.



IPC-4101F

Specification for Base Materials for Rigid and Multilayer Printed Boards

If a conflict occurs
between the English
language and translated
versions of this document,
the English version will
take precedence.

Developed by the 3-11A IPC-4101 Task Group of the 3-10 Base Materials General Committee

Global Electronics Association Standards and Artificial Intelligence (AI) Statement

Global Electronics Association is the trading name of IPC International, Inc., which owns the copyright to all IPC Standards and other IPC materials.

The Global Electronics Association explicitly prohibits:

- The integration or transfer of any data whether in the form of IPC books, standards, metadata, or other formats — into AI engines or algorithms by any person or entity, including authorized distributors and their end users.
- Activities involving data harvesting, text and data mining, enrichment, or the creation of derivative works based on this data, including the use of automated data collection methods or artificial intelligence.

Any breach of these provisions is considered a copyright infringement unless expressly authorized in advance in writing by the Global Electronics Association.

Supersedes:
IPC-4101E WAM1 – April 2020

Users of this publication are encouraged to participate in the development of future revisions.

Contact:

Global Electronics Association
3000 Lakeside Drive, Suite 105N
Bannockburn, Illinois
60015-1249
Tel 847 615.7100
Fax 847 615.7105

This Page Intentionally Left Blank

Acknowledgment

Any document involving a complex technology draws material from a vast number of sources across many continents. While the principal members of the 3-11A Task Group are shown below, it is not possible to include all of those who assisted in the evolution of this standard. To each of them, the members of the Global Electronics Association extend their gratitude.

3-11A IPC-4101 Task Group

Co-Chair

Darren Hitchcock
Panasonic

Co-Chair

Al B. Block
National Instruments

3-10 Base Materials General Committee

Chair

Steven. A. Bowles
Lockheed Martin Space
Systems Company

Technical Liaison of the IPC Board of Directors

Bob Neves
Relability Assessment Services

Members of the 3-11A IPC-4101 Task Group

John Anderson
TCT Circuit Supply

David R. Backen
Elite Materials Co., Ltd.

Sean Baecker
All Flex Solutions

John A. Barrington
EMX Enterprises Limited

John Bauer
RTX Collins Aerospace

Erik Bergum
Founder PCB USA

Kevin Bivona
AGC Multi Material America Inc.

Al B. Block
National Instruments

Scott A. Bowles
Lockheed Martin Space Systems
Company

Jack Bramel
Jack Bramel and Associates

Chad Brown
TTM Technologies

Ralph Buoniconti
Sabic

Daniel Buxton
Northrop Grumman Corp.

Sophia Cady
TTM Technologies

Janwei Cai
Shengyi Technology Co., Ltd.

Christopher Brett Carrillo
Uyemura International Corp.

David C. Chaffee
EMX Enterprises Limited

Xuejin Chen

Zhiman Chen
ZhuZhou CRRC Times Electric
Co., Ltd

Paul Comer
Dongguan Somacis Graphic PCB
Company Ltd.

Robert W. Cooke
NASA Marshall Space Flight
Center

Sara Czaplewski Campbell
IBM

Nidhi Damu
Boeing Shared Services Group

Joseph H. Davis
Rogers Corporation

Francesco De Maio
Francesco De Maio Consulting

Paul Denomme
TTM Technologies

Ronald Duquette
TCT Circuit Supply

Timothy Louis Glaze
AdvancedPCB Santa Clara

Mahendra S. Gandhi

Pierre Emmanuel Goutorbe
Airbus Defense & Space

Kevin Hamilton
TTM Technologies

Ian Hanna
Circuit-Tech Inc.

Hardeep S. Heer
FTG Circuits

Ian Hemmings
Circuit Supply, Inc.

Scott Hinaga
Cisco Systems Inc.

Darren Hitchcock
Panasonic Corporation of North
America

Chris Hunrath
INSULECTRO

Min Sung Kim
Daeduck Electronics Co., Ltd.

Frank Kimmey
Northrop Grumman Corp.

Dana W. Korf
Korf Consultancy LLC

Hiroaki Kurihara
Mitsui Mining & Smelting Co.,
Ltd.

Christina Landon
Naval Undersea Warfare Center

Angela Lee
Guangzhou Meadville Electronics
Co., Ltd.

Minsue Lee
Korean Packaging Intergration
Association

Dan Loew
L3Harris

Shenxing Liu
Shengyi Technology Co., Ltd.

Peter B. Lindhart
TTM Technologies

John B. Marke
UL LLC

Laura Martin
Isola Group SARL

Jonathn McCarney Albermarle Corporation	Joseph Riendeau NASA Goddard Space Flight Center	Ingrid Swenson TTM Technologies
Debbie McDade Advance Rework Technology	Jose A.Rios RTX Raytheon	Kirk Thompson Isola-Group SARL
Twodrose Mebratu Honeywell Aerospace	Steven D. Roy Roy Design and Manufacturing Service	Bradley F. Toone L3Harris
Scott Meyer Collins Aerospace	Karl A. Sauter HDPUG User Group International Inc.	Vibol Tran Panasonic Corporation of North America
James J. Monarchio TTM Technologies	Carl Schlemmer Mega-Circuit Inc.	Hiroaki Tsuyoshi Mitsui Kinzoku
Alun Morgan Ventec Europe Ltd.	Tony R. Senese Panasonic Corporation of North America	Crystal E. Vanderpan UL LLC
Mathew Myers Elite Materials Co., Ltd.	Mateo Sension Istituto Italiano della Saldatura - Ente Morale	Oscar Chiclana Vazquez Airbus Defense and Space
Robert Neves Reliability Assessment Solutions Inc.	Russell S. Shepherd Element Baltimore	Sridharan venk Isola
Naji Norder National Instruments	Hans L. Shin Pacific Testing Laboratories, Inc.	Michael Kurt Weinhold PLUS Leiterplatten G
Glenn Oliver Lockheed Martin Missiles & Fire Control	Poul Skjold Danfoss Silicon Power Ltd.	Robert Wiley TTM Technologies
Marzena Olszewska-Placha QWED Sp.o.o	Alex Sober Essex Technologies Group, Inc.	Udo Welzel Robert Bosch GmbH
Gerry Partida Summit Interconnect Orange	Bhanu Sood NASA Marshall Space Flight Center	John Wright Elite Material Co., Ltd.
Pratish Patel Electronic Interconnect	Brian Stevens Collins Aerospace	Eriko Yamoto Panasonic Corporation of North America
Stephen Pierce SGP Ventures Inc.	Hanna Locken Swartz Boeing	Ye Yang Jiujiang Defu Technology Co., Limited
Michael Peng Dekra IST Reliability Service		
Mark Reese Elite Materials Co., Ltd.		

Table of Contents

1	SCOPE	1	2.6	ASTM International.....	8
1.1	Purpose	1	2.7	JEDEC.....	8
1.2	Classification	1	2.8	AIAG	8
1.3	Measurement Units	1	2.9	International Aerospace Quality Group (IAQG)	9
1.4	Definition of Requirements	1	3	REQUIREMENTS	9
1.5	Process Control Requirements	1	3.1	Requirement Definitions	9
1.6	Order of Precedence	1	3.1.1	Qualification Assessment	9
1.6.1	Conflict	2	3.1.2	Quality Conformance Testing.....	9
1.6.2	Clause References	2	3.1.3	Supplier's Quality System.....	9
1.6.3	Appendices	2	3.1.4	Self Declaration.....	9
1.7	Use of "Lead"	2	3.1.5	Sample Qualification	9
1.8	Abbreviations and Acronyms	2	3.1.6	Internal Assessment.....	9
1.9	Terms and Definitions	2	3.1.7	Individual Customer Audit.....	9
1.9.1	As Agreed Between User and Supplier (AABUS).....	2	3.1.8	Independent Third Party Assessment	9
1.9.2	Epoxy, Multifunctional.....	2	3.2	Specification Sheets	9
1.9.3	Epoxy, Difunctional.....	2	3.3	Manufacturer Quality Profile.....	10
1.9.4	Manufacturer	2	3.4	Qualification Testing	10
1.9.5	Spread Glass Fabric.....	2	3.4.1	Qualification Testing of Laminate	13
1.10	Product Classification	2	3.4.2	Qualification Testing of Prepreg.....	13
1.10.1	Specification Sheet Description.....	3	3.5	Verification of Manufacturer's Quality System.....	13
1.10.2	Nominal Laminate Thickness.....	3	3.6	Materials	13
1.10.3	Metal Cladding Type and Nominal Weight/ Thickness.....	3	3.6.1	Metal Cladding.....	13
1.10.3.1	Metal Cladding Type	3	3.6.2	Reinforcement Fabric	13
1.10.3.2	Nominal Weight/Thickness	4	3.6.3	Resin Systems.....	13
1.10.4	Thickness Tolerance Class (Laminate).....	5	3.7	General Requirements.....	13
1.10.5	Surface Quality Class	5	3.7.1	Fabricated Sheets and Panels	13
1.10.6	Reinforcement Style	5	3.7.1.1	Fabricated Laminate Sheet Material.....	13
1.10.7	Prepreg Parameters.....	5	3.7.1.2	Fabricated Laminate Panel Material.....	13
1.10.8	Color.....	6	3.7.1.3	Fabricated Prepreg Panels	13
1.10.8.1	Contrast Agents	6	3.7.1.4	Fabricated Prepreg Rolls	13
1.11	Dimensions and Tolerances	6	3.7.2	Inspection Lot.....	14
1.12	Applicability of Appendix A.....	6	3.7.2.1	Inspection Lot for Laminate	14
2	APPLICABLE DOCUMENTS.....	6	3.7.2.2	Inspection Lot for Prepreg.....	14
2.1	IPC	6	3.7.2.3	Etching Process and Etchant Removal for Copper Foil Specimens	14
2.2	National Conference of Standards Laboratories International	8	3.7.3	Visual Properties.....	14
2.3	American National Standards Institute	8	3.7.3.1	Laminate Visual Properties.....	14
2.4	UL Solutions (UL).....	8	3.7.3.1.1	Foil Indentations.....	14
2.5	European Union	8	3.7.3.1.2	Wrinkles.....	15
			3.7.3.1.3	Scratches.....	15

3.7.3.1.4	Plastic Surface Finish of Metal-Clad Single-Sided Base Material.....	15	3.8.2.1.2	Resin Content Percent (RC) (by Burn-Off).....	20
3.7.3.1.5	Surface Finish of Foil after Curing – Except Double Treat.....	15	3.8.2.1.3	Treated Weight Total (TW).....	20
3.7.3.1.6	Surface and Subsurface Imperfections.....	15	3.8.2.1.4	Variation Within a Panel.....	20
3.7.3.2	Prepreg Visual Properties.....	16	3.8.2.2	Flow Parameter.....	20
3.7.3.2.1	Inclusions.....	16	3.8.2.2.1	Resin Flow Percent (MF).....	20
3.7.3.2.2	Impregnation Imperfections.....	16	3.8.2.2.2	Scaled Flow Thickness (SC).....	20
3.7.4	Dimensional.....	16	3.8.2.2.3	No Flow (NF).....	20
3.7.4.1	Length and Width.....	16	3.8.2.2.4	Rheological Flow (RE) (Optional Test).....	21
3.7.4.1.1	Length and Width of Laminate.....	16	3.8.2.2.5	Melt Viscosity (MV) (Optional Test).....	21
3.7.4.1.2	Length and Width of Prepreg.....	17	3.8.2.2.6	Delta H (DH) (Optional Test).....	21
3.7.4.1.3	Prepreg Roll Width.....	17	3.8.2.2.7	Percent Cure (PC) (Optional Test).....	21
3.7.4.1.4	Prepreg Roll Length.....	17	3.8.2.3	Gel Time (GT) (Optional Test).....	21
3.7.4.2	Thickness.....	17	3.8.2.4	Volatile Content (VC) (Optional Test).....	21
3.7.4.2.1	Class A, B and C Laminate Materials.....	17	3.8.2.5	Thermal Conductivity (Prepreg Reference) [W/(m°K)].....	21
3.7.4.2.2	Class D Laminate Materials.....	17	3.9	Chemical Requirements.....	21
3.7.4.2.3	Class K, L and M Laminate Materials.....	18	3.9.1	Chemical Requirements of Laminate Materials....	21
3.7.4.2.4	Thickness Tolerance of Laminate Materials.....	18	3.9.1.1	Flammability.....	21
3.7.4.3	Bow and Twist of Laminate Materials.....	18	3.9.1.2	Thermal Stress.....	22
3.7.4.3.1	Sheets and Panels with Both Dimensions ≥300 mm [11.81 in].....	18	3.9.1.3	Solderability.....	22
3.7.4.3.2	Panels with One or Both Dimensions <300 mm [11.81 in].....	19	3.9.1.4	Chemical Resistance (Optional Test).....	22
3.8	Physical Requirements.....	19	3.9.1.5	Metal Surfaces Cleanability.....	22
3.8.1	Physical Requirements of Laminate Materials.....	19	3.9.1.6	Glass Transition Temperature (Tg).....	22
3.8.1.1	Peel Strength.....	19	3.9.1.7	Delta Tg by DSC (Optional Test).....	22
3.8.1.1.1	Peel Strength after Thermal Stress.....	19	3.9.1.8	Decomposition Temperature (Td) (Optional Test).....	22
3.8.1.1.2	Peel Strength at Elevated Temperature.....	19	3.9.1.9	Time to Delamination (TMA) (Optional Test).....	23
3.8.1.1.3	Peel Strength after Process Chemicals (Optional Test).....	19	3.9.2	Chemical Requirements of Prepreg Materials.....	23
3.8.1.2	Dimensional Stability.....	19	3.9.2.1	Flammability.....	23
3.8.1.3	Flexural Strength.....	19	3.9.2.2	Chemical Resistance (Optional Test).....	23
3.8.1.4	Flexural Strength at Elevated Temperature.....	19	3.9.2.3	Presence of Dicyandiamide (Dicy) (Optional Test).....	23
3.8.1.5	Thermal Conductivity [W/(m°K)].....	19	3.10	Electrical Requirements.....	23
3.8.1.6	Coefficient of Thermal Expansion (CTE) (Optional Test).....	20	3.10.1	Electrical Requirements of Laminate Materials....	23
3.8.1.7	Z-Axis CTE/Total Expansion (Optional Test).....	20	3.10.1.1	Permittivity.....	23
3.8.1.8	Polymer Fracture Toughness (Optional Test).....	20	3.10.1.2	Loss Tangent.....	23
3.8.2	Physical Requirements of Prepreg Materials.....	20	3.10.1.3	Volume Resistivity.....	23
3.8.2.1	Resin Content.....	20	3.10.1.4	Surface Resistivity.....	23
3.8.2.1.1	Resin Content Percent (RC) (by Treated Weight).....	20	3.10.1.5	Arc Resistance.....	23
			3.10.1.6	Dielectric Breakdown.....	23
			3.10.1.7	Electric Strength.....	23
			3.10.2	Electrical Requirements of Prepreg Materials.....	24

3.10.2.1	Permittivity.....	24	4.4.2	Acceptance Criteria	27
3.10.2.2	Loss Tangent.....	24	4.4.3	Rejected Lots	27
3.10.2.3	Electric Strength	24	4.4.4	Conformance Data Retention	27
3.11	Environmental Requirements	24	4.4.5	Certificate of Conformance	28
3.11.1	Environmental Requirements of Laminate Materials.....	24	4.5	Statistical Process Control (SPC).....	28
3.11.1.1	Moisture Absorption.....	24	5	PREPARATION FOR DELIVERY	28
3.11.1.2	Fungus Resistance (Optional Test).....	24	5.1	Packaging Materials.....	28
3.11.1.3	Pressure Vessel (Optional Test).....	24	5.2	Authorized Distributors	28
3.11.1.4	Total Halogen Content (Optional Test)	24	6	OTHER.....	29
3.11.1.5	Conductive Anodic Filament (CAF) Growth (Optional Test).....	24	6.1	Ordering Information	29
3.11.2	Environmental Requirements of Prepreg Materials.....	24	6.1.1	Ordering Data for Laminate Materials	29
3.11.2.1	Fungus Resistance (Optional Test).....	24	6.1.2	Ordering Data for Prepreg Materials.....	29
3.11.2.2	Conductive Anodic Filament (CAF) Growth (Optional Test).....	24	6.2	New Materials	29
3.12	Substitutability	25	7	KEYWORDS	30
3.12.1	Permissible Substitutions of Specification Sheet Materials.....	25	7.1	Keyword Search Terms (Electronic/Soft Copy Searches)	30
3.12.2	Substitutability of Classes of Pits and Dents.....	25	7.2	Segmented Keyword Search Terms.....	30
3.12.3	Substitutability of Classes of Thickness Tolerance	25	APPENDIX A Supplemental Inspection (IPC-4101 supplemental inspection requirements if required in procurement documentation or master drawing).....		
3.12.4	Remarking of Substituted Laminates	25	A.1	SCOPE	153
3.13	Marking	25	A.2	PREPREG.....	153
3.13.1	Marking Laminate Materials.....	25	A.2.1	Acceptance Criteria for Prepreg	153
3.13.2	Marking Prepreg Materials.....	25	A.2.2	Test Method for Prepreg	153
3.13.3	Marking of Shipping Containers	25	A.2.3	Rejection Criteria for Prepreg	153
3.14	Workmanship	26	A.3	LAMINATE.....	153
3.15	Material Safety	26	A.3.1	Acceptance Criteria for Laminate	153
3.16	Prepreg Shelf Life	26	A.3.2	Test Method for Laminate	153
4	QUALITY ASSURANCE PROVISIONS	26	A.3.3	Rejection Criteria for Laminate.....	153
4.1	Quality System.....	26	A.3.4	In-Process Requirement for Laminate.....	153
4.2	Responsibility for Inspection	26	A.3.5	Hi-Pot Test for Laminate	154
4.2.1	Test Equipment and Inspection Facilities.....	26	A.4	APPLICABILITY	154
4.3	Qualification Testing	26	A.5	CERTIFICATE OF CONFORMANCE	154
4.3.1	Samples	26	A.6	QUALITY CONFORMANCE INSPECTION AND FREQUENCY	154
4.3.2	Frequency	26	APPENDIX B Abbreviations and Acronyms		
4.3.3	Laminator Qualification Profile.....	27	155		
4.3.4	Changes in Composition	27	Figures		
4.3.5	Qualification Data Retention.....	27	Figure 3-1	Thickness Measurements for Laminates	17
4.4	Quality Conformance Inspection	27			
4.4.1	Frequency	27			

Figures

Figure 3-1	Thickness Measurements for Laminates	17
------------	--	----

Tables		Table 3-6	Permissible Variation in Length and Width of Prepregs	17	
Table 1-1	Metal Cladding Types.....	4	Table 3-7	Thickness and Tolerances for Laminates.....	18
Table 1-2	Copper Foil Weight and Thickness.....	4	Table 3-8	Permissible Bow and Twist for Laminates	18
Table 3-1	Reference Information and Test Frequency of Laminate	10	Table 3-9	Flammability Requirements	21
Table 3-1	Reference Information and Test Frequency of Laminate (continued).....	11	Table 3-10	Permissible Material Substitutions	25
Table 3-2	Reference Information and Test Frequency of Prepreg	12	Table 4-1	Quality Conformance Plan for Monthly, Quarterly and Annual Tests – Laminate	27
Table 3-3	Point Value for Longest Dimensions of Indentation.....	14	Table 4-2	Quality Conformance Plan for Monthly, Quarterly and Annual Tests – Prepreg.....	27
Table 3-4	Surface Quality Classification	15	Table A-1	Summary Table of Modifications in Appendix A.....	154
Table 3-5	Permissible Variation in Length and Width of Laminates	16			